AQUACULUNG®

Military & Professional



BUYER'S GUIDE 2014

MILITARY / GOVERNMENT BUYER'S GUIDE 2014

TABLE OF CONTENTS



TERMS & CONDITIONS	3
ONLINE ORDERING	4
REGULATORS	5 - 13
CYLINDERS, VALVES & ACCESSORIES	14 - 20
FULL FACE MASKS	21
SWIMMER VESTS	22 - 23
BC'S & ACCESSORIES	24 - 41
PFD'S	42 - 45
PFD'S & ACCESSORIES	46
GAUGES	47
SUUNTO INSTRUMENTS	48 - 56
INSTRUMENTS	57
LIGHTS	58
MASKS	59 - 64
SNORKELS	64 - 65
FINS	66 - 71
MILITARY WETSUITS	72
WETSUITS	73 - 81
HOODED VESTS	82
HOODS	83
RASHGUARDS	84
GLOVES	86 - 88
BOOTS	89 - 93
BAGS	95 - 99
KNIVES	100 - 101
COMMERCIAL DIVING	101 - 108
MISSION SPECIFIC DIVING EQUIPMENT	109 - 127

WHEN GETTING THERE IS HALF THE BATTLE,

our customers count on Aqua Lung products to deliver performance and reliability when it matters most. Our customers know they will face life support threats on every mission. That is why they choose Aqua Lung for our product integration experience for the war fighters at sea, in air, and on land.



Terms and Conditions

Effective April 15, 2014

ORDERS

- Possession of Aqua Lung/U.S. Divers price list does not constitute an offer to sell. Aqua Lung/U.S. Divers reserves the right to accept or reject all orders at the Vista office.
- · All prices subject to change without notice. Prices prevailing at time of shipment will apply to all orders including back-ordered items.
- To place orders or request status contact an Aqua Lung/U.S. Divers Sales Representative by calling 1-877-252-3483 between 7:00 a.m. and 5:00 p.m. PST.
- To place an online order, refer to instructions on page "4".

TERMS AND DISCOUNTS

- · Net 30 days.
- Ground service in Continental USA is provided as standard at customer expense. Special shipping must be requested at time of
 order and is provided at customer expense (3rd Day, 2nd Day, Next Day, Air Parcel Post).
- All orders will be FOB our plant in Vista, California or Calexico, CA. NO FREIGHT ALLOWED
- There is a 50.00 charge applied to all returned checks.
- For your convenience, we accept Visa and Mastercard (\$100.00 minimum order).
- No deductions may be made in remittance on invoices due without prior issuance by Agua Lung/U.S. Divers of a credit memo to cover such deductions.
- · All invoices and orders payable in U.S. dollars.
- Discounts on current invoices will not be allowed if account is delinquent.
- · Claims for merchandise damaged, lost, or not delivered must be filed with carrier within 10 days after receipt of shipment.
- · Claims for storage on sealed cartons must be filed with Aqua Lung/U.S. Divers within 10 days after receipt of shipment.

RETURNS

- Merchandise may not be returned without authorization from the Vista office and the issuance of a return number for each specific shipment. Please contact Customer Support by calling 1-877-252-3483 between 7:00 a.m. and 5:00 p.m. PST or by email support@aqualung.com
- Customer account number and issued return number must be marked on the outside of the carton.
- · Unauthorized return shipments will be automatically returned or placed in storage at the customer's expense.
- No return shipment will be accepted freight collect.
- Returns of saleable merchandise, other than shipments made in error, will be subject to a 15% restocking charge plus any applicable freight charges.

WARRANTIES

- Where factory irregularities are found in current merchandise, then following authorized return of such merchandise, Aqua Lung/U.S. Divers will make replacement or repair without charge, if such claim is deemed justified, for Aqua Lung and Deep See products for up to 1 year after purchase.
- · The cost of freight is not covered for warranty claims.

FREIGHT


- Aqua Lung no longer offers free freight for military orders
- · Ground shipments are not guaranteed to ship same day. Shipment times are based on current warehouse schedule.
- Expedited orders (3rd Day, 2nd Day, Next Day Air) must be received by 11am PST in order to ship same day. Orders received after 11am may not ship same day.
- Delivery to carrier constitutes delivery to purchaser.
- Insurance must be requested at time of order.
- All orders are FOB origin(Vista or Calexico, CA) Lost or damaged shipments are not the responsibility of Aqua Lung. Claims must be filed by ecipient to their carrier of choice.

AQUA LUNG GROUP MILITARY & PROFESSIONAL BRANDS:	
Military, P	ublic Safety, Commercial Diving
A Q U A L U N G	www.aqualung.com/militaryandprofessional
Military & Professional	
	www.whitesdiving.com
(1) арект	www.apeks.co.uk
GORSKI	www.gorskihat.com
Aviation, Safety & Tactical	
A ERIAL	www.aerialmachineandtool.com



New Online Ordering Site

https://usdivers.mwrc.net/en/login.php



✓ Request Quotes and Place Online Orders

Sign in and create an account. Available to all military end users and/ or government buyers. Only users with an e-mail address ending in: .gov, .mil, .dla, and .edu are eligible to create an account. This site is intended for government purchases only; no personal purchases will be processed.

✓ It's as simple as 1-2-3

- 1. Click on "Quick Order Entry"
- 2. Enter Part Numbers and Quantities and Add to Cart
- 3. Email Quote or Place the Order





For 2013, the entire range of XTX regulators has undergone a refresh. New cosmetics coupled with great new features will continue to make Apeks the brand most chosen by serious divers.

- · Fresh new look across the entire range
- Optional 5th port available for every model with the additional bonus of an integrated heat exchanger on the XTX200 and XTX100 first stages.
- Braided flexi hoses are now standard on all models. These hoses are lighter weight, more flexible and more durable
- Following on the success of the anti-bacterial mouthpiece, anti-bacterial additive
 has now been molded into most second stage components. This is especially
 useful with shared equipment by providing added protection against bacteria.
- The purge buttons are now larger and easier to operate. A 2-stage progressive
 purge is used. Press the purge on the side for a lower flow rate, useful where
 more control is required such as filling lift bags etc, then press in the center for the
 full effect of the purge, i.e. when regulator clearing etc.
- A new larger venturi lever has been added with a soft touch rubber grip, which
 makes it easier to locate and use.





The XTX Tungsten is built upon the XTX200 platform but with a truly unique, added feature: it is protected with a hard, durable PVD (Physical Vapor Deposition) finish. This tough-as-nails finish is better than traditional chrome plating. The coating is made of high quality grades of Titanium, Zirconium and Chromium. The result is not only rich, but protects your investment from normal diving abuse.

- Features the innovative Diver Changeable Exhaust (DCE) System allowing the diver to change from a large exhaust tee to a smaller exhaust tee. The larger exhaust tee provides the best exhaust bubble dispersion while the smaller tee is lighter weight and compact, both are included with the regulator.
- The XTX Tungsten can be converted from a right handed hose configuration to a left handed one. The process of changing the regulator to a left handed configuration is both quick and simple. However this procedure MUST only be performed by an Apeks Authorized Service Technician
- The ergonomic venturi lever of the XTX range has been designed to reduce the amount of grit ingress
- · Available in yoke or din configuration
- The silicone exhaust valve used on the XTX demand regulator range improves the breathing performance of the regulator.
- · Compatible with EAN40 new, out of the box





Part #	Description
AP0335F	XTX TUNGSTEN
AP0335F-1	XTX TUNGSTEN - DIN

REGULATORS





The XTX 200 is the flagship of the Apeks Regulator Range and the definitive blend of style and high performance. Every detail has been carefully designed to offer a high quality piece of equipment.

- Uses the proven "FSR" type first stage as found on the ATX200 and Tungsten models
- · Features a bright chrome finish
- All medium pressure ports are now 3/8" so that the reversible XTX second stage can mount to either side of the first stage
- The over-balancing feature allows the medium pressure air in the hose to increase at a rate faster than ambient pressure resulting in superior performance
- Comes standard with an environmental dry kit which keeps water an contaminants out as well as makes the model more resistant to freezing
- Compatible to EAN 40, new, out of the box
- · Although shipped in a standard right-hand configuration, this second stage can be reversed into a left-hand configuration by an Authorized Apeks Technician.
- Features new Diver Changeable Exhaust (DCE) System. This system gives the diver the ability to change from a large exhaust tee to a smaller exhaust tee. The large tee provides the best exhaust bubble dispersion; the smaller tee is lighter weight and compact. he regulator comes with both sets of exhaust tees
- · Improved exhalation performance and overall work of breathing
- This pneumatically balanced second stage has diver-adjustable controls for opening effort and venturi control
- Suitable for coldwater use



Part #	Description
AP0334F	XTX200 - Yoke - Regulator Set
AP0334F-1	XTX200 - DIN - Regulator Set
AP0363F	FSR (XTX200) First Stage - Yoke
AP0363F1	FSR (XTX200) First Stage - DIN

A apeks XTX100

Sharing the same technical features with the XTX 200, the XTX 100 offers exceptional performance.

- · Molded environmental diaphragm
- · Satin chrome finish
- All medium –pressure ports are now 3/8" so that the reversible XTX second stage can mount to either side of the first stage
- The over-balancing feature allows the medium pressure air in the hose to increase at a rate faster than ambient pressure resulting in superior performance
- · Comes standard with an environmental dry kit which keeps water and contaminants out as well as makes the model more resistant to freezing
- Compatible to EAN 40, new, out of the box
- · Although shipped in a standard right-hand configuration, this second stage can be reversed into a left-hand configuration by an authorized technician
- Features the innovative Diver Changeable Exhaust (DCE) System allowing the diver to change from a large exhaust tee to a smaller exhaust tee. The larger exhaust tee provides the best exhaust bubble dispersion while the smaller tee is lighter weight and compact, both are included with the regulator.
- · Improved exhalation performance and overall work of breathing
- This pneumatically balanced second stage has diver-adjustable controls for opening effort and venturi control.
- · Suitable for coldwater use







AQUA LUNG CONSHELF XIV / Supreme


- · World's most popular military and professional regulator
- Durable, time-proven design
- Chrome-plated, marine brass 1st and 2nd stage
- · Available in cold water "Supreme" version



Part #	Description	NSN
108100	Conshelf XIV 5 Port	4220011053069
108800	Conshelf XIV Supreme	4220013881030
108520	Conshelf XIV Octopus w/39" yellow hose	4220012484175
108525	Conshelf XIV Octopus w/39" black hose	
108650	Conshelf XIV DIN First stage only, DIN, 300 Bar	
108655	Service Kit, Conshelf Supreme, 300 Bar, 1st stage	
108181	DIN Conversion Kit-Non-Supreme to Supreme DIN	
108182	DIN Conversion Kit-Supreme to Supreme DIN	
107455	105994 Conshelf XIV / SE-2, 1st stage kit	
107455	DIN Convertor, Conshelf XIV	4220015182205
108195	Conshelf XIV Overhaul Kit, 1st and 2nd Stage	4220013877972
108592	Conshelf XIV/21 2nd stage kit	
107492	Octopus Overhaul Kit, SE2	
108200	Conshelf XIV Octopus Conversion Kit	
108535	Upgrade Kit, Conshelf XIV Second Stage	
108105	Regulator Press for Conshelf XIV	
111003	Poppet Driver	
101680	Lever Height Adjustment Tool	5120013043632
108110	Conshelf XIV Tool Kit	
107700	Conshelf XIV 1st Stage Only	4220010412635
108810	Conshelf XIV 1st Stage Only - Supreme	4220012568725
108530	Conshelf XIV 2nd Stage without hose	4220012484174
108538	Conshelf XIV 2nd Stage Supreme without hose	
102880	Hose assy, only, yellow, 10 foot	
102893	Hose assy, yellow, 15 foot LP	
108526	Hose assy, yellow, 150 foot LP	

REGULATORS





Description

Filter

Washer, Filter, Nylon

Washer, Filter, Stainless


Part #

845095

124628

105106

Key#



	10	104613	Spring		105927	Spring Retainer (fine thread)
	11	105324	Spring Block	32	108853	Secondary Diaphragm, Supreme
	12	828005	Back-up Ring, White, Split, Military Only	33	108852	Secondary Diaphragm, EFA Supreme
	13	820080P	O-ring (10-pack)	34	105936	Adjustment Screw (EFA)
	14	101504	Spring	35	108854	Diaphragm Retainer, Supreme
	15	105321	HP Seat Black, Military (In Overhaul Parts Kit)	36	108855	Silicone Fluid, 2 oz., Military Only
	n/s	M105320	HP Seat (seat black, Military spare)		Used wi	th "Dry" Environmental Kit
	16	105333	Body, Conshelf XIV (5 port)		100525	Dry Environmental Kit, Conshelf, Complete
	17	105323	Pin	37	124560	Spring Pad
	18	101727	Pin Support	38	106317	Spring Retainer
	19	820011P	O-ring (3/8" Port) (10-pack)	39	106356	Spring
	20	910912	Plug, MP Port, 3/8 inch	40	106026	Adjustment Screw
_		104304P	Plug, MP Port, 3/8 inch	41	106319	Piston
	21	957004P	O-ring (7/16" HP Port) (10-pack)	42	106338	Decal
	22	101785	Adapter, HP, 7/16" Female to 3/8" Male	43	106337	External Diaphragm (purchased separately)
	23	910912	Plug, HP Port, 3/8 inch, Con XIV, pre-1998	44	106318	Diaphragm Retainer
٦	24	103137	Plug, HP Port, 7/16 inch			DIN Kit
	25a	103429	Diaphragm, Black, Military		107455	DIN Adapter Kit, Conshelf
╛	25b	821026	Gasket, Military	45	107441	Protector Cap, DIN Connector
	26	101728	Spring Pad	*46	820094P	O-ring
╛	27	105326	Spring Retainer (coarse thread)	47	106056	Handwheel Retainer, Conshelf
		105926	Spring Retainer (fine thread)	48	820039P	O-ring
╛	28	105327	Spring	49	108652	Handwheel, Conshelf, 300 BAR
	30	845097	Washer, Main Spring (non-supreme only)	50	106057	DIN Adapter, Conshelf
٦		101549	Adjustment Screw (coarse thread)	*51	820014P	O-ring

Part #

105944

105327

108851

Description

Used on Supreme Models

Spring (coarse thread Supreme only)

Spring (fine thread & EFA Supreme)


Spring Retainer (coarse thread)

Key#

28

Key#	Part #	Description	ıL
	107700	First Stage, Conshelf XIV	
	108810	First Stage, Conshelf XIV Supreme	ı[
	108195	Overhaul Parts Kit, Military (1st & 2nd Stage)	
	108655	Overhaul Parts Kit, Supreme DIN (1st Stage)	ı
1	108185	Decal	Ī
2	107506	Yoke Screw	Ī
3	101012	Dust Cap (assy)	Ī
4	820120P	O-ring (10-pack)	
5	861068	Retaining Ring	Ī
6	700418	Yoke	
7	863051	Retaining Ring	ſ

Second-Stage Exploded Parts Drawing



4	107001	Вох Тор
5	390147	Box Top Clamp
6	834023	Clamp Screw
7	860037	Retaining Ring
8a	100571	Demand Diaphragm, Liquid Injection Molded
8b	103732	Demand Diaphragm (U.S. Military Only)
9	101919	Exhaust Tee
10	105139	Exhaust Valve
11	1000444	Inlet Fitting
12	820014	O-Ring
13	108510	LP Seat
14	104903	Poppet
15	108504	Spring (Standard)

Spring (Octopus)

Box Bottom Kit (includes 16, 17 & 18)

Box Bottom

O-Ring

108514

108122

108535

957025

16

17

Military & Professional

18	102004	Plug	
19	845022	Washer	
	107607	Washer (Cold Water)	
20	108513	Lever	
	107605	Lever (Cold Water)	
21	102517	Spacer	
	107606	Spacer (Cold Water)	
22	102510	Locknut	
22	104940	Clamp, Clear	
	104913	Clamp, Clear	
24	105884	Comfo Bite Mouthpiece, Clear, Standard	
	105885	Comfo Bite Mouthpiece, Black, Standard	
	105889	Standard Mouthpiece, Clear	
	105879	Standard Mouthpiece, Black	
25	820010	O-Ring	
26	090015	Hose Assy, ³ / ₈ " x 30"	
	APF124565	Hose Assy, 1/2" x 30", w/Protector	
27	957025	O-Ring (Conshelf 30)	
	820011	O-Ring (Standard)	

REGULATORS





This is the regulator of choice for technical divers around the world. This time-proven performer gets taken to the extreme and never disappoints.

- 2 high pressure port and 4 medium pressure ports are ideally located for use on a twin manifold or a single valve
- · First stage comes standard with a 300 bar DIN or YOKE connector
- The first stage is dry sealed keeping all internal components protected from the environment
- The TX50 second stage uses a pneumatically balanced valve system and is the most advanced diver adjustable breathing system available
- The TX 50 has ergonomically designed diver adjustable controls for opening effort and venturi assistance allowing the diver to tune the breathing characteristics of the regulator to give virtually ideal breathing
- The large swept back exhaust tee is excellent for bubble dispersion
- Comes standard with the Comfo-bite mouthpiece for increased comfort
- Compatible to EAN 40, new, out of the box
- Authorized for U.S. Military Use (AMU) in water temp as low as 38 degree F
- 130 ft max







Part #	Description
AP0500	TX50 - Yoke - Regulator Set
AP05001	TX50 - DIN - Regulator Set
AP0503	TX50, Octopus
AP0230	TX50 First Stage - DST Yoke, with 3/8" Port
AP0230-1	TX50 First Stage - DST DIN, with 3/8" Port
AP0241/AA	Service Kit, Apeks 1st Stages
AP0219/AA	Service Kit, Apeks 2nd Stages
101575	TX50 Tool Kit with Hard Case
AP30202	Adapter, Port 1/2"M to 3/8"F





The XTX50 Regulator is for the diver who wants the benefits of a feature-rich regulator at a moderate price.

- This popular first stage has four medium-pressure ports all mounted on a rotating turret. This results in optimal hose routing while eliminating sharp bends in the
- The first stage is over-balanced resulting in a higher medium pressure at each depth.
- This translates to a very responsive, easy breathing regulator.
- · Since this pneumatically balanced second stage is part of the XTX family, it has left /right reversibility providing multiple regulator configurations
- · Features the innovative Diver Changeable Exhaust (DCE) System allowing the diver to change from a large exhaust tee to a smaller exhaust tee. The larger exhaust tee provides the best exhaust bubble dispersion while the smaller tee is lighter weight and compact, both are included with the regulator.
- Using the venturi control lever, the diver can prevent unwanted free flow when the regulator is out of the mouth and achieve a venturi boost while diving.
- · Easy-to-grip opening effort control knob
- Suitable for cold water use
- Compatible to EAN 40 new out of the box

Part #	Description
AP0332F	XTX50 - Yoke - Regulator Set
AP0332F-1	XTX50 - DIN - Regulator Set
AP0361F	XTX50 First Stage - DST Yoke, All 3/8" Ports
AP0361F1	XTX50 First Stage - DST DIN, All 3/8" Ports
AP0527	DS4 First Stage - Yoke
AP0528	DS4 First Stage - DIN



This first stage goes to the extreme and never disappoints making it the regulator of choice for technical divers around the world.

- This regulator is similar to the XTX50 mentioned previously less the rotating turret
- The compact first stage is ideally suited for twin manifolds or for use on a single valve
- The one high-pressure port and four low-pressure ports are positioned for most common technical diving rigs.
- The over-balanced first stage provides superior performance at deeper depths
- The first stage is dry-sealed preventing the entry of contaminants as well as ice formation on the main spring
- The XTX50 second stage is pneumatically balanced for very easy breathing
- · Due to its innovative Reversible Venturi System (RVS), the second stage can be configured into a right hand or left hand orientation.
- · Using the venturi control lever, the diver can prevent unwanted freeflow when the regulator is out of the mouth and achieve a venturi boost while diving.
- · Easy-to-grip opening effort control knob
- · Suitable for coldwater use
- · Compatible to EAN 40 new, out of the box
- · First stage comes standard with a 300 Bar DIN connector





Part #	Description
AA0342F-1	AA0342F-1

REGULATORS



AQUA LUNG LEGEND LX

If you want the same high performance features and ease of breathing as the Legend LUX but without the pink gold finish, you will find it with the Legend LX. Like the Legend LUX, the Legend LX features the Master Breathing System (MBS).

 The MBS is a new, simple and effective way to adjust the breathing performance of your Legend LUX. The MBS controls two functions at one time. It controls the direction of air, which alters the venturi effect, as well as changes the opening effort. One control - two functions, it doesn't get easier.







AQUA LUNG LEGEND

The Legend shares the same features and performance as the Legend LUX and Legend LX with one notable exception. Instead of the MBS dual control valve, the Legend offers a venturi switch.

- The venturi switch helps prevent freeflow at the surface and when the regulator is out of the diver's mouth.
- The opening efforts is present in a fixed position so the diver doesn't have to worry about adjusting the regulator during the dive.



Part #	Description
129860	Legend Glacia-Yoke
129870	Legend Glacia-DIN
129600	Legend Yoke
129880	Glacia OCTO
129610	Legend DIN
129620	Legend LX - Yoke
129630	Legend LX DIN
129640	Legend Lux
129650	Legend Lux DIN
129660	Legend Supreme
129670	Legend Supreme-DIN
129680	Legend LX Supreme
129690	Legend LX Supreme DIN
129700	Legend Lux Supreme
129710	Legend Lux Supreme DIN
129770	Legend LX Twilight
129780	Legend LX Twilight Supreme DIN



Aapeks XTX40 Octopus

- This octopus is based upon the XTX40 second stage mentioned previously
- It includes left / right reversibility, coldwater capability and the performance you would expect from an Apeks pneumatically balanced valve.
- · Diver-adjustable venturi control.
- The unit has a high visibility yellow front cover, yellow accent pieces and a 36" yellow hose.
- · Comes standard with small exhaust tee.



Part #	Description
AA0341F	XTX40 OCTOPUS



- This octopus is based upon the XTX50 second stage mentioned previously
- It includes left / right reversibility, coldwater capability and the performance you would expect from an Apeks pneumatically balanced valve.
- · Diver-adjustable controls for opening effort and venturi control
- The unit has a high visibility yellow front cover, yellow accent pieces and a 36" yellow hose.
- · Comes standard with small exhaust tee



Part #	Description
AA0342F	XTX50 OCTOPUS

A) apeks Egress Octopus

Innovative, low profile design minimizes drag. The pneumatically balanced valve provides superior performance for an altenate air source, making it a perfect complement to the high performing Apeks regulators.

- Unique 120° angle between the mouthpiece and the hose, which is ideal for sharing air with your buddy.
- Breathes smoothly when positioned right side up or upside down
- High visibility 36" yellow hose distinguishes your Egress hose from your primary hose and is easily spotted in the event of an out-of-air emergency.




An AQUA LUNG Company

Part #	Description
AP0756	Egress Octopus












Part #	Description	NSN
075880	Twin 80, Yellow	
076580	Twin 80, Black	4220000581609
280095	Twin Manifold overhaul kit	4220013536565
054595	J Valve Overhaul Kit	
076016	80 CF Aluminum Cylinder, Black, No Valve	
5240-KIT	Z Valve Overhaul Kit	
074305	Pull Rod	
054242	Safety Plug Kit 3300 PSI Upgrade	
280036	Valve Adapter Tool	

Military & Professional

AP5103 Kit Tunnur Comparison



Key#	Part #	Description
	AP0230	TX50, First Stage w/Yoke
	AP0230-1	TX50, First Stage w/DIN
	AP0241/AA	Service Kit, Diaphragm First Stage
	AP0211	Din Connector Assembly
1	AP1475	Spring
2	AP1476	Spring Carrier
3	AP1478	Diaphragm
4	AP1479	Valve Lifter
5	AP1480	Body
6	AP1446	Distance Piece
7	AP1420P	O-ring (10-pack)
8a	AP5103	Turret with 3/8" MP Port, XTX/TX
9	AP1408	Blanking Plug 3/8"
10	AP1409P	O-ring (10-pack)
11	AP1419	HP Valve
12	AP1415	Spring
13	AP1410P	O-ring (10-pack)
14	AP1414	Thrust Washer
15	AP1486	Turret Retaining Bolt
16	AP1438P	O-ring (10-pack)
17	AP1299P	O-ring (10-pack)
18	AP1487	Blanking Plug 1/2", TX

-			
Key#	Part #	Description	
19	AP1413	Blanking Plug 7/16"	
20	AP1445P	O-ring (10-pack)	
21	AP1473	Diaphragm Clamp	
22	AP1474	Spring Adjuster	
23	AP1483	Hydrostatic Transmitter	
24	AP1477	Decal	
25	AP1482	Hydrostatic Diaphragm	
26	AP1484	Environmental End Cap	
27	AP1403	Yoke Clamp	
28	AP1404	Protective Cap	
29	AP1166P	O-ring (10-pack)	
30	AP1402	Yoke Clamp Screw, Comolded	
31	AP1406/1	Filter Guard	
32	AP1407	Yoke Clamp Connector	
33	AP6202	Protective Cap DIN	
34	AP1471	Handwheel Connector	
35	AP1470	Handwheel 300 Bar	
36	AP1472	Conical Filter	


Part numbers in **BOLD ITALICS**

indicate standard overhaul replacement part.

NOTE:

Service kit AP0241/AA contains parts for multiple model Apeks regulators. Excess parts should be discarded.





054295 - Z Valve Kit 054235 - DIN Valve 054010 - K-Valve Kit

Key#	Part #	Description
	5240-KIT	Service Kit, K- or Z-Valve, 3000 psi Only
1	054207	Nut, Handwheel Retaining
2	054209	Spring, Handwheel
3	52406A	Handwheel
4	054212	Washer
5	054204	Bonnet
6	054205	Washer, Packing
7	820010P	O-ring, Stem (25-pack)
8	054208	Stem
9	054203	Seat Assembly
10	054216	Gasket, Bonnet
11a	N/A	Body, K-Valve
11b	N/A	Body, DIN Valve


Key#	Part #	Description
11c	N/A	Body, Z-Valve
12	820014	O-ring, Outlet
13	054215	Dip Tube
14a	820214	O-ring, K-Valve
14b	054114	O-ring, DIN Valve
15	054201	Safety Plug Kit, 3,000 psi (Aluminum)
	054261	Safety Plug Kit, 3,500 psi (HP Steel)
	054221	Safety Plug Kit, 2,400 psi (LP Steel)
	054211	Safety Plug Kit, 2,250 psi (LP Steel)
	054242	Safety Plug Kit, 3300psi
N/S	42485	Dust Cap, K-Valve
N/S	054228	Dust Cap, Z-Valve

Part numbers in **BOLD ITALICS** indicate standard

overhaul replacement part.

^{16 |} Cylinders, Valves & Accessories





18


280095 - Repair Kit

200000 Repair Nit			
Key#	Part #	Description	
1	052518	Nut, Handle Retaining	
2	050107	Spring	
3	052541	Handwheel	
4	845058	Washer	
5	050233	Bonnet	
6	957007P	O-ring (10-pack)	
7	828510	Back-up Ring	
8	820010P	O-ring (25-pack)	
9	921019	Gasket	
10	052521	Stem, K-Valve	
11	280013	Seat, Std. Twin	
12	050221	Plug	
13	821011	Gasket	
14	820214P	O-ring (10-pack)	

Key#	Part #	Description	
15	820120P	O-ring (10-pack)	
16	051821	Dip Tube	
17	050241	Safety Disc Assembly, 3000 psi	
17	050242	Safety Disc Assembly, 2250 psi	
18	280040	Handwheel, Reserve	
19	052515	Bonnet	
20	828515	Back-up Ring	
21	820015P	O-ring (10-pack)	
22	821014	Gasket	
23	052514	Stem, J-Valve	
24	845021	Washer	
25	052508	Reserve Assembly	
n/s	074305	Reserve Pull Rod	

Part numbers in **BOLD ITALICS** indicate standard overhaul replacement part.









- · Fully-adjustable relief valve
- · Prevents gas hose from rupturing if 1st stage fails
- Recommended safety fitting for all diving operations
- · Low profile prevents damage and snagging
- · Suitable for any 1st stage diving regulator
- Adjustable 175 245 psi (12 17 bar)
- Factory preset to 217 psi (15 bar)



Part #	Description	
AP0849K	Adjustable Pressure Relief Valve	
AP0251	SERVICE KIT (APRV)	



FREEFLOW Control Device

- · Isolates freeflowing 2nd stages
- · Guards against unexpected air loss
- · Improves diver safety

- · Gives total control of a frozen 2nd stage
- · Fits any 2nd stage with standard hose fitting



Part #	Description
AP0233	APEKS Freeflow Control Device
AP0235	Freeflow Control Device, Black
AP02741	Freeflow Control Device, NBC/MIL, Black



A) apeks 5 Port Upgrade Kits





Part #	Description
AP0274	5 Port Turret Upgrade Kit
AP02741	5 PORT UPGRADE XTX100/200



A apeks DIN to YOKE Converter

· Allows you to quickly and easily convert your existing DIN connector to yoke without the need for tools



Part #	Description
AP0195	DIN to Yoke Converter



(A) apeks DIN Connectors, Accessories & Service Kits

- · Allows you to replace your existing yoke connector
- · Available in co-molded, bright chrome or satin finish









AP0620

AP0211

Part #	Description
AP0620	Apeks Din Adapter - co-molded handwheel
AP0211	Apeks Din Adapter-Chrome
AP0211/S	APEKS Din Adapter-Satin
AP0198	Apeks Flexi Hose
AP0199	Apeks Flexi Hose - Octopus
AP02031	Tek Regulator Hose 3/8"x 6.5ft (2m)
AP0241/AA	Service Kit, Apeks diaphragm 1st stages (except Flight)
AP0219/AA	Service Kit, Apeks 2nd Stages (including Flight)
AP0250	Service Kit, Apeks Flight, 1st Stage
AP0254	Service Kit, Apeks Flight, 2nd Stage
	0.15-1



AQUA LUNG DIN Adapters + Converters



Part #	Description
125237	DIN to Yoke Converter
129226	Legend ACD Conversion Kit-Yoke
129227	Legend ACD Conversion Kit-DIN
127865	DIN Adapter Kit, Micron
128142	Din Adapter Kit Titan LX and Titan
129803	Din Adapter Kit New Legend Series

AQUA LUNG REGULATOR Service Kits

Part #	Description
107495	SE2 Overhaul Kit, 1st and 2nd Stage
108560	Mentor Double Hose Service Kit
108563	Hose, Corrugated Hose, Mentor, NSW
108655	Service Kit, Conshelf Supreme, 300 Bar, 1st stage
900001	Service Kit, Titan, Conshelf 1st Stage
900010	Service Kit, XLC, Glacia 2nd Stages, LPO and ABS
900012	Service Kit, Legend series & Titan LX series 2nd stages
900013	Service Kit, Conshelf 2nd Stage
900014	Service Kit, Legend Series 1st Stage
900017	Service Kit, Legend ACD 1st Stages
900015	Service Kit, Calypso 2004 1st stages
900018	Service Kit, Kronos

AQUA LUNG Replacement Mouth Pieces

Part #	Description	NSN
104138	Black silicone, standard with bite tabs	
105831	Black silicone with bite tabs	4220014743448
105838	Comfo-bite, clear silicone	4240014454740
105848	Comfo-bite, clear silicone, small size	
105879	Black silicone with bite tabs	4220012563636
105884	Comfo-bite, white silicone	4220013082381
105885	Comfo-bite, Black silicone, standard size	
105889	Clear silicone with bite tabs	4220012563635
109438	Comfo-bite, Black silicone, standard size	4220014672251
216044	2 each, Comfo Bite, reusable tie wrap	
109512	Lip Shield	

AQUA LUNG Aqua Lung LP Hoses

Part #	Description	
129861	Hose, MP, Aquaflex, 3/8x30	
129862	Hose, MP, Aquaflex, Yellow 3/8x30	
128619	QD Hose for Calypso/Titan (HOSE,MP,3/8 X 30,BLACK)	
128620	QD Hose for Calypso/Titan Octopus (HOSE,MP,3/8 X 39,YELLOW)	



A apeks Full Face Mask

• Removable 2nd stage for easy cleaning and storage (cannot be used w/o mask)

 Made of a one-piece, pliable silicone skirt combined with injection-molded, high impact, glass-filled nylon frame and regulator housing

 Double face seal and slightly smaller/low volume oral nasal cavity to fit most faces

· Customizable nose block for equalization

 Air flow is directed up the visor face to eliminate fogging and through one-way valves in the oral nasal pocket to reduce CO2 retention

 Second stage comes off the right shoulder and uses a standard LP hose

 Communications port for easy installation of a Buddy Phone or ear/microphone assembly to connect to OTS' Diver Communications Unit such as the Aquacom® SSB-2010

 OTS AmbientBreathing Valve® (ABV®) allows the diver to breathe ambient air at surface, thus conserving scuba air

Includes Mask Bag and 32" LP hose

CE CERTIFIED



An AQUA LUNG Company

APEKS GUARDIAN FULL FACE MASK		
Part #	Description	
103480	APEKS FFM, Black/Black	
103481	APEKS FFM, Black/Blue	
103482	APEKS FFM, Black/Red	

APEKS 1ST Stages

Part #	Description
AP0527	DS4 1ST STAGE-YOKE
AP0528	DS4 1ST STAGE,DIN
AP0230	DST 1ST STAGE,YOKE
AP0230-1	DST 1ST STAGE-DIN
AP0361	DST,XTX,YOKE
AP0361F1	DST, XTX, DIN
AP0849K	Adjustable Pressure Relief Valve (APRV)

OTS Underwater Communication Accessories

Part #	Description
103487	APEKS FFM, Hot Mic, HiUse
103488	APEKS FFM, Super Mic, HiUse
103489	APEKS FFM, Hot Mic, Fem Amp Conn
103490	APEKS FFM, Hot Mic, Male Marsh Conn.
103491	Buddy Phone for APEKS FFM
103492	Buddy Phone 2 Channel Surface Station
103493	FFM Equalizing Kit
103494	FFM Head Strap, Black
103495	FFM One Way Valve (12 Pack)
103496	APEKS Visor with ABV Valve installed
103497	APEKS FFM Annual Maintenance Kit
300680	Mannequin Head

SWIMMER VESTS



AQUA LUNG SCOUT Swimmers Vest

- · Designed for tactical surface swimming
- · Oval neck opening for ease of use
- Military "H" harness straps with "D" rings
- · 2 independent 38-gram CO2 inflators
- · Oral inflation tube with locking ring
- · Overpressure relief/dump valve
- Single bladder made of heavy duty 1000 Denier Nylon
- · Large front pocket with Velcro closure
- · Attachment straps for emergency air
- Buoyancy 21 lbs (9 liters)
- · Replacement CO2 cartridge available
- · CO2 handles



Part #	Description	NSN
769031	Scout Swimmers Vest Mod 1	4220014827394

AQUA LUNG RESCUE Swimmers Vest

- · Designed for tactical surface swimming
- · Oval neck opening for ease of use
- Quick-disconnect buckle on waist strap for easy in-water removal
- Strobe attachment straps (strobe not included)
- 2 independent 38-gram CO2 inflators with beaded handles
- High flow oral inflator for rapid inflation/ deflation
- Single bladder made of heavy duty 1000 Denier Nylon
- Large front pocket with radio and glow stick retainer straps
- Buoyancy 18 lbs (8 liters)
- Available in black



Part #	Description	
769045	SAR Rescue Swimmers Vest	

AQUA LUNG PARA Swimmers Vest

- Designed for parachute or surface swimming operations
- Velcro straps wrap for compact for use with parachutes
- · Military "H" harness straps with "D" rings
- 2 independent 38-gram CO2 inflators with beaded handles
- · Overpressure relief/dump valve
- Single bladder made of heavy duty 420 Denier Nylon
- · Large front pocket with Velcro closure
- · Buoyancy 21lbs. (9 liters)
- · Replacement CO2 cartridge available




Part #	Description	NSN
769041	Para Swimmers Vest Mod 1	4220015151205
769042	Vest, Maritime Swimmer	

AQUA LUNG Calypso Military BC

- The Calypso BC was designed to meet the strenuous demands of military or professional divers
- The BC is donned over the head and held in place with adjustable straps
- Two 38 grams CO2 cartridges are provided for emergency inflation
- Amid-chest utility pocket is provided for small articles storage
- The automatic "dump" valve can be operated manually
- · Capacity: 21 liters



CALYPSO MILITARY BC (394050)



	Key#	Part #	Description	
	1	3216	Cap Nut	
_	2	15737	Gasket	
	3	13207	Firing Mechanism, W/O Ball & Cord	
	4	15738	Gasket	
_	5	704014	Gasket, CO2 Cartridge	
	6	13220	CO2 Cartridge, 38 gram	
	7	42754	Overpressure Relief Valve Assembly	
	8	4394051	Outer Bag	
	9	394052	Inner Bladder	
	10	42746	Powerline Airway Assy (after 8/2000)	
	11	12219	Whistle	

Part numbers in **BOLD ITALICS** indicate standard overhaul replacement part.

Part #	Description	NSN
394050	Calypso Military Buoyancy Compensator	4220010050773



AQUA LUNG BC-1

The Aqua Lung BC1 is a rugged, weight-integrated, back inflation BC designed with the advanced Military / Public Safety diver in mind. It crosses over nicely to many technical, recreational and specialty applications. Despite its heavy duty construction, it provides amazing comfort, fit and stability.

Modular Harness System.

- Removable Back Pad
- · Non-Swivel shoulder buckles
- Changeable waist belt Hook & Loop or Sure Lock™

GripLock™ Tank Band and Buckle

- Secure
- · Easy to adjust using presets
- · Macro and micro adjustments
- · Finger saver safety feature
- · Highly effective miniature traction pad

Air Cell is constructed from durable 840 denier nylon

- · Donut shape so that air can migrate left to right
- 4 dump valves
- · Removable & replaceable
- 3 Overpressure relief valves
- · Bladder Retraction System
- Adjustable chest strap
- · Left & right attachment points

Total weight capacity

· All sizes are capable of holding o 42 lbs of weight

• 32 lbs ditchable

• 10 lbs non-ditchable

Lift Capacities

· All sizes have a lift capacity of 52 lbs

 Twin Cylinder Capability





Part #	Description	Size
304011	BC 1 W/SL 1, BLK	SM
304012	BC 1 W/SL 1, BLK	MD
304013	BC 1 W/SL 1, BLK	ML
304014	BC 1 W/SL 1, BLK	LG
304015	BC 1 W/SL 1, BLK	XL
360081	BC 1 HOOK & LOOP, BLK, BAC	SM
360082	BC 1 HOOK & LOOP, BLK, BAC	MD
360083	BC 1 HOOK & LOOP, BLK, BAC	ML
360084	BC 1 HOOK & LOOP, BLK, BAC	LG
360085	BC 1 HOOK & LOOP, BLK	XL

Optional Accessories		
Description		
Accessory Pocket for Blk Diamond or BC1		
Optional Crotch Strap Kit		
Reflector Kit		
Retractor		
427107 Twin Cylinder Kit		
427030 Waistband Expander,BD/BC1(2 REQ'D)		

24 BC's & Accessories

Military & Professional

BC's & ACCESSORIES



Jacket style buoyancy compensator designed for open circuit use. Time proven, and used by many military and professional units worldwide.

- Single bag construction, made of extra durable 1000 Denier Cordura
- · Now all black for clandestine operations
- · Comes in 5 different sizes
- Buoyancy from 13L (30lbs) to 24L (54lbs)
- 6 stainless steel 2" D-rings
- · 2 large zipper pockets with pull cord
- SureLock I mechanical weight release system (safe, dependable and reliable)
- · Knife grommets and instrument retractor attachment point on left pocket
- · 2 overpressure relief/dump valves
- CE approved (EN1809)



Part #	Description	Size
394031	Pro QD-M, Black,S	S
394032	Pro QD-M, Black, MD	MD
394033	Pro QD-M, Black, ML	ML
394034	Pro QD-M, Black L	L
394035	Pro QD-M, Black, XL	XL
394036	Pro QD-M, Black, XXL	XXL
427042	Twin Tank Kit	



Part #	Description	Size
394181	Pro QD-M, Hi-Viz,S	S
394182	Pro QD-M, Hi-Viz,M	MD
394183	Pro QD-M, Hi-Viz,ML	ML
394184	Pro QD-M, Hi-Viz,L	L
394185	Pro QD-M, Hi-Viz,XL	XL
394186	Pro QD-M, Hi-Viz,XXL	XXL
427042	Twin Tank Kit	





Part #	Model
400162	Bail Out Hose W/O QD
400163	Bail Out Hose W/O QD
400165	Bail Out Hose W/O QD
400166	Bail Out Hose W/O QD
400167	Bail Out Hose W/O QD
400168	Bail Out Hose W/O QD



AQUA LUNG DIMENSION i3

An Aqua Lung first! The Dimension i3 is a back inflation BC with an integrated i3 inflation/deflation system. The integrated Wrapture™ harness system (pat. pend.) allows you to stand up straight in total comfort while the cylinder remains perfectly vertical and pulled in close. Loaded with features, this innovative buoyancy compensator is built with high quality materials keeping both comfort and stylein mind.

- · By placing the air cell behind them, the diver is more streamlined.
- The integrated i3 control system provides a single touch control for both inflation and deflation.
- · Flat e-valves (pat. pend.) are very streamlined and effective.
- · One-way design keeps water out.
- The multiple dump feature means that when you depress the i3 lever, all of the flat e-valves open at once! No more reaching for the wrong valve.
- Custom backpack is thin to keep cylinder close to your center of gravity and efficiently distributes the cylinder weight.
- The Wrapture[™] Haness System works in conjunction with the shoulder swivel buckles (patented) to prevent ride-up and supports the weight pockets
- The patented SureLock™II weight system provides a simple, single pull release. Loading is as simple as insert and "click".
- · Pull down oral inflator is easy to deploy and stow.
- A strong retractor band is used to pull in the sides of the bladder while deflating.
- An adjustable chest strap can be raised and lowered on a rail system.
- HP and MP hose routings throught the back keep your entire kit low profile thus minimizing drag.

DIMENSION i3 SPECIFICATIONS

TYPE OF BC: Back inflation unit with an integrated i3 system

FABRICS: Air cell made from heat-sealable 1000D Armorshield™ Cordura® outside and

500D Armor[™] Cordura® inside, Armor X, 1050D ballistic nylon, V-Diamond

Rubber, Titanium mesh, various open-cell foams for padding and comfort

WEIGHT: All sizes capable of holding 30lbs / 13.5 kg of lead weight

SYSTEM: SureLock™ II ditchable pockets are single channel each capable of holding 10 lbs / 4.5 kg. Each of the

two trim pockets can hold up to 5 lbs / 2.25 kg each non-ditchable pockets , located on the back of the BC

LIFT CAPACITY (LBS/LTR) | S-35/150, M-50/220, ML-50/220, L-50/220, XL-50220

COLOR: Black/Charcoal
SIZES: SM, MD, MK, LG, XL







Octo-pocket and Octo-D ring



i3 Controller



Flat e-valve technology



Knife attachment points



SureLock™ II Weight System



Pocket within a Pocket (A large utility pocket and a smaller security pocket)

Part #	Description	Size
308401	Dimension I3, Blk/Char, SM	SM
308402	Dimension I3, Blk/Char, MD	MD
308403	Dimension I3, Blk/Char, ML	ML
308404	Dimension I3, Blk/Char, LG	LG
308405	Dimension I3, Blk/Char, XL	XL





AQUA DLUNG AXIOM i3

The Axiom i3 is our most comfortable and easy-to-use BC yet. It is a feature-rich, ADV style, wraparound jacket that incorporates the innovative i3 inflation / deflation system (patented). The Integrated Wrapture' harness system (pat. pend.) allows you to stand up straight in total comfort while the cylinder remains perfetly vertical and pulled in close. Diving has never been this comfortable. The Griplock™ tank band and buckle system makes its debut on the Axiom i3. This strong secure system makes attachment to a cylinder easier than ever before. Gone are the days of complicated web weaving and you don't have to worry about pinching your fingers with the innovative finger saver feature (pat. pend.)

- The WraptureTM harness system, using the shoulder swivel buckles (patented) and a customized mini-back plate, provides comfort and stability while preventing "ride-up" at the surface
- The i3 Control System (patented) provides single touch control for inflation and deflation
- The low profile flat e-valves (pat. pend.) all open simultaneously when the i3 lever is depressed
- The GriplockTM tank band and buckle system provides security and easy change out of cylinders
- · SureLock II weight pouches (patented) provide a simple, single-pull release. Loading is as simple as insert and "click"
- · Pull down oral inflator is easy to deploy, use and stow
- · A bladder retraction system is used to pull in the sides of the bladder during deflation
- · An adjustable chest strap can be raised or lowered on a rail system
- · A scooped octo-pocket on the top, front of the right lobe makes it easy to stow and deploy an octopus. The octopus remains visible and accessible throughout the dive
- · Ability to run instruments behind the left pocket and out the scooped opening on the top, front of the lobe
- Pocket within a pocket A small security pocket is found on the flap of a larger drop- down pocket
- · Knife attachment points are found on the left lobe
- · Features 5 stainless steel D-rings and 2 plastic D-rings for all of your accessories
- · Right shoulder pull dump
- · Rolled neck collar for comfort





AXIOM i3 SPECIFICATIONS

TYPE OF BC: Weight-integrated, ADV style, wrap-around jacket with i3 Control System

FABRICS: Air cell is 500D Armor™ Cordura®, Armor X™ color panels, 1050D ballistic

nylon, Titanium mesh

DITCHABLE WEIGHTS: XS - ML hold up to 20lbs / 9 kg, LG - XXL hold up to 30 lbs / 13.5 kg

NON-DITCHABLE TRIM: All sizes hold up to 10 lbs / 4.5 kg of weight in two pockets on tank band

WEIGHT:

CX-31/130, S-31/130, M-36/160, ML-41/180, L-44/190, XL-47/200, XXL-54/240 LIFT CAPACITY (LBS/LTR)

> COLOR: Black/Navy/Grey XS, S, M, ML, L, XL, XXL



Valve Retention Strap



Gauge Holder



Octo-pocket and Octo-D ring



i3 Controller



Flat e-valve technology



Knife attachment points



SureLock™ II Weight System



GripLock™ Tank Band

Part #	Description	Size
312370	Axiom I3, Black/Navy/Grey, XS	XS
312371	Axiom I3, Black/Navy/Grey, SM	SM
312372	Axiom I3, Black/Navy/Grey, MD	MD
312373	Axiom I3, Black/Navy/Grey, ML	ML
312374	Axiom I3, Black/Navy/Grey, LG	LG
312375	Axiom I3, Black/Navy/Grey, XL	XL
312376	Axiom I3, Black/Navy/Grey, XXL	XXL



Apeks Apeks WTXD Series

Apeks, the company that produces the premiere line of technical regulators, offers you a premiere line of technical BCs. Presenting the WTX Series – a selection of harnesses, buoyancy cells and accessories that will certainly appeal to today's technical divers. These fine products offer unparalleled versatility through their modularity. The components can be assembled into a highly technical rig for those trained to push the limits or scaled down to make a travel friendly rig that any diver would want to use.

Each product has been carefully designed by the Apeks' engineering team in conjunction with some of the most accomplished technical divers of our time. Each component has undergone extensive field testing to make sure the design is right the first time. All materials and components were selected for strength and durability. The result is a product selection that technical divers can have confidence in.



WTX Series Twin Cylinder



This is our most versatile harness. Solid construction coupled with durable materials make this harness a cornerstone for many applications.

- · Can mount directly to a single cylinder using dual nylon cylinder bands or a single tank adapter
- · Can accept an Apeks back plate for heavy loads such as twin steel cylinders
- Multiple grommet settings on the waistband allow the attachment of the SureLock™ weight system
- Open shoulder design allows diver to add or remove hardware for total customization
- · Made from rugged 1050D Ballistic Nylon
- Removable crotch strap made of 2" (5cm) soft webbing
- 6-two inch stainless steel D-rings (2, angled, on shoulders, 2 on the hips and 2 on the crotch strap)
- 6-one inch stainless steel D-rings along the sides accommodate light canisters, argon bottles or other accessories
- 2-one inch stainless steel D-rings along the lower back are for marker buoys, reels or other accessories
- · Removable back pad
- · Heavy-duty waist buckle made of stainless steel
- · Stainless steel triloaders distribute the load between the back, waist and shoulders for a great fit
- SOLAS reflector airway hold-downs can be removed or repositioned
- · Chest strap comes standard
- Includes 2 ea. GripLockTM Tankbands



WTX Harness

Part #	Description	Size
388090	WTX Harness, Small	S
388091	WTX Harness, Medium	М
388093	WTX Harness, Large	L
388095	WTX Harness, XL	XL

A apeks BC Size Guide

*The figures in this guide are approximate, not absolute

SIZE	WAISTE RANGE		OVER THE SHOULDER RANGE
	WTX Harness Only	WTX Harness w/ SureLock Wt System	Measured from center of the waistband front to center of waistband back
SM	29-60in / 74-152cm	33-60in / 84-152cm	34-43in / 86-109cm
MD	29-60in / 74-152cm	33-60in / 84-152cm	36-45in / 91-114cm
LG	32-60in / 81-152cm	36-60in / 91-152cm	40-49in / 102-125cm
XL	34-60in / 86-152cm	38-60in / 97-152cm	42-51in / 107-130cm



This simple, yet strong, harness can take the load of a fully rigged technical diver. It can be easily customized with the hardware of your choice.

- 12' of solid 2" (5cm) webbing with center grommet
- 2" (5cm) wide crotch strap
- 6 stainless 2" (5cm) D-rings
- · Includes neoprene shoulder protectors
- · 2 elastic retaining loops on shoulders and one on crotch strap
- · Heavy duty stainless waist buckle
- · 6 stainless serrated retainers
- Tank bands, p/n 28228, not included

Part # Description 388040 **Deluxe Webbed Harness**





apeks WTX Backplate - Steel or Aluminum

The backbone of any system - this cleverly designed back plate can be used with the webbed harness or inserted into the WTX Harness.

- · Offered in either 304 stainless steel or 6061 anodized aluminum alloy
- The stainless steel weighs approx 5 lbs (2.2 kg)
- The aluminum weighs approx 1 lb 11oz (753g)
- · 4 each upper and lower slots accommodate nylon cylinder bands so a single cylinder can be strapped directly to the plate. Having a series of 4 slots provides lateral stability of the cylinder that traditional 2 slot plates cannot
- 3 holes at the top of the plate offer a range of height adjustments for the buoyancy cells and the cylinders. In addition, a corresponding lower center slot allows for lower band bolts that are misaligned
- · 2" wide crotch strap slot
- · Upper and lower perimeter holes along either side and holes along the bottom allow for the mounting of accessories
- · Both offer an electro-plate finish and a laser-etched Apeks logo to enhance the look of the plate



Part #	Description
388030	WTX Steel Back Plate
388028	WTX Aluminum Back Plate

apeks WTX Single Tank Adapter (STA)

The single tank adapter is a great way to quickly attach a single cylinder to a back plate or the WTX harness.

- Made of 316 stainless steel
- · Weighs 1 lb. 1 oz. (490g) without hardware
- Comes with 2 sets of bolts and one pair of washers and wing nuts
- 1" bolts for directly mounting to back plate
- 1.5" bolts for mounting to back plate inside WTX harness
- Nylon tank bands are not included and may be purchased separately (p/n

20220)		•
Part #	Description	
388029	WTX Single Tank Adapter	





Apeks Single Cylinder Wings (Donuts)

Designed for Public Safety divers, these 30 and 40 lb single cylinder wings boast all of the same features as the 30 and 40 lb single cylinder wings listed above but have the following differences:







Part #	Description
388230	WTX-D30 PSD Wing
388240	WTX-D40 PSD Wing

Aapeks WTX4 Buoyancy Cell

The WTX4 is a smaller version of the WTX6 & WTX8 but it can accept single cylinders too!

- The WTX4 provides 45lbs. of lift
- The WTX4 can mate directly to the WTX harness or the stainless steel back plate using twin tank bands or using center bolts
- · Highly efficient drains allow water to empty quickly after a dive
- Outer bag constructed out of 1000D Armorshield™ Cordura® to resist abraision and fading
- Inner bag constructed from mil-spec welded fabric, the same fabric used in survival vests worn by US fighter pilots.
- The airway comes off of the back top center of the cell. A safety cable inside the elliptical hose prevents hyperextension of the corrugated hose
- Features the Apeks technical inflator with brass buttons
- · Pull dump on inside lower left
- Optional pull dump may be added to the inside lower right
- Accepts WTX Internal Retractor Kit part number: 388300
- * Available with extended length PSD Airway



Weights

Part #	Description
710110	Weight, Coated 2LB, Lace-Thru, Black
710112	Weight, Coated 4LB, Lace-Thru, Black
710118	Weight, Ankle, 1.0LB, Black (Pair 2LB)
710119	Weight, Ankle, 1.5LB, Black (Pair 3LB)
710120	Weight, Ankle, 2.0LB, Black (Pair 4LB)
710121	Weight, Ankle, 3.0LB, Black (Pair 6LB)



11 в.



A apeks WTX6 & WTX8 Buoyancy Cells

- These twin cylinder buoyancy cells provide 60 lbs and 85 lbs of lift respectively
- Outer bag constructed out of 1000D Armorshield™ Cordura to resist abrasion and fading
- Inner bag constructed from mil-spec welded fabric, the same fabric used in survival vests worn by US fighter pilots.
- Inner bladder protected from zipper with V-diamond rubber
- · Pull dump on inside lower left
- · Optional pull dump may be added to inside lower right
- · Highly efficient drains empty water quickly after the dive
- 3 upper grommets allow various height settings coupled with a lower slot that compensates for misaligned band bolts
- The airway comes off the top back center of the cell. A safety cable inside the elliptical hose prevents hyperextension of the corrugated hose
- Features the Apeks technical inflator with brass buttons
- Accepts WTX Internal Retractor Kit part number: 388300



I	Part #	Description
Ī	388360	WTX6-Buoyancy Cell-60 pounds of lift w/retraction option

A) apeks WTX6R Buoyancy Cell

The first of it's kind. This clever, redundant buoyancy cell has both airways coming off the back top of the cell. This is the ideal location for a diver in the swimming position.

- This redundant system contains two inner cells in one outer bag.
 Either cell is capable of generating 60 lbs of lift when it is full. Dive with peaceof mind knowing that you're carrying a redundant system
- The WTX6R can mate directly to the WTX harness or the stainless steel back plate using twin tank bands or using center bolts
- · Highly efficient drains allow water to empty quickly after a dive
- Outer bag constructed out of Armorshield™ Cordura® to resist abraision and fading
- · Inner bags constructed from mil-spec welded fabric
- A safety cable inside the elliptical hoses prevents hyperextension of the corrugated hoses
- · Features the Apeks technical inflator with brass buttons
- The air cell closest to the diver has a pull dump on inside lower left with a capped-off port on the inside lower right for an optional right dump
- The air cell furthest from the diver has a pull dump on outside lower right with a capped-offport on the outside lower left for an optional left dump
- · Accepts WTX Internal Retractor Kit part number: 388300



Part #	Description
388460	WTX6R Buoyancy Cell Redundant with Retract Option





- · Can be installed on WTX4, WTX6, 6R and 8 (above)
- · Comes with full instructions
- · Consists of two retractor bands in a bag



Part #	Description
388300	WTX Retractor Kit

A apeks WTX Tek Pockets


A full range of Tek pockets have been designed to complement the WTX range. They can be attached to your WTX system or any other BC/Wing and/or drysuit.

- The system is modular so you can attach one pocket to the other if space is at a premium. A separate stainless steel hardware kit is available for this.
- The large pockets are available in heavy duty hook and loop and zipper versions, allowing for easy open / close even when wearing thick gloves.
- The pockets contain internal bungee attachment points to clip your gear to.
- · Models:

Part #

- THIGH POCKET with large volume capacity and extra security of leg band to carry reels, spools, torches or knives.
- LARGE CARGO POCKET- with Zip Closure and capability to fix directly to Waistband grommets, or straight over the side Lobe even after Diver is kitted up.
- **SMALL POCKET** fits to the front of the Large Cargo if desired. For carrying, slate, floats, line markers or extra weights.
- MESH POCKET For carrying SMBs, or a redundant mask

Description



I dit ii	Description
388000	POCKET,MESH,WTX BC,APEKS
388005	POCKET,SMALL CARGO,WTX BC,APEKS
388010	POCKET,LARGE CARGO,WTX BC,APEKS
388015	POCKET,THIGH,WTX BC,APEKS
388018	KIT,BOLT/NUT 5 PACK FOR APEKS POCKETS



(A) apeks SureLock™ Weight System

This popular accessory is ideal when it becomes necessary to add additional weight to your rig.

- · Bolts directly to the WTX Harness
- Able to mount to the back plate with use of SureLock™ attachments
- · Includes necessary attachment hardware plus spares
- 2" stainless adjustable D-rings on the outside of each pocket
- Features the SureLock™ (patented) mechanical weight release buckles which prevent weights from releasing until you want them to
- · Each pocket holds up to 10 lbs (4.5kg) of lead
- · Includes attachment grommets to mount your choice of Deep See knives



Part #	Description
88020	Apeks Surelock Weight System, 10Lb

A) apekx SureLock™ Attachments

This unique accessory allows you to mount the SureLock™ Weight System (Patented) directly to the back plate.

- Includes necessary attachment hardware plus spares
- May be used without the SureLock™ Weight System to spread the weight of the cylinders over the hips
- 3 different grommet settings allow for proper positioning of the SureLock™ weight pockets



Part #	Description
388045	WTX Surelock Weight System Attachments
	BC's & Accessories 33



Apeks Airway Complete and Powerline Inflator

Apeks WTX Airway Complete

- · Rugged housing with solid brass buttons
- · Elliptical hose for lower profile and less drag
- An internal safety cable prevents hose from being hyperextended
- Simple 90° elbow at the top

Apeks Powerline

(as found on BC1)

- · Integrated hose clips attach to the MP hose
- Cable-activated rapid exhaust at the top, simply pull down on lower unit to dump air



Part #	Description
42772	Apeks Airway Complete
42820	Apeks Powerline Airway Complete

Apeks Apeks Airways Complete

Apeks Powerline (as found on Black Ice) - 18 inch overall length

- The inflator hose attaches to integrated hose clips
- · Cable-activated rapid exhaust at the top, simply pull down on lower unit to dump air

Apeks WTX Airway Complete - 21 inch overall length

- Rugged K inflator with solid brass buttons
- · Elliptical hose for lower profile and less drag
- · An internal safety cable prevents hose from being hyperextended
- Simple 90° elbow at the top

Apeks WTX Airway Complete - 23 inch overall length

- · Rugged K inflator with solid brass buttons
- Round corrugated hose
- · Cable-activated rapid exhaust at the top, simply pull down on lower unit to dump air



Part #	Description	UPC
42820	Apeks Powerline Inflator	053242 279710
42662	Apeks WTX Airway Complete, 21 inch overall length	053242 293976
15350	Apeks Powerline Inflator, 23 inch overall length	053242 293983



AQUA LUNG BC Accessories

Increase your visibility day or night with Aqua Lung's innovative Reflector Kit



	Part #	Description
	427047	Reflective Kit
28228 Universal Tank band		Universal Tank band

AQUA LUNG POWERLINE Inflators

- · Increased fill rate; now one of the highest air flows in the industry
- Environmentally sealed unit
- · Dual valve for rapid exhaust and over-pressure relief
- · Integrated hose clips attach to the hose



E	Part #	Description		
4	12810	Powerline Inflator, New Style Military Powerline		
7	769347			

AQUA LUNG Low Pressure Hoses

Part #	Description	
45822	Low Pressure Hose, Braided 22"	
45825	ow Pressure Hose, Braided 25"	
45827	Low Pressure Hose, Braided 27"	
45833	Low Pressure Hose, Braided 33"	
45836	Low Pressure Hose, Braided 36"	
45840	Low Pressure Hose, Braided 40"	

AQUA LUNG Service Kits

Part #	Description
900020	Service Kit, i3 Inflator
42609 Service Kit, Powerline Airway	



AQUA LUNG Universal Weight Pouch (10 lbs.)

Part #	Description
42726	Wt. Pouch - Universal 10 lbs. (hook n loop)



AQUA LUNG Universal Weight Pouch (16 lbs.)

Part #	Description	
42716	Wt. Pouch - Universal 16 lbs. (hook n loop)	



AQUA LUNG Removable Trim Pocket (5 lbs.)

Part #	Description
427085	Removable Trim Pocket-5 lbs./2.2kg



AQUA LUNG SureLock II Weight Pouch (10 lbs.)

Part #	Description
42797	Wt. Pouch - SureLock II 10 lbs.



AQUA LUNG SureLock II Weight Pouch (16 lbs.)

Part #	Description
42798	Wt. Pouch - SureLock II 16 lbs.



AQUA LUNG SureLock II Weight Pouch (15 lbs.)

Part #	Description
42799	Wt. Pouch - SureLock II 15 lbs.



AQUA LUNG SureLock Weight Pouch (10 lbs.)

Part #	Description	
42767	Wt. Pouch - SureLock 10 lbs.	



AQUA LUNG SureLock Weight Pouch (16 lbs.)

Part #	Description
42768	Wt. Pouch - SureLock 16 lbs. w/ carry handle



BC'S & ACCESSORIES

BC Size Guide & Lift Capacity

* THE FIGURES IN THIS GUIDE ARE APPROXIMATE, NOT ABSOLUTE


Model	Size	Height	Weight	Waist Range	Over the Shoulder	Total Weight	Releaseable Weight	Lift in Pounds	Lift in Newtons
PRO QD M	XS	5-5'5	100-125	25-37	32-38	20/9	20/9	27	120
	S	5'2-5'7	120-155	27-42	34-40	28/13	20/9	30	130
	М	5'7-5'10	150-165	30-45	39-45	30/13.5	20/9	35	150
	ML	5'10-6'0	160-190	32-47	41-47	30/13.5	20/9	38	160
	L	6'0-6'2	180-210	35-50	43-49	42/19	32/14.5	47	200
	XL	6'2-6'5	195-240	37-52	45-51	42/19	32/14.5	61	270
	XXL	6'2-6'5	230-270	44-59	45-51	42/19	32/14.5	61	270

Measurement Instructions

Waist size in men is normally measured by placing the measuring tape around the waist, cresting the pelvic bone. This measurement is not accurate for BC fitting. The waist size in men should be measured at the height of the belly button just above the pelvic bone (**Figure 1**). Women's waist size is always measured just above the pelvic bone (Figure 1). This same measurement applies for BC fitting.

Over The Shoulder (OTS) measurement is taken by placing the measuring tape across either the right or left shoulder and reading the distance between the top of the waist line on the back to the top of the waist line in the front (Figure 2). Again, for this measurement in men the waistline is taken to be at the height of the belly button. When fitting the customer in his/her respective waist size and OTS range, inquire what thickness of wetsuit the BC is most likely to be worn with. Calculate about a 2" allowance for the waist measurements for thick, cold water suits

FIGURE 1: Measuring points for waist size. FIGURE 2: Measuring points for OTS length.



AQUA LUNG Compact Retractor Kit

- · Removable J-clip attaches to console for attachment to exterior of BC
- Snap clip attaches to D-ring
- Console pack comes with additional threaded stud mount
- · Connect to console with either a split ring or adjustable lanyard
- Designed to survive extended salt water and chlorine exposure
- · Stainless steel spring and hardware
- 60 lbs. breaking strength

Part #	Description
D745915	Compact Retractor Kit

AQUA LUNG Retractor Plus Kit

- · Line Lock feature for securing heavy objects
- · Self-cleaning mechanism
- · 31" cord with high force spring
- · Multiple mounting options: Can be attached inside pocket or clipped onto BC

Part #	Description
D745914	Retractor Plus Kit

AQUA LUNG Retractor Kit

- · Self-cleaning mechanism
- · 42" cord with high force spring & 12 oz. retraction force
- Attaches inside BC pocket, but cannot be clipped onto a BC
- · Recommended for attachment of flashlights or cameras


Part #	Description	
D745034	Retractor Kit	



BC'S & ACCESSORIES





Cap-off Kit + Universal Dump Valve Kit + CO2 Assembly + Misc CAP-OFF KIT



Key#	Part #	Description
1	15309	Gasket, Connector Seal
2		Cap, Connector, Acme Thread

UNIVERSAL DUMP VALVE KIT






Key#	Part #	.Description
10	13211	. CO2 Cartridge, 16 gram
20	704014	. Gasket
30	13216	. Nut
40	15737	. Nut Gasket
50	13207	. Detonator
60	15738	. Base Gasket
70	12234	. Pull Bob

MISCELLANEOUS

Part #	Description
42611	BC Puncture Repair Kit 4
13211	CO2 Cartridge, 16 gram, for Snorkel Vest
42720	Carabiner Clip

Part numbers in BOLD ITALICS indicate standard overhaul replacement part.





AQUA LUNG MARINER Twin Pack




Part #	Description	NSN
083400	Mariner Twin Pack	4220012743690

AQUA LUNG MARINER Twin Tank Harness



Part #	Description	NSN
082700	Mariner Twin Tank Harness	4220013271993

AQUA LUNG MARINER Kam Pack



Part #	Description	NSN
088150	Mariner Kam Pack	4220014320279

BC'S & ACCESSORIES



AQUA LUNG GRIPLOCKTM Tank Band Assembly

The GripLock™ tank band assembly is the easy and safe solution for securing a cylinder to a BC.

- · Modern design
- · Easy to rig and adjust
- · Durable metal buckle
- Innovative "Finger-Saver" feature (pat. pending) eliminates pinched fingers
- · Macro-adjustment is set just once for each cylinder diameter
- · Three presets cover the various diameter cylinders in the field today
- · Micro-adjustment for fine tuning the fit after the band is on the cylinder
- Rubber traction pad on the backside of the GripLock™ provides added security
- · Bands may be retrofitted to all BCs
- 2 sizes available select according to cylinder and BC type

NOTE:

Griplock Tank Bands are supplied packaged as single items.






Part #	Description
428210	GripLock Tank Band, Long, non-Wrapture™ harness version, for PRO QD M, BC1, and WTX Harness
428230	GripLock Tank Band, Standard Length, Wrapture™ harness version, for WTX Back Plate w/ Deluxe One-Piece Webbed Harness

A Q U A L U N G Military & Professional

KAM PAC Twin Harness Mlilitary BC (394050) NSN #4220010050773

MARINER KAM PAC (088150)




Key#	Part #	Description
1	088110	Frame
2	10081	Buckle Cam
3	28228	Universal Tank Band
4	10017	Traction Sleeve, Tank Band
5	088107	Traction Pad, Slotted
n/s	088151	Non-slip Lanyard

TWIN HARNESS ASSEMBLY

(for 7.25" cylinders) NSN #4220013271993

Key#	Part #	Description
	082700	7.25" Harness Assembly, Complete
	081200	6.9" Harness Assembly, Complete
	081215	Strap Kit
1	081245	Back-up Plate
2	074305	Reserve Pull Rod
3	081240	Cover, Non-slip
4	838031	Bolt, Hex, .312-18x4"
5	082729	Spacer, 1"x2". Blk Nylon
6	852021	Hex Nut
7	082723	Band, Bottom
8	082721	Band, Top



PFD'S



AQUA LUNG RescueTec

Force 6 Swift Water RescueTec PFD is a UL listed and United States Coast Guard approved Type 5 Professional Swiftwater Rescue PFD. The RescueTec PFD is feature loaded including a removable left-front pocket, dual 1 1/2 in QR belts for throw bag attachment, waist belt with Gripp-Loc to prevent ride up. Adjustable shoulders with dual AustriAlpin anodized aluminum buckles, Moulded extraction handle, 4 inch Velcro name attachment back-band, Heavy duty YKK front entry zipper, 12 elastic strap container bands, rear hydration attachment points, neoprene neck water damn, lapel strap tunnels, and reflective material on both the front and the back.

· UL listed and United States Coast Guard approved Type 5 Professional Swiftwater Rescue PFD

· 26 lbs.minimum flotation on both the S/M and L/XL models

S/M (28" - 44"" Chest); L/XL (38" - 56" Chest)

· Gripp-Loc on waist belt to reduce ride up

· Left Front Pocket

· Swim Harness (Leg Straps)

 Shell Fabric -High tenacity 420 Denier Fabric

ACCESSORIES (Sold Separately)

 Right Front Pocket (sewn in radio harness)

· Rear Pocket

· Extrication Leash

ENVIRONMENT

This PFD can be used in all River, Lake, and Ocean Environments including:

- · Aerated Moving Water
- · Flood waters
- Surf

Part #


311000

311001



AQUA LUNG Front Pockets

Description









FORCE RescueTec

- · UL Listed, USCG approved. Type-V Professional.
- Sizes: SM/MD (28"- 40" chest), LG/XL (40"- 52" chest).
- 26 lbs of flotation on both SM/MD & LG/XL sizes.
- · Heavy-duty #10 YKK front entry zipper.
- · Front pocket features dual, plastic locking coil zippers. Corrosion resistant.
- 2" QR Belt with anodized slider (140-200 lbs through one slot, 200+ lbs through both slots).
- · Adjustable top and bottom secondary quick release buckles.
- Removable left front pocket with reflective tape, dual zippers, and drainage is included.
- Removable back pocket & right front pocket with radio holster are optional.
- · Swimming thigh harness with vertical adjustments included.
- Extrication leash is optional. Attaches to QR belt, and snaps into Velcro & webbing straps on shoulders.
- Dual 1½" QR belts for throw bag attachment.
- Waist belt has 6" of vertical adjustment on size LG/XL only. Also features 3 adjustment points.
- Gripp-Loc[™] on waist belt to reduce ride up.
- · Adjustable shoulders with dual AustriAlpin anodized aluminum buckles.
- · Molded extraction handle.
- · 4" Velcro name attachment band on back.
- Two 4-way lash tabs, and 2 plastic d-rings for whistle and watercraft key.
- 420 High-tenacity nylon exterior & 210 high-tenacity nylon liner with internal drainage panels.
- Shaped PVC foam, and deep cut arm holes for rescue swimming.
- 1-7/8" mil spec 6000 lbs structural vertical webbing straps.
- 12 elastic strap retainer bands.
- · Hydration attachment points on back.
- Neoprene waterdam at back of neck.
- · Lapel strap tunnels on shoulders.
- · Reflective on front and back.





Colors A	vailable
	Black
	Red

Size	Chest	Buoyancy
SM/MD	28" - 40"	26 lbs.
LG/XL	40" - 58"	26 lbs.

Part #	Description	Size	Color
521638	RescueTec	М	Black
521639	RescueTec	L/X	Black
521640	RescueTec	М	Red
521641	RescueTec	L/X	Red

Available A	Available Accessories		
521656	Left Front Pocket, Black		Black
521657	Right (Radio) Front Pocket, Black		Black
521647	Right (Radio) Front Pocket, Red		Red
521646	Left Front pocket, Red		Red
521686	Thigh (Swim) Harness		
521658	Back Pocket, Black		Black
521601	Extraction Leash, Black		Black
521606	QR Belt, MD/L		
521607	QR Belt, XL		





PFD'S





Materials:

Fabric: The 420 denier high tensile strength, mil. spec. ripstop nylon inner and outer shell was chosen because, when compared to 500 denier Cordura or pack Cloth for instance, it has better wear resistance, less friction (very slippery in the water, faster to swim with), does not attract or hold dirt (which decreases wear), does not absorb water (which increases the PFD™ mass in the water) and overall makes the PFD lighter. All buckles, thread, stitch count, strap material and webbing are UL tested and certified.

Med / Large - 32" - 52" Chest (26 lbs. Buoyancy)

Xlarge - 44" - 62" Chest (30 lbs. Buoyancy)


- · Center Zipper
- Integrated 2.5 cm. / 1 inch nylon tape structural harness.
- Patent Pending over the shoulder, left or right hand option, one hand to operate, Extrication Leash.
- Knife / scissors and strobe light attachments on both sides / shoulders.
- · Reflective tape over the shoulder and on both front pockets.
- · Inside quick drainage mesh.
- One piece over the shoulder foam for strength and structural integrity.
- Armhole adjustment straps
- · Three-part waist belt for fit.
- Two front mesh pockets
- · Color: Red Only





Part #	Description	Color	Size
521626	Rescuer, MD/LG, Red	Red	ML
521627	Rescuer, XL, Red	Red	XL
Available Accessories			
521686	Optional / Detachable Swim Harness		
521606	Quick Release Belt		
521607	Quick Release Belt		
521604	Extrication Leash		





• 17.5 lbs (78 N) of flotation.

Molle adjustable/replaceable pocket system.

 Adjustable shoulders, side cinches, and fully adjustable leg harness.

• Optional 2" QR Belt with anodized slider.

Extrication leash is optional.
 Attaches to optional QR belt.

 Adjustable shoulders with dual AustriAlpin anodized aluminum buckles.

 Two 4-way lash tabs, and 2 plastic d-rings for whistle and watercraft key.

• 420 High-tenacity nylon interior shell with internal drainage panels.

 Shaped PVC foam, and deep cut arm holes for rescue swimming.

 1-7/8" mil spec 6000 lb structural vertical webbing straps.

12 elastic strap retainer bands.

· Color: Black



Part #	Description	Color	Buoyancy	Chest	Size
TBA	HELO Aquatic Rescue Specialist PFD	Black	17.5 lbs.	TBA	Universal

PFD'S & ACCESSORIES



FORCE RESCUE SYSTEM BAG

Force 6 Rescue Systems Bag This is a two part bag system that is zippered together.

- One bag is a double ended rope bag that holds approximately 400 ft. of 8mm or 650 ft. of 6mm rope.
- The second bag is an equipment bag which has loops to hold up to 18 carabiners.
- · Pulleys can be attached to carabiners.
- A mesh pocket in which to store prusicks, and webbing loops.
- The equipment bag has sewn in flips which make it an equipment ground sheet.
- This bag puts your rope and equipment in one easy to carry and store package.

Rope and hardware pictured is not included









Apeks SPG,

Brass, 5000PSI



A apeks Analog Instruments

Apeks instruments supply clear and accurate information on your dive status. Our instruments are tested beyond normal dive limits to ensure they provide this precise information for all your dive experiences. Strong, easy to maintain housings provide years of trouble free service. You can be assured of the quality/finish of all your Apeks equipment. Our gauges and gauge consoles are designed and finished at our UK factory ensuring that every aspect reflects our commitment to quality. The gauges are stylish and fit perfectly with other products in the Apeks range, such as our world famous regulators.

SUBMERSIBLE PRESSURE GAUGE (SPG)

- · The slim-line gauge case is made from nickel plated brass
- · Large loop area designed into the housing for ease of attachment
- The dial range is from 0 to 5000 psi
- · Uncluttered, with large black figures on a luminous background giving a long phosphorescent effect
- Made with O2 compatible materials but be sure to O2 clean before use with high percentage oxygen
- The dial window is made of highly shock resistant material (anti-splinter Polycarbonate) to protect your quality gauge
- · Over pressure relief fitted in the back

SUBMERSIBLE PRESSURE GAUGE (SPG) + COMPASS

- · See SPG details above
- This unique compass is designed for ease of reading and diver comfort. For example there are 2 viewing windows so the unit can be set up for left or right handed use, at an angle which is set as the natural
 extension of the arm. This means that divers do not have to twist their wrist into an unnatural shape to
 view compass readings
- · The ratchet bezel is robust and can be rotated with ease even with thick neoprene gloves
- · The numbers and directions on the bezel are large and very easy to read

SUBMERSIBLE PRESSURE GAUGE (SPG) + DEPTH GAUGE

- See SPG details above
- Dials have a long phosphorescent effect for better reading in poor visibility conditions
- · There are 2 attachment areas integrated into the design for position flexibility
- This may be a compact design but the displays are vivid and clear perfect for diving.
 For example the depth gauge spreads the first half of the scale and in total shows a range down to 230 feet
- Depth gauge has resettable max depth indicator
- · Made with high shock-resistant windows, which is a must for divers

SUBMERSIBLE PRESSURE GAUGE (SPG) + DEPTH GAUGE + COMPASS

- · See specifics on each individual instrument above
- All instruments give accurate, clear readings and are made from the best quality build materials. As such they offer perfect functionality and excellent robustness



7	
Part #	Description
AP0633IMP	Apeks SPG, Brass, 5000 psi
AP0634IMP	Console, SPG, Compass, 5000PSI
AP0635IMP	Console, 2 Gauge, 5000PSI, 230FT
AP0636IMP	Console, 3 Gauge, 5000PSI, 230FT, Compass
AP0633	Apeks SPG, Brass, 360 Bar
AP0634	CONSOLE, SPG, COMPASS, 360 Bar
AP0635	CONSOLE, 2 Gauge, 360 BAR/70M
AP0636	CONSOLE, 3 Gauge, 360 BAR/70M, COMPASS





SUUNTO COBRA 3

The Suunto Cobra3 is engineered for avid divers and features Suunto's all new electronic 3D compass and an easy-to-read matrix display with simplified four-button operation. The Cobra3's new electronic 3D compass offers divers the unique ability to tilt the compass up to 45 degrees in any direction without impairing the ability to read figures clearly and accurately. With two-gas switching Nitrox, Air, and Gauge modes, this air-integrated computer delivers everything you need to maximize bottom time and make the most of every dive. Going beyond the numbers, the Suunto Cobra3 graphs your dive profile with an informative matrix display and its built-in dive simulator allows you to test potential dives without getting your fins wet.

ADVANCED FEATURES:

- Electronic 3D compass (user-adjustable time out)
- Matrix display
- Two-gas switching
- · Optional Deep Stops
- · Dive profile displayed graphically on the screen

OTHER MAIN FEATURES:

- Three operating modes (Air, Nitrox, Gauge)
- · Complete decompression stop data
- Suunto Deep Stop RGBM
- 42 h logbook and profile memory*
- · Lifetime history memory
- · Profile memory bookmark
- · Cylinder pressure and remaining air time data
- 300 bar (5000 psi) compatible
- USB compatible PC-interface (optional)
- · Multi-step ascent rate indicator
- · Personal adjustment
- Altitude adjustment 0-3000 m (0-10000 ft)


- · Automatic safety stop countdown
- Extended decompression range (ceiling, floor)
- · Built-in dive simulator
- · Calendar clock
- Alarm clock
- Electroluminescent illumination (backlight)
- · User-replaceable battery
- Depth display range 0-150 m (0-450 ft)
- · Audible alarms
- · Max. depth alarm
- · Optional quick release high-pressure connection
- · Display shield
- · User-selectable metric or imperial units

Part #	Description
185370	Cobra 3 All Black
185360	Cobra 3 All Black with QD and USB

SUUNTO COBRA

- · Complete decompression stop data
- 5000 psi compatible
- · Built-in calendar/clock
- Push-button interface makes it extremely easy to use when choosing the different functions of the computer
- · Comprehensive dive planning and simulation functions
- Electroluminescent illumination lights up automatically when an alarm is activated
- Extensive logbook and profile memory has a default sampling rate of 20 seconds providing 36-hours of memory which records all important dive data
- Bookmarks can be placed in the profile memory to highlight events during the dive

- Lifetime history memory storing the total number of dives, dive hours and maximum depth ever reached
- · User selectable metric or imperial measurement units
- · Ergonomically designed to fit easily into your hand
- · Compact in size, yet has a large display with large digits
- The computer can be fitted with the SK-7 compass set in a new housing, especially designed for the Cobra
- · Plus all the great features of the Vyper





SUUNTO Vyper Air WRIST TOP COMPUTER

The Suunto Vyper Air includes optional wireless air integration and a technologically advanced electronic 3D compass. With wireless air integration, the Suunto Vyper Air allows divers to monitor tank pressure and air consumption from the computer on your wrist. The Vyper Air's new electronic 3D compass has user adjustable time out and offers divers the unique ability to tilt the compass up to 45 degrees in any direction without impairing the ability to read figures clearly and accurately.

The Vyper Air includes Air, Nitrox and Gauge modes and gas switching. For divers using enriched air, the Suunto Vyper Air can be programmed in one percent increments for nitrox mixtures between 21 and 100 percent oxygen.

Divers can also adjust oxygen partial pressure between 0.5 and 1.6 in 0.1 unit increments. The Suunto Vyper Air uses the Suunto Deep Stop RGBM algorithm that features continuous decom pression and optimal ascent time. For deeper dives, the Deep Stop option adds further protection with a series of "deep stops" between a diver's maximum depth and ceiling.

The Suunto Vyper Air also boasts a built-in dive simulator, allowing divers to test potential dives before dropping into the water. The Vyper Air features large digits and a Matrix display that clearly shows critical dive information including dive profile graphs. After the dive, you can download the data to your PC and easily maintain a detailed logbook.

ADVANCED FEATURES:

- Electronic 3D compass (user-adjustable time out)
- Matrix display
- Two-gas switching
- Optional wireless transmitter providing cylinder pressure and remaining air data
- Available Deep Stop option
- Dive profile displayed graphically on the screen

OTHER MAIN FEATURES:

- Three operating modes (Air, Nitrox, Gauge)
- Complete decompression stop data
- Suunto Deep Stop RGBM
- 42 h logbook and profile memory*
- · Lifetime history memory
- Profile memory bookmark
- USB compatible PC interface (optional)
- Multi step ascent rate indicator
- Personal adjustment
- Altitude adjustment 0-3000 m (0-10000 ft)
- * Default factory setting. Can go up to 240 hours.

- Automatic safety stop countdown
- Extended decompression range (ceiling, floor)
- Built-in dive simulator
- Calendar clock
- Alarm clock
- Electroluminescent illumination (backlight)
- User-replaceable battery
- Depth display range 0-150 m (0-450 ft)
- · Audible alarms
- · Max. depth alarm
- Display shield and protective boot



Part #	Description
185390	Vyper Air All Black, Wrist with USB
190980	Wireless Tank Pressure Transmitter LED



SUUNTO D9tx WRIST TOP COMPUTER

From its titanium frame to sapphire glass, everything about the Suunto D9txis designed to impress. We've taken the Suunto D9 and made it trimix – as well as adding a tilt-compensated 3D digital compass. It's compact enough to wear to the boardroom, but inside is a highly advanced all-in-one dive computer, with the same technical RGBM as the award-winning Suunto HelO2. You'll have all your dive-critical information on one unique and stylish device.

- Full continuous decompressionalgorithm (Suunto Technical RGBM)
- Gas-switching between up to 8 gases
- · Trimix support including helium and oxygen
- Four modes: air, mixed gas, gauge, and freedive (NEW)
- · Integrated tilt-compensated 3D digital compass
- · Optional wireless air integration
- Titanium bracelet option
- · Built-in dive planner
- Detailed graphical logs and dive data on your computer using Suunto DM4 with Movescount software, and planning of dives and gases with new Suunto Dive Planner.



D9tx Elastomer Strap and LED Transmitter



D9tx Titanium Bracelet

Part #	Description
16915	D9tx Titanium Bracelet w/o transmitter
182040	D9tx Titanium Bracelet Kit
16916	D9tx without transmitter

SUUNTO D6i WRIST TOP COMPUTER

The Suunto D6i is the wristop dive computers of choice for those who take their diving seriously. With a new tilt-compensated 3D digital compass and wireless air integration, it's an essential tool when other people rely on your diving skills. The D6i is trusted by professional divers and with its fashionable looks it makes a stylish addition to your everyday wardrobe as well!

- · Optional wireless air integration current cylinder pressure, remaining air time
- · Integrated tilt-compensated 3D digital compass
- · Full continuous decompression algorithm
- · Gas-switching capability for up to three gasses
- · Four dive modes: air, nitrox, free, gauge
- · Steel bracelet option
- · Built-in dive planner
- · Detailed graphical logs and dive data on your computer usingSuunto DM4 with Movescount software



All Black Steel Bracelet



Elastomer Strap



Steel Bracelet



All Black Elastomer Strap



White Silicone Strap

Part #	Description
194780	D6i All Black Steel w/ USB
194800	D6i All Black Steel Bracelet Kit
187440	D6i with White Silicone Strap and USB
185430	D6i All Black with Elastomer Strap and USB
184000	D6i with Steel Bracelet and USB
13525	D6/D6i Steel Bracelet Kit
184020	D6i with Elastomer Strap and USB



SUUNTO Compasses


Suunto has been manufacturing compasses since the 1930's and is the world's foremost authority on compass design and manufacturing. The SK-7 has set the standard for dive compasses. The superior SK-7 features an exceptional tilt potential of +/- 30°, which is 2-3 times larger than in conventional diving compasses, easy-to-read numerals on a phosphorescent compass card and a large side-reading window. The firm-grip bezel with a ratchet at every fifth degree is specially designed to prevent sand and dirt contamination, thus allowing smooth turning in all conditions.

SK-7

- Tilt potential of +/- 30°
- · Phosphorescent compass card
- · Wrist, console or retractor mounted
- · Large side-reading window
- · Available in two zones

New, wider geographic areas covered (refer to SK-7 map):

- Northern Hemisphere (NH)
- · Southern Hemisphere (SH)





SK7, End Mount

Part #	Description
186570	SK7 Wrist Compass - NH
186770	SK7 Top Mount - NH
186730	SK7 Back Mount - NH
41110	SK7, Retractable - NH
413203	Retractor, SK7, w/o compass Requires compass 186570
745930	Retractor for Wrist Dive Computers
413210	Retractor plate to add compass to 745930 Requires compass 186570



SK-7 Dive Compass Front



without Strap



SK7, Back Mount



SK7, Retractable

SUUNTO Accessories

Part #	Description
	PC INTERFACE
11350	PC Interface, USB Cable, Large face computers (non-D-series wrist tops)
182140	D-Series USB Interface
	GENERAL ACCESSORIES
42144	Quick Disconnect HP
	BATTERY KITS
413194	Battery Kit, Vyper / Cobra / Gekko / Vytec
5983	Battery Kit, Mosquito and D3
413100	Battery Kit, Transmitter
	DISPLAY SHIELDS
413204	Display Shield, Cobra
13145	Display Shield, Cobra2/ Cobra3
413202	Display Shield, Vytec / Vyper / Gekko
131260	Display Shield, Vyper2 / Vyper Air
13587	Scratch Guards - D-series




SUUNTO ZOOP

The Suunto ZOOP is an ideal choice for sport divers looking for an easy-touse computer at an affordable price. It can be used with both air and nitrox and is designed to give the specifics of any diving situation, including decompression, at a glance. Unlike its predecessor, the Gekko, it can be downloaded to a PC.

- · Simplified menu system for ease of use
- 2 operating modes (Air and Nitrox)
- Nitrox 21% to 50%
- View, compare, and analyze your diving performance through a specially designed PC interface.
- Reduced Gradient Bubble Model (RGBM)
- Complete decompression stop data
- · Temperature display
- 50 Hour Profile & Logbook memory
- · Super bright phosphorescent display for night or low light conditions
- Automatic activation
- · Audible alarms
- · User-replaceable battery

Options:

Available in a wrist model or 2 gauge console
 High-pressure quick disconnect adapter available for console





Part #	Description
195440	Zoop Black, Wrist, CB-Two In Line, 300 Bar
195450	2 gauge 300 bar console
195460	Zoop Black, CB-Two In Line, 4000 psi



SUUNTO DM4 with Movescount Software

Plan and track your dives with Suunto DM4 – for PC and Mac.

Plan & transfer

With the graphical planner it's easy to plan dive profiles, gases, and back-up plans. Simply export your planned gases and other dive-critical information to your wristop with the included USB cable, and you're ready to go. If you get your gases mixed at a dive shop, you can print gas mixing instructions.

Download & track

After the dive, download your dive information back to the computer. Your activity will be recorded in the logbook, where you can organize and view your dives.

Suunto DM4 is free to download and updates to any new version automatically when you are online.

Suunto DM4 is also integrated with Movescount.com, where you can see all your dives, follow your progress, add pictures or location maps, and share your adventures with friends.





SUUNTO Movescount.com

The online sports community where every move counts

Movescount.com is a free service that provides you with a deeper understanding of your activities, while engaging with an active online community. Share your dives online or see where others have ventured - and you can track all your land-based activities at Movescount.com too!

Once you've joined Movescount, it's easy to find friends, join groups, take part in challenges, comment on people's moves and receive comments on your moves. It also allows you to access your dive history and analysis wherever there's an internet connection.

- · A free online sports community, available for everyone compatible (with PC and Mac)
- · Keep track of your diving and other sports all in one place
- Enrich your dive moves with video and pictures from YouTube and Flickr
- Follow other divers and share your own experiences
- Share your dive moves on Twitter and Facebook
- Join and create groups and events
- Upload data from your Suunto diving device through Suunto DM4 with Movescount software - compatible with PC and Mac devices.
- · Compatible with all Suunto devices

Join in www.movescount.com

Now also with iPhone









Items marked with * are subject to Aqua Lung America's Minimum Retail Price Policy.

SUUNTO D-Series Accessories

D - Series USB Interface Cable

Connect to the new Dive Manager 4 (DM4) and Movescount, Suunto's online sports community, with the USB interface cable. This new interface cable, p/n 182140, has been redesigned for faster data transfer. It is not only compatible with the new D–series wrist top computers, D9tx, D6i & D4i but is also backwards compatible with the previous D-series wrist tops.

Please note:

AQUA LUNG MILITARY & PROFESSIONAL BUYER'S GUIDE 2014

- The previous D-series USB Interface Cable, part number 12513 is not compatible with the new D-series, D9tx, D6i & D4i
- · All D- series models now come with the USB interface cable.



Part #	Description
182140	D-Series USB Interface Cable

SUUNTO Analog Gauges

- · Luminous easy-to read analog dials
- · Reliable and accurate open bourdon tube mechanism
- · Maximum depth indicator

Cylinder Pressure Gauge

- · Quick, easy way to check cylinder pressure
- · Rubber protective cover
- · Manual bleed screw
- 4000 PSI

www.aqualung.com/militaryandprofessional



Part #	Description	NSN
41182	Analog 2 Gauge 150'	
5254	Analog 2 Gauge 230'	4220012475511
5251	Analog 2 Gauge, metric, 300b/45m	
5242	Suunto SPG 5000 psi in Boot	
700400	Cylinder Pressure Gauge	6685000998024



SUUNTO HelO2

Wrist Top Computer

Suunto HelO2 is the first dive computer from Suunto with full mixed gas capability. It is rated to 120 m/393 ft and incorporates the new Suunto Technical RGBM algorithm. Based on the RGBM algorithm developed by highly recognized decompression scientist, Dr. Bruce Wienke, the Suunto Technical RGMB algorithm extends decompression flexibility into the world of technical diving.

The algorithm introduces helium tissue groups in the decompression model to enable trimix diving, as well as diving on air and nitrox. It allows eight gases to be programmed as primary or secondary gases, and enables oxygen content of 8-100%, and helium content of 0-92%. For the technical diver, the algorithm provides increased flexibility and reduces tasks while decompressing by eliminating the need to constantly monitor a slate and watch.

SUUNTO Technical Dive Planner



The Suunto technical dive planner is an easy-to-use graphical planner for planning dive profiles, gases, and back-up plans. The intuitive interface enables the diver to try different variations of depth, time, gases and partial pressures without having to continuously recalculate. Suunto technical dive planner calculates all changes instantly and presents the results on an easy-to-read graph. When ready, the diver can

simply export the planned gases and other dive-critical information from PC to dive computer with the included USB cable – removing the need to copy all the calculations onto a slate. Divers are also provided with gas mixing instructions for their planned dive, which they can print out and give to a dive shop if not mixing themselves. The Suunto technical dive planner enables divers to plan dive series based on real dive profiles – not planned dive profiles – making the plans for later dives in the series more accurate and realistic. The planner also allows divers to compare the planned dive and the and actual dive, helping them pinpoint future areas of improvement in both planning and diving.

Advanced Features:

- 8 gas switching
- Suunto technical RGBM algorithm (including helium tissues)
- Deep stops
- · Matrix display
- · Dive profile displayed graphically on the screen
- · Seamless collaboration with dive planner
- Expanded personal adjustment

Other main features:

- Two operating modes (Mixed gas, Gauge)
- · Complete decompression data
- Suunto Deep Stop RGBM
- · 42h logbook and profile memory
- · Lifetime history memory
- Profile memory bookmark
- · Wireless tank pressure

- · 300 bar compatible
- PC-interface
- Multi step ascent rate indicator
- · Altitude adjustment 0-3000m (0-10000ft)
- · Automatic safety stop countdown
- Extended decompression range (ceiling, floor)
- Calendar clock

- Electroluminescent illumination (back light)
- · User-replaceable battery
- Depth display range 0-150m (0-450ft)
- · Audible alarms
- · Max. depth alarm
- · Display shield
- · User-selectable metric or imperial units



Part #	Description
145060	HelO2 with USB
150030	HelO2 with Transmitter & USB






4200 SERIES I ANU

For over 20 years, Luminox has partnered with the world's toughest maritime commandos to continuously hone and refine a watch tough enough and useful enough to be cosidered "first line gear" for the finest warriors. Today, we've taken the lessons of the past and the refinement capable

in the present to develop our toughest and most specifically designed essential piece of timekeeping gear to date, the ANU (Authorized for Navy Use) watch series

- · Black PVD plated stainless steel case
- · Screw down crown & case back
- · Unidirectional ratcheting bezel
- · Antireflective sapphire crystal
- · Multi Jewel Swiss Quartz Movement
- · Lithium battery 8+ year
- Water resistant to 200 meters
- · Black nylon strap, with nylon web and black PVD brushed steel loops (No. 4221.CW model)





Part # 41192

Authorized for Navy Use (MILPRO Diving Units Only, black nylon strap only)



IGHTS



AQUA LUNG ALU Solo

The Alu Solo is the most powerful light of its class. It is powerful, compact and offers easy one-hand use.

- · Light source:
- 1 LED Cree XL-M 700mA /260 lumen / 8000 lux
- Beam angle is 20° / Focal distance is 5m
- · Torch body: anodized aluminium alloy
- · Powered by three C-cells
- Switch: Mechanical, one hand operatedWeight in water: 316g (11oz.)
- Maximum operative depth: 300m (1000 ft)



Part #	Description
T563800	Alu Solo Light

AQUA LUNG ALU TRIO

The Alu Trio, besides being very powerful, has a unique, flattened, elliptical shape so it fits nicely in a BC pocket

· Light source:

Part #

- 3 LED Cree XL-M 700mA
- @ 260 lumen ea. = 780 lumen / 28,000 lux
- · Beam angle is 15° / Focal distance is 5m
- · Torch body: anodized aluminium alloy
- · Powered by: 4 "C" batteries
- · Switch:self-locking, magnetic sliding switch, one hand operated
- · Weight in water: 166g (6oz.)
- Maximum operative depth: 300m (1000 ft) Description







Aqua Lung Favola

- · The Favola guarantees an incredible field of vision
- The lenses are at an incline providing a wide angle of view upwards and downwards
- The patented "double joint" buckles (cardanic joint buckles) rotate both up-and-down and in-and-out. They provide maximum adaptability and comfort to any head shape
- The quick counterposed push button activation make the buckle easy to use even when wearing gloves
- New strap with larger headpiece provides greater stability and comfort



Blk Silicone Blk/Blu/Sil Frame

Part #	Description
505515	Favola, Black/Blue/Silver
505525	Favola, Black/Black Silicone
505537	Favola, Cir Sil, Orange

AQUA LUNG Teknika Mask

- · Solid, robust mask with technical divers in mind
- Outer frame made of shock absorbent techno-polymer
- · The backing rear support is a one-piece molded frame
- · Assembled with stainless steel AISI 304 bolts and screws
- Cardanic joint buckles (double joint buckles) rotate both up-and-down and in-and-out
- Quick counterposed push button activation is easy to use even when wearing gloves.
- · Wide headpiece on silicone strap provides stability and comfort
- Due to its particular structure, the mask may be folded to fit into BC pockets



I	Part #	Description
	505475	Teknika, Black/Black Silicone

AQUA LUNG Micromask

- The Micromask is a revolution in mask design. Its innovative, patented structure makes it possible for the lenses to fit in the ocular orbit. Never before have lenses been so close to the eyes. This not only results in an amazingly wide peripheral view but an extremely low internal volume
- While scuba divers love it, it is sure to be a favorite amongst the free diving community
- · Extra low volume makes it very easy to clear
- Features patented "cardanic" double joint buckles that rotate both up-and-down and in-and-out. This provides maximum adaptability and comfort to any head shape
- The quick counterposed push button activation make the buckle easy to use even while wearing gloves



Part #	Description
505495	Micromask, Blk/Blk Silicone

MASKS



AQUA DLUNG Ventura+

The Ventura+ mask, a timeless classic, has been aesthetically revisited and enriched with patented Cardanic Joint buckles. Its single lens design provides a wide field of view.

- The frame has been redesigned with a fresh look that incorporates multiple colors
- The patented Cardanic Joint buckles rotate up and down as well as in and out to provide maximum adaptability to any head shape
- The quick, counterposed push button activation makes it easy to release the strap even with gloves on.
- The silicone strap has an enlarged headpiece for comfort and to prevent strap migration
- · Single lens is 4mm thick and tempered to ANSI standards
- Weight = 210 grams (7 oz)
- · Available in clear or black LSR silicone



Part #	Description
503849	Ventura +,Blk Sil, Black



AQUA LUNG LOOK 2

Look 2 is a new two-lens mask, complete with patented Cardanic Joint Buckles. It features a silicone strap with a wide headpiece. The close-to-the-cheekbones frame design guarantees an excellent view in all directions. The Look 2 boasts a low inner volume for easy clearing. The Look 2 supports a wide assortment of negative and positive diopter corrective lenses. A clever lens replacement system allows for rapid and easy substitution of the lenses (patent pending). The Look 2 Midi version fits slim faces. Specifications:

- Skirt: Silicone LSR, clear or black
- · Glass: 3 mm, tempered
- · Strap: Silicone with enlarged headpiece
- · Buckles: Cardanic Joint Buckles
- Weight: 185 g / 6.5 oz. (LOOK 2) 180 g / 6.3 oz. (LOOK 2 MIDI)



Black w/ Blue

Part #	Description
503801	Look 2, Clear skirt,Blk w/ Blue
503803	Look II, Black Silicone
503806	Look 2 Midi, Clear Skirt, Blk/Blue
503852	Midi Clear Silicone, Blk/Silver

AQUA LUNG Optical Lens (Look 2)

- +3.0 to -10.0 Diopter
- Sold as single lenses

Part #	Description	
503810	Lens, Look 2 Optical -1.0 Diopter	
503811	Lens, Look 2 Optical -1.5 Diopter	
503812	Lens, Look 2 Optical -2.0 Diopter	
503813	Lens, Look 2 Optical -2.5 Diopter	
503814	Lens, Look 2 Optical -3.0 Diopter	
503815	Lens, Look 2 Optical -3.5 Diopter	
503816	Lens, Look 2 Optical -4.0 Diopter	
503817	Lens, Look 2 Optical -4.5 Diopter	
503818	Lens, Look 2 Optical -5.0 Diopter	
503819	Lens, Look 2 Optical -5.5 Diopter	
503820	Lens, Look 2 Optical -6.0 Diopter	
503821	Lens, Look 2 Optical -6.5 Diopter	
503822	Lens, Look 2 Optical -7.0 Diopter	
503823	Lens, Look 2 Optical -7.5 Diopter	
503824	Lens, Look 2 Optical -8.0 Diopter	
503825	Lens, Look 2 Optical -8.5 Diopter	
503826	Lens, Look 2 Optical -9.0 Diopter	
503827	Lens, Look 2 Optical -9.5 Diopter	
503828	Lens, Look 2 Optical -10.0 Diopter	
503829	Lens, Look 2 Optical,RT,+1.5 Diopter	
503830	Lens, Look 2 Optical,RT,+2.0 Diopter	
503831	Lens, Look 2 Optical,RT,+2.5 Diopter	
503832	Lens, Look 2 Optical,RT,+3.0 Diopter	
503833	Lens, Look 2 Optical,LT,+1.5 Diopter	
503834	Lens, Look 2 Optical,LT,+2.0 Diopter	
503835	Lens, Look 2 Optical,LT,+2.5 Diopter	
503836	Lens, Look 2 Optical,LT,+3.0 Diopter	

MASKS



Aqua 🕏 Lung Maui

- · Low-volume, single-window design
- · Black silicone skirt
- · Popular mask for military and professional divers



Part #	Description	NSN
503350	Maui, Black/Black	4220013272120

AQUA LUNG Wraparound

- · Classic three-window design
- · Available ONLY in black silicone



Part #	Description	NSN
502620	Wraparound, Black/Black	4220012251611

AQUA LUNG Pacifica

- · Equipped with popular purge valve
- · Available ONLY in black silicone
- · Classic single-window styling



Part #	Description	NSN
507810	Pacifica, Black/Black	4220004651582

AQUA LUNG Atlantis

- · Classic, large volume, oval styling
- · Popular with photographers
- · Excellent field of vision
- · Available ONLY in black silicone



Part #	Description	NSN
507710	Atlantis, Black/Black	4220010771603

AQUA LUNG Masks, Fins & Snorkels Replacement Parts

Part #	Description
	FAVOLA, INFINITY, TEKNIKA, MICRO MASK, MYTHOS, TYKE, KEA
502537	Mask strap, clear, w/ retainers
502538	Mask strap, black, w/ retainers
505565	Cardanic buckles (pair)
	LOOK MASK
42457	Mask Strap, Clear
	WRAPAROUND, PACIFICA, ATLANTIS
507709	Mask strap, black silicone
502608	Metal Buckle Kit, Wraparound, Pair of 2
	MISC.
505020	Mask Box, Aqua Lung masks
734407	Snorkel Keeper, Impulse I, II or III (current)
734332	Snorkel Keeper, Separating
622680	Fin Strap/Buckle, Aqua Lung
00 14 - 1 -	



Aqua Sphere Seal Mask

- Mask-like watertight seal for multi-sport activities
- 180° vision with curved lens
- · Shatterproof polycarbonate lens
- · Easy strap adjustment
- · Anti-fog, anti-scratch treatment
- · See Aqua Sphere Price List for additional products
- · Must be purchased in quantity of 6



www.aquasphereswim.com

Part #	Description
169800	Seal Mask, Clear Lens with Blk and Silver Frame
169860	Seal Mask, Clear Lens with Clear Frame
169850	Seal Mask, Smoke lens with Clear Frame
169840	Seal Mask, Smoke lens with Black Frame
220312	Replacement Strap, Clear

Aqua 5phere Sphera Mask

- 100% UVA & UVB protection
- · Patented Plexisol® lens provides 180-degree distortion-free visibility
- · Anti-fog and scratch-resistant coating
- · Hydrodynamic styling
- · Easy-adjust buckle system



www.aquasphereswim.com

Part #	Description	NSN
220531	Sphera, Black/Black	4220013272120

SNORKELS



AQUA LUNG ZEPHYR Snorkel

- · Splash guard with purge channel on top of snorkel
- Elliptical purge valve for clearing reservoir at the bottom
- · Easy, quick-adjust clip for mask attachment
- · Integrated corrugation zone for flexibility
- · Rotating mouthpiece assembly
- · Comfo-bite hypoallergenic mouthpiece
- MADE IN ITALY
- · Trade compliant



Part #	Description	
180710	Zephyr, Blk/Blk	

AQUA LUNG Military Snorkels

- Simple neoprene rubber design
- · Option of J Tube or Flex Tube
- · Secure keeper for mask strap



Part #	Description	NSN
736920	Military Snorkel, Black Neoprene	4220009556535
736930	Military Snorkel, Flex, Black Neoprene	4220012277503

AQUA LUNG Masks, Fins & Snorkels Replacement Parts

Part #	Description
	FAVOLA, INFINITY, TEKNIKA, MICRO MASK, MYTHOS, TYKE, KEA
502537	Mask strap, clear, w/ retainers
502538	Mask strap, black, w/ retainers
505565	Cardanic buckles (pair)
42457	Mask Strap, Clear
	WRAPAROUND, PACIFICA, ATLANTIS
507709	Mask strap, black silicone
502608	Metal Buckle Kit, Wraparound, Pair of 2
	SNORKELING
734332	Snorkel Keeper, Separating
734407	Snorkel Keeper, Impulse



AQUA LUNG Impulse 3

IMPROVED, MORE STREAMLINED VERSION OF THE ORIGINAL!

Since its introduction in 1989, the Impulse has been the best selling snorkel in the world. Today, after continued refinement and evolution, the Impulse 3 is more streamlined and higher performing than its predecessors, the Impulse and Impulse 2.

- The Impulse 3 uses a two-valve system. If a wave breaks over the snorkel, the patented, upper, annular valve directs most of the water out before it even reaches the mouthpiece. Any water that does get past the annular valve drains out the lower valve
- The reservoir located below the mouthpiece keeps breathing path clear of excess water. In the rare event that you need to clear the Impulse 3 Snorkel, almost no breath is needed. All it takes is an easy puff
- · Patented Comfo-bite mouthpieces, which eliminate jaw fatigue, are replaceable and an optional, smaller size is available
- · Also available in a non-flex, standard version



Part #	Description
734400	Impulse 3 Flex, Blue
734410	Impulse 3 Flex, Silver
734420	Impulse 3 Flex, Black/neon yellow
734430	Impulse 3 Flex, Neon yellow
734450	Impulse 3 Flex, Transparent Blue
734370	Impulse 3, Flex, Black/Orange
734405	Impulse 3, Non Flex, Blue
734415	Impulse 3, Non Flex, Silver
734425	Impulse 3, Non Flex, Black/neon yellow
734435	Impulse 3, Non Flex, Neon yellow
734455	Impulse 3, Non Flex, Transparent Blue
	Snorkels 65

FINS



AQUA LUNG ROCKET II Fins

- Greatly improved design
- Flexible material construction for long-distance swimming
- · Neutrally buoyant
- · Large foot pocket
- · Grommet holes for hooking up fins
- Extremely popular with military & professional divers



Part #	Description	Size	NSN
621130	Rocket Fin II, Large	9-11	4220015473051
621135	Rocket Fin II, Super	12+	4220015473054
622494	Spring Straps,Fins,1 Pair		

AQUA LUNG ROCKET Fins

- · Traditional all-rubber design
- · Heavy duty construction
- One of the first vented rubber fins in North America



Part #	Description	Size	NSN
621110	Rocket-Quick Release	Large	4220010156762
621610	Super Rocket-Quick Release	Super	4220010156762
621100	Rocket, Original, Metal Buckles		4220012205816



AQUA LUNG SHREDDER SAR


- Special fin for water rescue, SAR swimming, and Helo OPS.
- · Heavy duty adjustable buckle with padded heel and leash.
- Large foot pocket receives large wetsuit boots and new Evo III boot from Whites.



Par	t#	Description	Size	NSN
621	150	Shredder SAR, Yellow, Large	10 - 13	
621	155	Shredder SAR, Black, Large	10 - 13	

AQUA LUNG Replacement Parts







#621131	Metal	Buckle I
foi	r Rock	et II

Part #	Description	NSN
621502	Strap,Rocket Fin (1), Old Model	4220012277507
622680	Strap/Buckle Assy, Quick Release (1 each of strap and buckle)	4220014853999
621131	Metal Buckle Kit for Rocket II (pair of 2 for 1 fin)	
621132	Fin Strap, Rocket II	
621151	Shredder SAR Strap and buckle assy(Pair)	
621120	Buckle Kit / Metal (Zeech Frame & Post) And MIDCC	

FINS



AQUA LUNG Replacement Parts

The Aqua Lung Slingshot is a revolutionary fin that has taken the industry by storm. The Slingshot™ makes diving more comfortable, efficient and fun. Its innovations include Power Bands, Gear Shift and Mid-foot Flex Joints that all add up to provide a wonderful diving experience.

Power Bands

- Pure silicone Power Bands are loaded with energy on the power stroke.
 They release their energy prior to the upstroke to provide an added boost of power
- Instead of wasting your energy, you accumulate it and reclaim it!
- · Power bands lessen fatigue and add thrust

Gear Shift

- 3-speed Gear Shift customizes your speed-to-effort ratio to fit the specific conditions of your dive
- · Three different settings are available
- · Easy to shift during the dive, even with gloves

Mid-foot Flex Joint

- The blade is attached to the foot pocket using two Mid-foot Flex Joints taking the strain
 off the toes and the top of the ankle. The result is a dramatic improvement in comfort.
- You can now use the entire foot to power the fin rather than just the front half of the foot
- Provides the blade a significantly larger range of motion, often up to 5 times that of a conventional fin
- · Available in four colors and three sizes
- · Comes with a handy, reusable mesh carrying bag





Part #	Description	Size
62590	Slingshot,Black,Small	Small
62591	Slingshot,Black,Regular	Regular
62592	Slingshot,Black,Large/X-Large	Large / X-large
62593	Slingshot,Blue,Small	Small
62594	Slingshot,Blue,Regular	Regular
62595	Slingshot,Blue,Large/X-Large	Large / X-large
62587	Powerbands, Spare, Red, 2 pcs	
62588	Powerbands, Spare, Silver, 2 pcs	
62589	Powerbands, Spare, Blue, 2 pcs	

AQUA LUNG Hotshot

Designed with the traveling diver in mind, this amazing fin packs power and comfort in a small package. It offers:

- · Unsurpassed comfort
- · Compactness for carry-on travel
- · Power for a fully-outfitted scuba diver

COMFORT

- The foot pocket is designed to be worn with bare feet!
 - The top and sides of the foot pocket are soft against bare skin
 - Neoprene socks or thin-soled boots may be used for thermal protection
 - Unique, self-adjusting Comfo-strap is buckle free. This particular type of elastomer guarantees comfort
 - Mid-foot Flex Joint
- The blade attaches to the sides of the foot pocket rather than at the front of the foot pocket.
- · Prevents hyper-extension of the toes and ankles
- · Maximizes the transfer of power from the leg to the fin

Compact and Light Weight

- Fits in carry-on luggage! Ideal with new Departure bag from Deep See.
- · Measures only 20.9 in. / 53 cm overall length
- Size regular weighs only 3.28 lbs / 1.5 kg

Power

- Due to the Mid-Foot Flex Joint, the entire length of blade flexes and provides for ward thrust. With a traditional fin, the third of the blade in front of the foopocket is considered dead space and provides no forward thrust.
 The result is that the HotShot provides the power of a fin that is 30% longer!
- Geared with silicone slings (Power Bands). These pure silicone slings are loaded with energy during the power stroke, which they release prior to the upstroke
- Twin-Speed Gear Shift
 - The silicone Power Bands form the HotShot gear system
 - The gear shift allows the diver to choose the best speed-to effort ratio
 - Divers can change gear settings while wearing the fins
- The blade is made of a semi rigid customized technopolymer.

 The result is an excellent spring effect and flexibility to maximize thrust.
- The rubberized ribs are made of two different elastomeric compounds to provide the greatest elasticity

OTHER FEATURES:

- · Comes in three sizes: small, regular, large/x-large
- · Anti-slip rubber pads on the bottom of fin keep divers safe on boat decks
- Grooves along inside bottom of foot pocket prevent foot from being vacuum sealed in foot pocket making doffing easy
- Power bands are protected on the bottom to prevent contact with the ground











Twin-Speed Gear Shift

Part #	Description	Size
62903	Hot Shot, Blue, Small	Small
62904	Hot Shot, Blue, Regular	Regular
62905	Hot Shot, Blue, LG/XL	Large / X-large
62945	HOTSHOT,WHT ARCTIC,SM	Small
62946	HOTSHOT,WHT ARCTIC,REG	Regular
62947	FINS,HOTSHOT,WHT ARCTIC,LG/XL	Large / X-large

FINS



AQUA LUNG Express ADJ


The Express ADJ fin represents the latest in technology and material innovation. Comfort, power and efficiency are the hallmarks of this propulsion machine. Strap a pair on and see for yourself.

The Express fin works on the same principle as the popular Slingshot and Hotshot fins. The function of the Slingshot power bands has been converted into the Express "Armadillo". This patented, elongated membrane is made from ultra-elastic rubber. Like power bands, it accumulates elastic energy during the down stroke and returns it at the end of each kick cycle.

The Armadillo also bridges the gap between the front of the foot pocket and the back of the blade, which eliminates any water transfer through the fin.

- The blade connects halfway back on the foot pocket at the Mid-Foot Flex Joint. This eliminates hyper-extension of the toes and ankles.
- The foot pocket is not only comfortable, but provides different thickness zones which properly secure the foot to the blade for maximum energy transfer.
- · Rubber side ribs channel the water down the length of the fin minimizing the spill-over effect.
- Features the ESBS (Ergonomic Strap and Buckle System). The protruding press to-release buttons can be operated easily even while wearing thick gloves.
- · The strap, made of rubber with anti-aging compounds, has three convenient loops. This makes strap easy to tighten or pull up over the heel even with the thickest of gloves
- · Over-sized, anti-slip rubber pads on the bottom of the fin





Part #	Description	Size
62914	Express ADJ, Blue, SM	Small
62915	Express ADJ, Blue, REG	Regular
62916	Express ADJ, Blue, LG/XL	Large / X-large
62920	Express ADJ, Orange, SM	Small
62921	Express ADJ, Orange, Reg	Regular
62922	Express ADJ, Orange, LG/XL	Large / X-large
62923	Express ADJ, Black, SM	Small
62924	Express ADJ, Black, Reg	Regular
62925	Express ADJ, Black, LG/XL	Large / X-large
62926	Express ADJ, Sm, WHT Arctic	Small
62927	Express ADJ, REG,WHT Arctic	Regular
62928	Express ADJ, LG/XL,WHT Arctic	Large / X-large



AQUA DLUNG X Shot

The X Shot fins are high-performance fins that incorporate new technologies and the latest materials. They take the best concepts of the SlingShot and HotShot fins and improve upon them.

- The Power Zone, located in front of the foot pocket, where the power bands used to be, continues to evolve. What were once powerbands, are now integrated "V Boosters", providing even more power with less effort.
- A new spring strap offers a soft TPR heel pad along with Aqua Lung's own proprietary buckles.
- The foot pocket is equipped with the "Power Transmission Zone".
 This anchors the foot preventing unnecessary stretching of the foot pocket on the power stroke resulting in maximum energy transmission.
- The blade contains a high performance elastomer resulting in high efficiency
- An elastic blade insert creates a "spoon effect" that pushes more water with each down stroke adding to efficiency.
- A customized inner sole provides a grip effect. This prevents wasting power from the boot moving laterally inside.





Spring Strap

Power Zone



Part #	Description	Size
62930	Black	Small
62931	Black	Regular
62932	Black	Large / X-large
62933	Blue	Small
62934	Blue	Regular
62935	Blue	Large / X-large

MILITARY WETSUITS



AQUA LUNG 2mm Military Shorty

- · All black color with black logo graphics
- · 2mm neoprene used throughout
- · O-ring arm and leg openings
- Hook and loop adjustable neck
- · Flat lock stitch avoids chafing
- · Heavy duty #10 zipper
- · Black zipper water shield

Part #	Description	Size
4040762	Shortie, 2MM, Blk, Med	MD
4040763	Shortie, 2MM, Blk, ML	ML
4040764	Shortie, 2MM, Blk, LGE	LG
4040765	Shortie, 2MM, Blk, XL	XL
4040766	Shortie, 2MM, Blk, XXL	XXL



AQUA LUNG 7mm JUMP Military Wet Suit

- · All black color with black logo graphics
- 7mm 4-way high stretch throughout
- · Skin-in neck seal
- · Glued and blind stitched seams
- Spine and kidney pads
- · Pre-bent anatomic legs and arms
- · Durable and stretchy knee pads

Part #	Description	Size
4040752	Suit, Jump, Aquaflex 7MM, Med	MD
4040753	Suit, Jump, Aquaflex 7MM, ML	ML
4040754	Suit, Jump, Aquaflex 7MM, LGE	LG
4040755	Suit, Jump, Aquaflex 7MM, XL	XL
4040756	Suit, Jump, Aquaflex 7MM, XXL	XXL



AQUA LUNG AquaFlex 7mm, 5mm & 3mm Back-Zip Jumpsuits

"AquaFlex" is a name that has become synonymous with stretch, comfort and warmth. The AquaFlex line of back-zip jumpsuits represents the highest quality wetsuits found anywhere today. Super-stretch neoprene, cut into time-proven patterns, is glued and blind-stitched to form water tight seams. The suits are enhanced with a long list of added features (noted below) and smart graphics to give you the perfect suit you've been waiting for.

NEW FOR 2014!


- · New X-tend cuffs, an Aqua Lung exclusive
- · Sharp, all new graphics!
- New, upgraded zipper with tighter teeth tolerances to minimize water transfer
- The inside material has been upgraded again. The slippery soft material makes donning the suit a breeze.
- · Improved neck closure eliminates chafing while providing maximum comfort

AQUAFLEX FEATURES

- AguaFlex 4-way high stretch neoprene used throughout.
- Thickness indicated is the thickness of the base neoprene before the fabric layers get added.
- Outer fabric is a tighter weave making it more hook and loop resistant
- · Non-petroleum based neoprene raw material is more environmentally friendly

Black / Charcoal

- Skin-in neck seal provides comfortable stretch and seals out water. Closes with hook and loop.
- Heavy duty non-corrosive metal zipper for durability
- · Glued and blind-stitched seams
- · Pre-bent anatomic legs and arms
- The knee pads are durable and stretchy for comfort
- · Three way zipper seal minimizes water entry



three way zipper seal Kidney pad for additional insulation in this high heat loss area



Black / Galaxy Blue (*3mm only)



New X-tend Wrist (7 & 5mm only)



Kidney Pads (7 & 5mm only)

WETSUITS



AQUA LUNG SOIAfx 8/7 mm

Aqua Lung's advanced, coldwater, hood attached, across-the-chest-zip wetsuit continues to evolve and get better and better. This newest revision brings you all of the same great features that you have grown accustomed to plus:

- Sharp, new graphics!
- Red and pink are gone. Colors are now neutral (black/charcoal/white) so they will match with any product.
- · New, upgraded zipper. Now it's silver.
- · Functional graphics on shoulders
 - Prevent BC slippage
 - Protect shoulders from wear
- · Central seam removed on women's suit
- · Inside material upgraded again even softer
- · Pattern adjustments for even better fit!

Plus features that you have already come to know:

- Torso is made of 8mm, four-way stretch Aqua Flex neoprene while the legs and sleeves are made of 7mm Aqua Flex. These are the thicknesses of the base neoprene before the nylon gets added.
- The attached hood not only prevents cold water from entering the neck, it also features "Vent G2" technology that allows trapped regulator exhaust bubbles to exit while keeping cold water out.
- The "Plasmaloc" zipper has tighter tolerances and a unique integrated tooth design that make the zipper more water resistant than most competitor's models.
- A water dam covers the neck and shoulders to add another level of thermal protection against any water ingress through the zipper.
- "Skin-in" gasket seals in the forearms and calves minimize water entry through the sleeves and legs.



Part #	Description	Size
4040780	SUIT,SOL AFX 8,MEN,BLK/CHAR,XS	XS
4040781	SUIT,SOL AFX 8,MEN,BLK/CHAR,SM	SM
4040782	SUIT,SOL AFX 8,MEN,BLK/CHAR,MD	MD
4040783	SUIT,SOL AFX 8,MEN,BLK/CHAR,ML	ML
4040783L	SUIT,SOL AFX 8,MEN,BLK/CHAR,MLL	MLL
4040784	SUIT,SOL AFX 8,MEN,BLK/CHAR,LG	LG
4040784L	SUIT,SOL AFX 8,MEN,BLK/CHAR,LL	LL
4040784S	SUIT,SOL AFX 8,MEN,BLK/CHAR,LS	LS
4040785	SUIT,SOL AFX 8,MEN,BLK/CHAR,XL	XL
4040785L	SUIT,SOL AFX 8,MEN,BLK/CHAR,XLL	XLL
4040785S	SUIT,SOL AFX 8,MEN,BLK/CHAR,XLS	XLS
4040786	SUIT,SOL AFX 8,MEN,BLK/CHAR,XXL	XXL
4040787	SUIT,SOL AFX 8,MEN,BLK/CHAR,3XL	3XL

AQUA LUNG AquaFlex 7mm Jumpsuit

Men's Colors: Black / Charcoal Men's Sizes: XS, SM, MD, ML, MLL, LG, LL, LS, XL, XLL, XLS, XXL, 3XL Women's Colors: Black/Charcoal, Black/Pink & Black/Twilight

Women's Sizes: 4, 6, 8, 8L, 10, 10L, 12, 12S, 14, 14S



Part #	Description	Size
4040880	SUIT, AQUAFLEX7MM, JMP, MN, BK/CHR, XS	XS
4040881	SUIT, AQUAFLEX7MM, JMP, MN, BK/CHR, SM	SM
4040882	SUIT, AQUAFLEX7MM, JMP, MN, BK/CHR, MD	MD
4040883	SUIT, AQUAFLEX7MM, JMP, MN, BK/CHR, ML	ML
4040883L	SUIT, AQUAFLEX7MM, JMP, MN, BK/CHR, MLL	MLL
4040884	SUIT, AQUAFLEX7MM, JMP, MN, BK/CHR, LG	LG
4040884L	SUIT, AQUAFLEX7MM, JMP, MN, BK/CHR, LL	LL
4040884S	SUIT, AQUAFLEX7MM, JMP, MN, BK/CHR, LS	LS
4040885	SUIT, AQUAFLEX7MM, JMP, MN, BK/CHR, XL	XL
4040885L	SUIT, AQUAFLEX7MM, JMP, MN, BK/CHR, XLL	XLL
4040885S	SUIT, AQUAFLEX7MM, JMP, MN, BK/CHR, XLS	XLS
4040886	SUIT, AQUAFLEX7MM, JMP, MN, BK/CHR, XXL	XXL
4040887	SUIT, AQUAFLEX7MM, JMP, MN, BK/CHR, 3XL	3XL

WETSUITS



AQUA LUNG AquaFlex 5mm Jumpsuit

Whether 5mm neoprene is for seasonal needs or year-round needs, this will quickly become your favorite suit. What's not to like? The AquaFlex 5mm jumpsuit is comfortable, warm and looks good too! From its functional kneepads to its sharp graphics, attention to detail is evident throughout.

- 5mm AquaFlex 4-way high stretch neoprene used throughout. This is the thickness of the base neoprene before the nylon layers get added.
- Outer fabric is a tighter weave making it more hook and loop resistant
- · Inner fabric is soft and easy to don
- Non-petroleum based neoprene raw material is more environmentally friendly
- Skin-in neck seal provides comfortable stretch and seals out water. Closes with hook n loop.
- · Heavy duty non-corrosive metal zipper for durability
- · Glued and blindstitched seams
- Three way zipper seal minimizes water entry
- · Spine pad is integrated as part of three way zipper seal
- Kidney pad for additional insulation in this high heat loss area
- · Pre-bent anatomic legs and arms
- · The knee pads are durable and stretchy for comfort
- · Ultra stretch wrist and ankles

Men's Sizes:

XS - SM - MD - ML - MLL - LG -LL - LS - XL - XLL - XLS - XXL - 3XL



Part #	Description	Size
4040920	SUIT, AQUAFLEX5MM, JMP, MN, BK/CHR, XS	XS
4040921	SUIT, AQUAFLEX5MM, JMP, MN, BK/CHR, SM	SM
4040922	SUIT, AQUAFLEX5MM, JMP, MN, BK/CHR, MD	MD
4040923	SUIT, AQUAFLEX5MM, JMP, MN, BK/CHR, ML	ML
4040923L	SUIT, AQUAFLEX5MM, JMP, MN, BK/CHR, MLL	MLL
4040924	SUIT, AQUAFLEX5MM, JMP, MN, BK/CHR, LG	LG
4040924L	SUIT, AQUAFLEX5MM, JMP, MN, BK/CHR, LL	LL
4040924S	SUIT, AQUAFLEX5MM, JMP, MN, BK/CHR, LS	LS
4040925	SUIT, AQUAFLEX5MM, JMP, MN, BK/CHR, XL	XL
4040925L	SUIT, AQUAFLEX5MM, JMP, MN, BK/CHR, XLL	XLL
4040925S	SUIT, AQUAFLEX5MM, JMP, MN, BK/CHR, XLS	XLS
4040926	SUIT, AQUAFLEX5MM, JMP, MN, BK/CHR, XXL	XXL
4040927	SUIT, AQUAFLEX5MM, JMP, MN, BK/CHR, 3XL	3XL

AQUA LUNG AquaFlex 3mm Jumpsuit

The high quality AquaFlex 3mm jumpsuit is one of the warmest and most durable on the market today. Not only does it boast soft and stretchy AquaFlex material, it has now been upgraded to glued and blind stitched seams as well. You love to dive, you deserve a comfortable warm suit.

- 3mm Aqua Flex 4-way high stretch neoprene used throughout. This is the thickness of the base neoprene before the nylon layers get added.
- · Outer fabric is a tighter weave making it more hook and loop resistant
- · Inner fabric is soft and easy to don
- Non-petroleum based neoprene material raw more environmentally friendly
- · Skin-in neck seal provides comfortable stretch and seals out water. Closes with hook n loop
- · Heavy duty non-corrosive metal zipper for durability
- · Glued and blindstitched seams
- · Back zipper water shield
- · Pre-Bent Anatomic legs
- · The knee pads are durable and stretchy for comfort
- · Ultra stretch wrist and ankles

Men's Sizes:

XS - SM- MD - ML- MLL- LG - LL- LS - XL- XLL- XLS- XXL- 3XL



Part #	Description	Color	Size
4040960	SUIT, AQUAFLEX3MM, JMP, MN, BK/CHR, XS	Black / Charcoal	XS
4040961	SUIT, AQUAFLEX3MM, JMP, MN, BK/CHR, SM	Black / Charcoal	SM
4040962	SUIT, AQUAFLEX3MM, JMP, MN, BK/CHR, MD	Black / Charcoal	MD
4040963	SUIT, AQUAFLEX3MM, JMP, MN, BK/CHR, ML	Black / Charcoal	ML
4040963L	SUIT, AQUAFLEX3MM, JMP, MN, BK/CHR, MLL	Black / Charcoal	MLL
4040964	SUIT, AQUAFLEX3MM, JMP, MN, BK/CHR, LG	Black / Charcoal	LG
4040964L	SUIT, AQUAFLEX3MM, JMP, MN, BK/CHR, LL	Black / Charcoal	LL
4040964S	SUIT, AQUAFLEX3MM, JMP, MN, BK/CHR, LS	Black / Charcoal	LS
4040965	SUIT, AQUAFLEX3MM, JMP, MN, BK/CHR, XL	Black / Charcoal	XL
4040965L	SUIT, AQUAFLEX3MM, JMP, MN, BK/CHR, XLL	Black / Charcoal	XLL
4040965S	SUIT, AQUAFLEX3MM, JMP, MN, BK/CHR, XLS	Black / Charcoal	XLS
4040966	SUIT, AQUAFLEX3MM, JMP, MN, BK/CHR, XXL	Black / Charcoal	XXL
4040967	SUIT, AQUAFLEX3MM, JMP, MN, BK/CHR, 3XL	Black / Charcoal	3XL
4040970	SUIT, AQUAFLEX3MM, JMP, MN, BK/Navy, XS	Black / Galaxy Blue	XS
4040971	SUIT, AQUAFLEX3MM, JMP, MN, BK/Navy, SM	Black / Galaxy Blue	SM
4040972	SUIT, AQUAFLEX3MM, JMP, MN, BK/Navy, MD	Black / Galaxy Blue	MD
4040973	SUIT, AQUAFLEX3MM, JMP, MN, BK/Navy, ML	Black / Galaxy Blue	ML
4040973L	SUIT, AQUAFLEX3MM, JMP, MN, BK/Navy, MLL	Black / Galaxy Blue	MLL
4040974	SUIT, AQUAFLEX3MM, JMP, MN, BK/Navy, LG	Black / Galaxy Blue	LG
4040974L	SUIT, AQUAFLEX3MM, JMP, MN, BK/Navy, LL	Black / Galaxy Blue	LL
4040974S	SUIT, AQUAFLEX3MM, JMP, MN, BK/Navy, LS	Black / Galaxy Blue	LS
4040975	SUIT, AQUAFLEX3MM, JMP, MN, BK/Navy, XL	Black / Galaxy Blue	XL
4040975L	SUIT, AQUAFLEX3MM, JMP, MN, BK/Navy, XLL	Black / Galaxy Blue	XLL
4040975S	SUIT, AQUAFLEX3MM, JMP, MN, BK/Navy, XLS	Black / Galaxy Blue	XLS
4040976	SUIT, AQUAFLEX3MM, JMP, MN, BK/Navy, XXL	Black / Galaxy Blue	XXL
4040977	SUIT, AQUAFLEX3MM, JMP, MN, BK/Navy, 3XS	Black / Galaxy Blue	3XL

WETSUITS



AQUA LUNG HydroFlex 3mm Jumpsuit

The Hydroflex 3mm Jumpsuit packs a lot of features for a very good price.

The men's black/blue color option anchors our travel-specific line of products while the women's black/pink/charcoal compliments our lady's product assortment. With superstretch neoprene and stylish graphics, you're ready to hit the lower latitudes.

- 3mm super-stretch neoprene used throughout.
- Hook and loop adjustable neck
- · Heavy duty #10 zipper
- · Flatlock stitch for comfort
- · Back zipper water shield
- · Pre-bent anatomic legs and arms
- The knee pads are durable and stretchy for comfort

Men's Sizes:

XS - SM - MD - ML - LG - XL - XXL - 3XL





Part #	Description	Color	Size
4040800	SUIT, HYDROFLEX 3MM, MEN, BLK/BLU, XS	Black / Blue	XS
4040801	SUIT, HYDROFLEX 3MM, MEN, BLK/BLU, SM	Black / Blue	SM
4040802	SUIT, HYDROFLEX 3MM, MEN, BLK/BLU, MD	Black / Blue	MD
4040803	SUIT, HYDROFLEX 3MM, MEN, BLK/BLU, ML	Black / Blue	ML
4040804	SUIT, HYDROFLEX 3MM, MEN, BLK/BLU, LG	Black / Blue	LG
4040805	SUIT, HYDROFLEX 3MM, MEN, BLK/BLU, XL	Black / Blue	XL
4040806	SUIT, HYDROFLEX 3MM, MEN, BLK/BLU, XXL	Black / Blue	XXL
4040807	SUIT, HYDROFLEX 3MM, MEN, BLK/BLU, 3XL	Black / Blue	3XL
4040720	SUIT, HYDROFLEX, 3MM, JMP, BIK/CHR, XS	Black / Charcoal	XS
4040721	SUIT, HYDROFLEX, 3MM, JMP, BIK/CHR, SM	Black / Charcoal	SM
4040722	SUIT, HYDROFLEX, 3MM, JMP, BIK/CHR, MD	Black / Charcoal	MD
4040723	SUIT, HYDROFLEX, 3MM, JMP, BIK/CHR, ML	Black / Charcoal	ML
4040724	SUIT, HYDROFLEX, 3MM, JMP, BIK/CHR, LG	Black / Charcoal	LG
4040725	SUIT, HYDROFLEX, 3MM, JMP, BIk/CHR, XL	Black / Charcoal	XL
4040726	SUIT, HYDROFLEX, 3MM, JMP, BIK/CHR, XXL	Black / Charcoal	XXL
4040727	SUIT, HYDROFLEX, 3MM, JMP, BIk/CHR, 3XL	Black / Charcoal	3XL

AQUA LUNG HydroFlex 1mm Jumpsuit

You still need protection even if the water is warm and the 1mm Hydroflex Jumpsuit is an excellent choice for the tropical diver. Avoid cuts, scrapes and stings without over-heating. The Hydroflex 1mm suit also makes an excellent undergarment for drysuits.

- 1 mm neoprene used throughout.
- · Hook and loop adjustable neck
- · Heavy duty #10 zipper
- · Flatlock stitch avoids chafing and adds comfort
- · Back zipper water shield
- Pre-bent anatomic legs and arms
- The knee pads are durable and stretchy for comfort

Men's Sizes:

XS, SM, MD, ML, LG, XL, XXL, 3XL



Part #	Description	Color	Size
4040810	SUIT, 1MM, JUMP, MEN, BLK/BLU, XS	Black / Blue	XS
4040811	SUIT, 1MM, JUMP, MEN, BLK/BLU, SM	Black / Blue	SM
4040812	SUIT, 1MM, JUMP, MEN, BLK/BLU, MD	Black / Blue	MD
4040813	SUIT, 1MM, JUMP, MEN, BLK/BLU, ML	Black / Blue	ML
4040814	SUIT, 1MM, JUMP, MEN, BLK/BLU, LG	Black / Blue	LG
4040815	SUIT, 1MM, JUMP, MEN, BLK/BLU, XL	Black / Blue	XL
4040816	SUIT, 1MM, JUMP, MEN, BLK/BLU, XXL	Black / Blue	XXL
4040817	SUIT, 1MM, JUMP, MEN, BLK/BLU, 3XL	Black / Blue	3XL
4040650	SUIT, HYDROFLEX, 1MM, JMP, BLK, XS	Black	XS
4040651	SUIT, HYDROFLEX, 1MM, JMP, BLK, SM	Black	SM
4040652	SUIT, HYDROFLEX, 1MM, JMP, BLK, MD	Black	MD
4040653	SUIT, HYDROFLEX, 1MM, JMP, BLK, ML	Black	ML
4040654	SUIT, HYDROFLEX, 1MM, JMP, BLK, LG	Black	LG
4040655	SUIT, HYDROFLEX, 1MM, JMP, BLK, XL	Black	XL
4040656	SUIT, HYDROFLEX, 1MM, JMP, BLK, XXL	Black	XXL
4040657	SUIT, HYDROFLEX, 1MM, JMP, BLK, 3XL	Black	3XI

WETSUITS



AQUA LUNG HydroFlex 2mm Shorty

When a little warmth is all you need, stay comfortable and protected with the Hydroflex 2mm Shorty suit. This suit is ideal for scuba or snorkeling. When you get home, you'll remember the fun, not the sunburn. The colors and stylish graphics compliment the rest of the Aqua Lung travel products.

- 2 mm neoprene used throughout.
- · O-ring arm and leg openings
- · Hook and loop adjustable neck
- · Flatlock stitch avoids chafing and adds comfort
- · Heavy duty #10 zipper
- · Back zipper water shield

Men's Sizes:

XS - SM - MD - ML - LG - XL - XXL - 3XL



Part #	Description	Color	Size
4040820	SUIT, 2MM, SHORTY, MEN, BLK/BLU, XS	Black / Blue	XS
4040821	SUIT, 2MM, SHORTY, MEN, BLK/BLU, SM	Black / Blue	SM
4040822	SUIT, 2MM, SHORTY, MEN, BLK/BLU, MD	Black / Blue	MD
4040823	SUIT, 2MM, SHORTY, MEN, BLK/BLU, ML	Black / Blue	ML
4040824	SUIT, 2MM, SHORTY, MEN, BLK/BLU, LG	Black / Blue	LG
4040825	SUIT, 2MM, SHORTY, MEN, BLK/BLU, XL	Black / Blue	XL
4040826	SUIT, 2MM, SHORTY, MEN, BLK/BLU, XXL	Black / Blue	XXL
4040827	SUIT, 2MM, SHORTY, MEN, BLK/BLU, 3XL	Black / Blue	3XL
4040600	SUIT, HYDROFLEX, 2MM, SHRTY, MEN, BLK/CHR, XS	Black / Charcoal	XS
4040601	SUIT, HYDROFLEX, 2MM, SHRTY, MEN, BLK/CHR, SM	Black / Charcoal	SM
4040602	SUIT, HYDROFLEX, 2MM, SHRTY, MEN, BLK/CHR, MD	Black / Charcoal	MD
4040603	SUIT, HYDROFLEX, 2MM, SHRTY, MEN, BLK/CHR, ML	Black / Charcoal	ML
4040604	SUIT, HYDROFLEX, 2MM, SHRTY, MEN, BLK/CHR, LG	Black / Charcoal	LG
4040605	SUIT, HYDROFLEX, 2MM, SHRTY, MEN, BLK/CHR, XL	Black / Charcoal	XL
4040606	SUIT, HYDROFLEX, 2MM, SHRTY, MEN, BLK/CHR, XXL	Black / Charcoal	XXL
4040607	SUIT, HYDROFLEX, 2MM, SHRTY, MEN, BLK/CHR, 3XL	Black / Charcoal	3XL



AQUA LUNG Wetsuit Size Chart

MEN'S SIZE

SolAfx and AquaFlex

	HEIGHT		WEI	GHT
SIZE	ft. in.	cm	Lbs	kg
XS	5'4-5'7	163-170	120-135	55-61
S	5'6-5'9	168-175	130-145	59-66
М	5'8-5'11	173-180	150-170	68-77
ML	5'9-6'	175-189	165-185	75-84
MLL	5'11-6'2	180-188	170-190	77-86
LS	5'6-5'9	168-175	175-195	80-89
L	5'10-6'1	178-185	180-200	82-91
LL	6'1-6'4	185-193	185-205	84-93
XLS	5'7-5'10	170-178	190-210	86-95
XL	5'11-6'2	180-188	195-220	89-100
XLL	6'2-6'5	188-196	200-225	91-102
XXL	6'-6'3	189-191	210-235	95-107
3XL	6'1-6'4	185-193	225-250	102-114

HydroFlex

	HEIG	НТ	WEIGHT	
SIZE	ft. in.	cm	Lbs	kg
XS	5'5-5'7	163-170	125-135	55-61
S	5'7-5'9	168-175	135-150	59-66
M	5'9-5'11	173-180	150-170	68-77
ML	5'9.5-5'10.5	175-189	155-175	75-84
MLL	5'10-6'0	180-188	165-185	77-86
LS	5'10-6'0	168-175	170-190	80-89
L	6'2-6'4	178-185	175-195	82-91
LL	5'7-5'9	185-193	160-180	84-93
XLS	5'11-6'1	170-178	190-210	86-95
XL	6'3-6'5	180-188	190-215	89-100
XLL	5'8-5'10	188-196	180-200	91-102
XXL	6'0-6'2	189-191	210-230	95-107
3XL	6'1-6'3	185-193	230-250	102-114

Rental Fullsuits / 6.5mm Longsleeve Shorty & Farmer John

	WEIGHT	HEIGHT (C)	WAIST (B)	CHEST (A)
SIZE	Lbs	ft. in.	in.	in.
SM	140 - 155	5'6" - 5'8"	30" - 31"	35" - 36"
MD	150 - 165	5'8" - 5'10"	31" - 33"	36" - 38"
ML	160 - 180	5'9" - 6'0"	33" - 35"	38" - 40"
LG	175 - 195	5'11" - 6'1"	35" - 37"	40" - 42"
XL	190 - 220	6'0" - 6'3"	36" - 39"	42" - 44"
2XL	210 - 230	6'1" - 6'4"	38" - 42"	43" - 46"
3XL	220 - 240	6'2" - 6'5"	41" - 44"	45" - 48"
4XL	230 - 250	6'2" - 6'5"	43" - 46"	47" - 50"







HOODED VESTS



AQUA LUNG 6/5/3mm Hooded Vest

The 6/5/3mm hooded vest is a popular accessory to provide additional warmth to any of our jumpsuits. The different thicknesses have been strategically placed for easy donning and doffing as well as properly insulating high heat-loss areas.

- The hood is 6mm thick with a 4mm skin-in face seal which can be easily trimmed
- The vest has 5mm front and back panels with 3mm sides for ease of donning and doffing
- A bubble vent built into the hood allows trapped exhaust bubbles from the regulator to escape Seams are glued and blindstitched

Men's Sizes:

SM - MD - ML - LG - XL - XXL - 3XL



Part #	Description	Color	Size
40601	VEST,HOODEDVest,6/5/3,MENBLACK, SM	Black	SM
40602	VEST,HOODEDVest,6/5/3,MENBLACK, MD	Black	MD
40603	VEST,HOODEDVest,6/5/3,MENBLACK, ML	Black	ML
40604	VEST,HOODEDVest,6/5/3,MENBLACK, LG	Black	LG
40605	VEST,HOODEDVest,6/5/3,MENBLACK, XL	Black	XL
40606	VEST,HOODEDVest,6/5/3,MENBLACK, XXL	Black	XXL
40607	VEST,HOODEDVest,6/5/3,MENBLACK, 3XXL	Black	3XXL

AQUA LUNG 7/4 SEAHOOD FLEX

- Made entirely of HS200 high stretch neoprene for exceptional comfort and fit
- 7mm HS200 high stretch neoprene cranium and 4mm HS200 high stretch bib
- 4mm HS200 high stretch skin-in neoprene face seal left unbound to allow for custom trimming

Part #	Model	Size
1000996	Men's 7/4 Seahood Flex	XS
1000997	Men's 7/4 Seahood Flex	SM
1000998	Men's 7/4 Seahood Flex	MD
1000999	Men's 7/4 Seahood Flex	LG
1001000	Men's 7/4 Seahood Flex	XL
1001001	Men's 7/4 Seahood Flex	XXL

- Unique vent design releases air trapped at the top of the head
- Waterproof glued & blind stitched seams
- · Hanging loop located at top for easy drying
- · Descriptive hang tag attached to hanging loop



AQUA LUNG 7/4 SEAHOOD

- 7mm neoprene cranium and 4mm bib
- Color coded size markings on bib for easy identification in rental programs
- 4mm skin-in neoprene face seal left unbound to allow for custom trimming

Part #	Model	Size
1001002	Men's 7/4 Seahood	XS
1001003	Men's 7/4 Seahood	SM
1001004	Men's 7/4 Seahood	MD
1001005	Men's 7/4 Seahood	LG
1001006	Men's 7/4 Seahood	XL
1001007	Men's 7/4 Seahood	XXL

- Unique vent design releases air trapped at the top of the head
- · Waterproof glued & blind stitched seams
- · Hanging loop located at top for easy drying
- · Descriptive hang tag attached to hanging loop



AQUA LUNG 7/4 DRYHOOD FLEX

- Made entirely of HS200 high stretch neoprene for exceptional comfort and fit
- 7mm HS200 high stretch neoprene cranium and 4mm HS200 high stretch skin-in neoprene face and neck seals.
- Face area left unbound to allow for custom trimming

Part #	Model	Size
1000991	Men's 7/4 Dryhood Flex	SM
1000992	Men's 7/4 Dryhood Flex	MD
1000993	Men's 7/4 Dryhood Flex	LG
1000994	Men's 7/4 Dryhood Flex	XL
1000995	Men's 7/4 Dryhood Flex	XXL

- Unique vent design releases air trapped at the top of the head
- · Waterproof glued & blind stitched seams
- · Hanging loop located at top for easy drying
- · Designed for use with drysuits
- Descriptive hang tag attached to hanging loop



AQUA LUNG 1.5mm SEAHOOD

- · 1.5mm neoprene for moderate warmth
- · Face area left unbound to allow for trimming
- Durable flat lock construction

Part #	Model	Size
1001172	Men's 1.5mm Seahood	SM
1001173	Men's 1.5mm Seahood	MD
1001175	Men's 1.5mm Seahood	LG
1001176	Men's 1.5mm Seahood	XL
1001177	Men's 1.5mm Seahood	XXL

- · Hanging loop located at top for easy drying
- Descriptive hang tag attached to hanging loop



RASHGUARDS

Description



Size

Color

AQUA LUNG Men's Rashguards

- Three styles to choose from
- Available in long or short sleeve
- Lycra is 80% nylon / 20% spandex

Part #

 Has a UPF (SPF) rating of 50+ under Australian / New Zealand Standard AS/NZ 4399



801151	SHIRT, LYCRA MEN, SHORTSLEEVE, BLUE, GRAY, WHT, SM	Blue / Gray / White	SM
801152	SHIRT, LYCRA MEN, SHORTSLEEVE, BLUE, GRAY, WHT, MD	Blue / Gray / White	MD
801153	SHIRT, LYCRA MEN, SHORTSLEEVE, BLUE, GRAY, WHT, LG	Blue / Gray / White	LG
801154	SHIRT, LYCRA MEN, SHORTSLEEVE, BLUE, GRAY, WHT, XL	Blue / Gray / White	XL
801155	SHIRT, LYCRA MEN, SHORTSLEEVE, BLUE, GRAY, WHT, XXL	Blue / Gray / White	XXL
801156	SHIRT, LYCRA MEN, SHORTSLEEVE, BLUE, GRAY, WHT, 3XL	Blue / Gray / White	3XL
801157	SHIRT, LYCRA MEN, LONGSLEEVE, BLUE, GRAY, WHT, SM	Blue / Gray / White	SM
801158	SHIRT, LYCRA MEN, LONGSLEEVE,, BLUE, GRAY, WHT, MD	Blue / Gray / White	MD
801159	SHIRT, LYCRA MEN, LONGSLEEVE,, BLUE, GRAY, WHT, LG	Blue / Gray / White	LG
801160	SHIRT, LYCRA MEN, LONGSLEEVE,, BLUE, GRAY, WHT, XL	Blue / Gray / White	XL
801161	SHIRT, LYCRA MEN, LONGSLEEVE,, BLUE, GRAY, WHT, XXL	Blue / Gray / White	XXL
801162	SHIRT, LYCRA MEN, LONGSLEEVE,, BLUE, GRAY, WHT, 3XL	Blue / Gray / White	3XL
801034	SHIRT, LYCRA MEN, SHORTSLEEVE, REDNIGHT, SM	Red Night	SM
801035	SHIRT, LYCRA MEN, SHORTSLEEVE REDNIGHT, MD	Red Night	MD
801036	SHIRT, LYCRA MEN, SHORTSLEEVE, REDNIGHT, LG	Red Night	LG
801037	SHIRT, LYCRA MEN, SHORTSLEEVE, REDNIGHT, XL	Red Night	XL
801038	SHIRT, LYCRA MEN, SHORTSLEEVE, REDNIGHT, XXL	Red Night	XXL
801046	SHIRT, LYCRA MEN, SHORTSLEEVE, REDNIGHT, 3XL	Red Night	3XL
801039	SHIRT, LYCRA MEN, LONGSLEEVE, REDNIGHT, SM	Red Night	SM
801041	SHIRT, LYCRA MEN, LONGSLEEVE, REDNIGHT, MD	Red Night	MD
801042	SHIRT, LYCRA MEN, LONGSLEEVE, REDNIGHT, LG	Red Night	LG
801043	SHIRT, LYCRA MEN, LONGSLEEVE, REDNIGHT, XL	Red Night	XL
801044	SHIRT, LYCRA MEN, LONGSLEEVE, REDNIGHT, XXL	Red Night	XXL
801045	SHIRT, LYCRA MEN, LONGSLEEVE, REDNIGHT, 3XL	Red Night	3XL
801065	SHIRT, LYCRA MEN, SHORTSLEEVE, CHARCOAL, GREEN, XS	Charcoal / Green	XS
801066	SHIRT, LYCRA MEN, SHORTSLEEVE, CHARCOAL, GREEN, SM	Charcoal / Green	SM
801067	SHIRT, LYCRA MEN, SHORTSLEEVE, CHARCOAL, GREEN, MD	Charcoal / Green	MD
801068	SHIRT, LYCRA MEN, SHORTSLEEVE, CHARCOAL, GREEN, LG	Charcoal / Green	LG
801069	SHIRT, LYCRA MEN, SHORTSLEEVE, CHARCOAL, GREEN, XL	Charcoal / Green	XL
801070	SHIRT, LYCRA MEN, SHORTSLEEVE, CHARCOAL, GREEN, XXL	Charcoal / Green	XXL
801071	SHIRT, LYCRA MEN, LONGSLEEVE, CHARCOAL, GREEN, XS	Charcoal / Green	XS
801072	SHIRT, LYCRA MEN, LONGSLEEVE, CHARCOAL, GREEN, SM	Charcoal / Green	SM
801073	SHIRT, LYCRA MEN, LONGSLEEVE, CHARCOAL, GREEN, MD	Charcoal / Green	MD
801074	SHIRT, LYCRA MEN, LONGSLEEVE, CHARCOAL, GREEN, LG	Charcoal / Green	LG
801075	SHIRT, LYCRA MEN, LONGSLEEVE, CHARCOAL, GREEN, XL	Charcoal / Green	XL
801076	SHIRT, LYCRA MEN, LONGSLEEVE, CHARCOAL, GREEN, XXL	Charcoal / Green	XXL



AQUA LUNG ALEUTIAN K-Glove

- Durable Durable Ballistic Strength Synthetic on palms, fingers & back of fingertips for superior abrasion resistance
- Thermal FLEX 4-way stretch neoprene panels provide exceptional comfort and warmth
- Pre-curved fingers and ribbed glove-back work together to eliminate hand fatigue
- Bell cut wrist opening allows for trouble-free entry and accommodates wetsuit cuffs comfortably
- · Elastic closure minimizes water exchange
- Available in 3mm & 5mm
- · Packaged in reusable mesh bag with hang tag

Part #	Model	Size
D339111	Men's 3mm Aleutian K-GLove	XS
D339112	Men's 3mm Aleutian K-GLove	SM
D339113	Men's 3mm Aleutian K-GLove	MD
D339115	Men's 3mm Aleutian K-GLove	LG
D339116	Men's 3mm Aleutian K-GLove	XL
Part #	Model	Size
Part # D359111	Model Men's 5mm Aleutian K-GLove	Size XS
D359111	Men's 5mm Aleutian K-GLove	XS
D359111 D359112	Men's 5mm Aleutian K-GLove Men's 5mm Aleutian K-GLove	XS SM
D359111 D359112 D359113	Men's 5mm Aleutian K-GLove Men's 5mm Aleutian K-GLove Men's 5mm Aleutian K-GLove	XS SM MD



AQUA LUNG ALEUTIAN Glove

- Thermal FLEX 4-way stretch neoprene panels provide exceptional comfort and warmth
- Pre-curved fingers and ribbed glove-back work together to eliminate hand fatigue
- Bell cut wrist opening allows for trouble-free entry and accommodates wetsuit cuffs comfortably
- Silicone tactiles on the palm provide excellent grip when wet
- Elastic closure minimizes water exchange
- · Available in 3mm & 5mm
- · Packaged in reusable mesh bag with hang tag



Reusable Mesh Bag

Part #	Model	Size
D338111	Men's 3mm Aleutian	XS
D338112	Men's 3mm Aleutian	SM
D338113	Men's 3mm Aleutian	MD
D338115	Men's 3mm Aleutian	LG
D338116	Men's 3mm Aleutian	XL
Part #	Model	Size
Part # D358111	Model Men's 5mm Aleutian	Size XS
D358111	Men's 5mm Aleutian	XS
D358111 D358112	Men's 5mm Aleutian Men's 5mm Aleutian	XS SM



GLOVES



AQUA LUNG THERMOCLINE K-Glove

THERMOCLINE K-Glove

- Durable Ballistic Strength Synthetic Polymeron palms, fingers & back of fingertips for superior abrasion resistance
- Standard neoprene with glued and blind-stitched seams
- Ergonomically designed pre-curved fingers helps minimize hand fatigue
- · Adjustable cinch closure at wrist
- · Available in 3mm & 5mm
- · Packaged in a reusable mesh bag with hang tag

Part #	Model	Size
D330131	Men's 3mm K-Glove	XS
D330132	Men's 3mm K-Glove	SM
D330133	Men's 3mm K-Glove	MD
D330135	Men's 3mm K-Glove	LG
D330136	Men's 3mm K-Glove	XL
D330137	Men's 3mm K-Glove	XXL
Part #	Model	Size
D350132	Men's 5mm K-Glove	SM
D350133	Men's 5mm K-Glove	MD
D350135	Men's 5mm K-Glove	LG
D350136	Men's 5mm K-Glove	XL
D350137	Men's 5mm K-Glove	XXL



AQUA LUNG THERMOCLINE Flex Glove

- Made entirely of HS200 high stretch neoprene that stretches to over 200% of it's original size for exceptional comfort, fit and dexterity
- Ergonomically designed pre-curved fingers help minimize hand fatigue
- Rubberized coating on palm for protection and added grip
- Available in 3mm & 5mm
- · Packaged in reusable mesh bag with hang tag



Part #	Model	Size
D330121	Men's 3mm Flex Glove	XS
D330122	Men's 3mm Flex Glove	SM
D330123	Men's 3mm Flex Glove	MD
D330125	Men's 3mm Flex Glove	LG
D330126	Men's 3mm Flex Glove	XL
Part #	Model	Size
D350121	Men's 5mm Flex Glove	XS
D350121 D350122	Men's 5mm Flex Glove Men's 5mm Flex Glove	XS SM
	mone on min riox olove	
D350122	Men's 5mm Flex Glove	SM





AQUA LUNG THERMOCLINE Glove

- Standard neoprene with glued and blind-stitched seams
- Ergonomically designed pre-curved fingers help minimize hand fatigue
- Rubberized coating on palm for protection and added grip
- · Adjustable cinch closure at wrist
- · Available in 3mm & 5mm
- · Packaged on hanging header card

Part #	Model	Size
D330111	Men's 3mm Thermocline	XS
D330112	Men's 3mm Thermocline	SM
D330113	Men's 3mm Thermocline	MD
D330115	Men's 3mm Thermocline	LG
D330116	Men's 3mm Thermocline	XL
D330117	Men's 3mm Thermocline	XXL
Part #	Model	Size
Part # D350111	Model Men's 5mm Thermocline	Size XS
D350111	Men's 5mm Thermocline	XS
D350111 D350112	Men's 5mm Thermocline Men's 5mm Thermocline	XS SM
D350111 D350112 D350113	Men's 5mm Thermocline Men's 5mm Thermocline Men's 5mm Thermocline	XS SM MD



SEEP SEE BARNACLE Glove

- 2mm perforated neoprene with Spandex 4-way stretch fabric
- Synthetic suede palm is reinforced in high wear areas
- "Barnacle" pads at palm and finger tops for added durability and protection
- Silicone tactiles on finger tips and palm provide excellent grip
- · Adjustable hook & loop wrist closure
- · Packaged on hanging header card

Part #	Model	Color	Size
D324011	Men's Barnacle	Black / Black	XS
D324012	Men's Barnacle	Black / Black	SM
D324013	Men's Barnacle	Black / Black	MD
D324015	Men's Barnacle	Black / Black	LG
D324016	Men's Barnacle	Black / Black	XL
D324017	Men's Barnacle	Black / Black	XXL
Part #	Model	Color	Size
D324001	Men's Barnacle	Black / Royal	XS
D324002	Men's Barnacle	Black / Royal	SM
D324003	Men's Barnacle	Black / Royal	MD
	Wolf o Barriagio	Diaditi, Hojai	2
D324005	Men's Barnacle	Black / Royal	LG
D324005 D324006		,	



Black / Royal

BOOTS



ORDER FROM DEEP SEE 800-367-2626

AQUA LUNG THERMOCLINE Glove

- · Vulcanized rubber sole with puncture resistant felt layer and low profile grip pads
- · Increased height keeps diver warmer, reducing water exchange
- · Extra thick innersole provides added comfort and warmth
- HS200 high stretch neoprene provides better fit and greater warmth
- Non-corrosive #10 heavy-duty zipper
- Entry grip; rubber toe & heel cap; zipper lock; fin strap stop

· Packaged in reusable mesh bag with hang tag

Replaces Part #'s D95704xx

D96704xx





Reusable Mesh Bag

Part #	Description	Color	Size
1002542	BOOT, 5MM SAFE SOLE ERGO / AQ, BLK, 5	Black	5
1002543	BOOT, 5MM SAFE SOLE ERGO / AQ, BLK, 6	Black	6
1002544	BOOT, 5MM SAFE SOLE ERGO / AQ, BLK, 7	Black	7
1002545	BOOT, 5MM SAFE SOLE ERGO / AQ, BLK, 8	Black	8
1002546	BOOT, 5MM SAFE SOLE ERGO / AQ, BLK, 9	Black	9
1002547	BOOT, 5MM SAFE SOLE ERGO / AQ, BLK, 10	Black	10
1002548	BOOT, 5MM SAFE SOLE ERGO / AQ, BLK, 11	Black	11
1002549	BOOT, 5MM SAFE SOLE ERGO / AQ, BLK, 12	Black	12
1002550	BOOT, 5MM SAFE SOLE ERGO / AQ, BLK, 13	Black	13
1002551	BOOT, 6.5MM SAFE SOLE ERGO / AQ, BLK, 5	Black	5
1002552	BOOT, 6.5MM SAFE SOLE ERGO / AQ, BLK, 6	Black	6
1002553	BOOT, 6.5MM SAFE SOLE ERGO / AQ, BLK, 7	Black	7
1002554	BOOT, 6.5MM SAFE SOLE ERGO / AQ, BLK, 8	Black	8
1002555	BOOT, 6.5MM SAFE SOLE ERGO / AQ, BLK, 9	Black	9
1002556	BOOT, 6.5MM SAFE SOLE ERGO / AQ, BLK, 10	Black	10
1002557	BOOT, 6.5MM SAFE SOLE ERGO / AQ, BLK, 11	Black	11
1002558	BOOT, 6.5MM SAFE SOLE ERGO / AQ, BLK, 12	Black	12
1002559	BOOT, 6.5MM SAFE SOLE ERGO / AQ, BLK, 13	Black	13

AQUA LUNG MANTA Boot

- 2-color compression molded sole, built-in arch support & raised heel for comfort
- Neoprene innersole is 2mm thicker than upper for added comfort & warmth
- Non-corrosive Delrin #10 heavy-duty zipper with zipper lock
- Packaged in reusable mesh bag with hang tag

Replaces Part #'s D95391xx D96391xx



Part #	Description	Size
1002662	Manta Boot, 5mm, 4	4
1002663	Manta Boot, 5mm, 5	5
1002664	Manta Boot, 5mm, 6	6
1002665	Manta Boot, 5mm, 7	7
1002666	Manta Boot, 5mm, 8	8
1002667	Manta Boot, 5mm, 9	9
1002668	Manta Boot, 5mm, 10	10
1002669	Manta Boot, 5mm, 11	11
1002670	Manta Boot, 5mm, 12	12
1002671	Manta Boot, 5mm, 13	13
1002672	Manta Boot, 6.5mm, 5	5
1002673	Manta Boot, 6.5mm, 6	6
1002674	Manta Boot, 6.5mm, 7	7
1002675	Manta Boot, 6.5mm, 8	8
1002676	Manta Boot, 6.5mm, 9	9
1002677	Manta Boot, 6.5mm, 10	10
1002678	Manta Boot, 6.5mm, 11	11
1002679	Manta Boot, 6.5mm, 12	12
1002680	Manta Boot, 6.5mm, 13	13

BOOTS



AQUA LUNG 3, 5 & 6.5mm ECHOZIP ERGO BOOT

 New anatomically correct ERGO™ shaped footbed and outsole

· Standard neoprene upper with exterior thickness markings

· Hook & loop zipper lock keeps zipper in place

· Flexible vulcanized rubber outsole

· Four seam (2 front, 2 heel) pattern

· Non-corrosive YKK #10 heavy-duty zipper

 Packaged in PVC-free ziploc poly bag with descriptive hang tag Replaces Part #'s

D93001xx D95001xx D96001xx



Part #	Description	Size
1001667	Echozipp Ergo, 3mm, 5	5
1001668	Echozipp Ergo, 3mm, 6	6
1001669	Echozipp Ergo, 3mm, 7	7
1001670	Echozipp Ergo, 3mm, 8	8
1001671	Echozipp Ergo, 3mm, 9	9
1001672	Echozipp Ergo, 3mm, 10	10
1001673	Echozipp Ergo, 3mm, 11	11
1001674	Echozipp Ergo ,3mm, 12	12
1001675	Echozipp Ergo, 3mm, 13	13
1001676	Echozipp Ergo, 5mm, 5	5
1001677	Echozipp Ergo, 5mm, 6	6
1001678	Echozipp Ergo, 5mm, 7	7
1001679	Echozipp Ergo, 5mm, 8	8
1001680	Echozipp Ergo, 5mm, 9	9
1001681	Echozipp Ergo, 5mm, 10	10
1001682	Echozipp Ergo, 5mm, 11	11
1001683	Echozipp Ergo, 5mm, 12	12
1001684	Echozipp Ergo, 5mm, 13	13
1002149	Echozipp Ergo Bigfoot, 5 mm, 14	14
1002150	Echozipp Ergo Bigfoot, 5 mm, 15	15
1001697	Echozipp Ergo, 6.5mm, 5	5
1001698	Echozipp Ergo, 6.5mm, 6	6
1001699	Echozipp Ergo, 6.5mm, 7	7
1001700	Echozipp Ergo, 6.5mm, 8	8
1001701	Echozipp Ergo, 6.5mm, 9	9
1001702	Echozipp Ergo, 6.5mm, 10	10
1001703	Echozipp Ergo, 6.5mm, 11	11
1001704	Echozipp Ergo, 6.5mm, 12	12
1001705	Echozipp Ergo, 6.5mm, 13	13

AQUA LUNC 3, 5 & 6.5mm SUPERZIP ERGO Boot

- New anatomically correct ERGO[™] shaped footbed and outsole
- Asymmetric toe, instep, and heel cap for added protection & durability
- · Hook & loop zipper lock keeps zipper in place
- Standard neoprene upper with exterior thickness markings
- · Flexible vulcanized rubber outsole
- · Four seam (2 front, 2 heel) pattern
- Non-corrosive YKK #10 heavy-duty zipper
- Packaged in PVC-free ziploc poly bag with descriptive hang tag



Part #	Description	Size
1001640	Superzip Ergo, 3mm, 5	5
1001641	Superzip Ergo , 3mm, 6	6
1001642	Superzip Ergo, 3mm, 7	7
1001643	Superzip Ergo , 3mm, 8	8
1001644	Superzip Ergo , 3mm, 9	9
1001645	Superzip Ergo , 3mm, 10	10
1001646	Superzip Ergo , 3mm, 11	11
1001647	Superzip Ergo , 3mm, 12	12
1001648	Superzip Ergo , 3mm, 13	13
1001649	Superzip Ergo, 5mm, 5	5
1001650	Superzip Ergo, 5mm, 6	6
1001651	Superzip Ergo, 5mm, 7	7
1001652	Superzip Ergo, 5mm, 8	8
1001653	Superzip Ergo, 5mm, 9	9
1001654	Superzip Ergo, 5mm, 10	10
1001655	Superzip Ergo, 5mm, 11	11
1001656	Superzip Ergo, 5mm, 12	12
1001657	Superzip Ergo, 5mm, 13	13
1001658	Superzip Ergo, 6.5mm, 5	5
1001659	Superzip Ergo, 6.5mm, 6	6
1001660	Superzip Ergo, 6.5mm, 7	7
1001661	Superzip Ergo, 6.5mm, 8	8
1001662	Superzip Ergo, 6.5mm, 9	9
1001663	Superzip Ergo, 6.5mm, 10	10
1001664	Superzip Ergo, 6.5mm, 11	11
1001665	Superzip Ergo, 6.5mm, 12	12
1001666	Superzip Ergo, 6.5mm, 13	13

BOOTS





EVO III BOOTS

The EVO3 boot was designed in conjunction with the military for use on wet, slippery decks, finning for swimming and running on wet rocky shores.

- · Heavy duty dual layered sole with multi-directional traction lugs
- · Reinforced padded ankle support
- · Drainage ports
- · Heel pull tab and fin keeper
- · Reinforced toe and heel



Part #	Description	Color	Size
611852	EVO III Boot, Black, 6	Black	6
611853	EVO III Boot, Black, 7	Black	7
611854	EVO III Boot, Black, 8	Black	8
611855	EVO III Boot, Black, 9	Black	9
611856	EVO III Boot, Black, 10	Black	10
611857	EVO III Boot, Black, 11	Black	11
611858	EVO III Boot, Black, 12	Black	12
611859	EVO III Boot, Black, 13	Black	13
611860	EVO III Boot, Black, 14	Black	14

SDEEP SEE KORAL KING Boot

- · Neoprene with TERRY PLUSH inside
- Vulcanized TRIPLE THICK rubber sole designed for extremely rocky shores
- · Four seam (2 front, 2 heel) pattern
- Non-corrosive Delrin #10 heavy-duty zipper
- · Rubber toe & heel cap for protection
- · Rubber foxing around sole for stability
- Packaged in poly bag



Part #	Description	Size
D9521105	Koral King, 5mm, 5	5
D9521106	Koral King, 5mm, 6	6
D9521107	Koral King, 5mm, 7	7
D9521108	Koral King, 5mm, 8	8
D9521109	Koral King, 5mm, 9	9
D9521110	Koral King, 5mm, 10	10
D9521111	Koral King, 5mm, 11	11
D9521112	Koral King, 5mm, 12	12
D9521113	Koral King, 5mm, 13	13

ORDER FROM DEEP SEE 800-367-2626

AQUA LUNG Supratex Sock

- 3mm neoprene with glued and blind-stitched seams
- HS200 high stretch neoprene panels at heel and instep stretch to over 200% of its original size for a perfect fit
- Cupped footbed eliminates seam contact with boat deck for maximum comfort & long lasting durability
- SupraTex heavy weave nylon outsole provides superior wear
- · Packaged on hanging header card
- For a snug fit or use with full-foot fins go down one full size.

Part #	Description	Size
D1000331	Supeatex Sock, XS	XS
D1000332	Supeatex Sock, S	S
D1000333	Supeatex Sock, M	М
D1000335	Supeatex Sock, LG	LG
D1000336	Supeatex Sock, XL	XL



SIZE CHART	XS	SM	MD	LG	XL
Men's Sizes	5 - 6	6 - 7	8 - 9	10 - 11	12 - 13
Women's Sizes	7 - 8	8 - 9	10 - 11	12 - 13	

AQUA LUNG High Tide & Low Tide Dive Socks

- 3mm standard neoprene with glued and blind-stitched seams
- Available with or without rubberized GRIP graphic on bottom
- Two seam construction minimizes chafing
- · Available in a short and tall sock design
- · Packaged on hanging header card

Part #	Description	Size
D1000331	Supeatex Sock, XS	XS
D9351112	Men's Low Tide	S
D9351113	Men's Low Tide	М
D9351115	Men's Low Tide	LG
D9351116	Men's Low Tide	XL
D9351131	Men's High Tide	XS
D9351132	Men's High Tide	SM
D9351133	Men's High Tide	MD
D9351135	Men's High Tide	LG
D9351136	Men's High Tide	XL
D9351137	Men's High Tide	XXL
D9351121	Men's Low Tide w/ Grip	XS
D9351122	Men's Low Tide w/ Grip	S
D9351123	Men's Low Tide w/ Grip	M
D9351125	Men's Low Tide w/ Grip	LG
D9351126	Men's Low Tide w/ Grip	XL
D9351141	Men's High Tide w/ Grip	XS
D9351142	Men's High Tide w/ Grip	SM
D9351143	Men's High Tide w/ Grip	MD
D9351145	Men's High Tide w/ Grip	LG
D9351146	Men's High Tide w/ Grip	XL



SIZE CHART	XS	SM	MD	LG	XL	XXL
Men's Sizes	5 - 6	6 - 7	8 - 9	10 - 11	12 - 13	14 - 15
Women's Sizes	7 - 8	8 - 9	10 - 11			

with Grip

BAGS



AQUA LUNG OCEAN PACK- Deluxe Mesh Backpack

- 1680 Denier Ballistic nylon with heavy-duty rubber coated mesh
- · Total weight is 2.6 lbs
- Heavy-duty YKK tooth zipper with anatomic zipper pull extenders
- Padded backpack straps with adjustable sternum strap
- · Soft foam spine pad and neoprene back pad
- · Elastic drawstring closure with barrel lock
- Full length side zipper for easy access to all contents
- Large zippered front pocket with organizer for keys, pens, and C-Card
- · Soft rubber side carry handle
- · Heavy-duty vinyl bottom with drain grommets
- · Deep See Lifetime Warranty
- 28" x 15.5" x 13.5", Capacity 5,859 in³



Part #	Description
D67030	Ocean Pack Deluxe Mesh Backpack

AQUA LUNG TRAVELER 1600 - Large Roller Bag

- · Heavy-duty PVC-free 840D nylon
- · Total weight is 9.5 lbs
- · NEW convenient backpack straps for easy carrying
- · Internal fin pockets accommodate large dive fins
- · Lightweight extendable aluminum handle
- · Removable accessory bag strap
- · Durable and smooth rolling ball bearing wheels
- Heavy-duty #10 zippers with tactile zipper pulls for easy gripping
- Corrosion resistant YKK zippers
- · External ID pocket
- Protective kick plate, and wheel housings for added durability
- Padded top and side handles for lifting comfort
- · Rigid bottom handle for easy lifting
- Deep See Lifetime Warranty including damage from airline handling
- 19" x 31" x 16", Capacity 8,969 in³



Part #	Description
1000915E	Traveler 1600 Lg Roller, Blk/Blu



AQUA LUNG TRAVELER 1550 - Medium Roller Bag

- · Heavy-duty PVC-free 840D nylon
- Total weight is 10.6 lbs
- Meets most major airline size requirements for checked baggage
- Two internal zippered mesh compartments
- · Internal fin pockets accommodate large dive fins
- · Accessory pocket for log book & small tools
- · Extra large external document pocket
- · Lightweight extendable aluminum handle
- · Removable accessory bag strap
- · Durable and smooth rolling ball bearing wheels
- · Protective stiffener and padding throughout bag

- External daisy chain for quick attachments
- Heavy-duty #10 zippers with tactile zipper pulls for easy gripping
- · Corrosion resistant YKK zippers
- · External ID pocket
- Protective rails, kick plate, and wheel housings for added durability
- Padded top and side handles for lifting comfort
- Rigid bottom handle for easy lifting
- DeepSee Lifetime Warranty
- 19" x 31" x 12", Capacity 7,068 in³



Part #	Description
1000916	Traveler 1550 MD Roller, Blk/Blu

AQUA LUNG TRAVELER 850 - Roller Duffle

- Heavy-duty PVC-free 840D nylon
- · Total weight is 8.8 lbs
- · Large internal zippered mesh compartment
- · Internal fin pockets accommodate large dive fins
- · Lightweight extendable aluminum handle
- · Removable accessory bag strap
- · Durable and smooth rolling ball bearing wheels
- · Protective stiffener and padding throughout bag
- · Heavy-duty #10 zippers with tactile zipper pulls for easy gripping
- Corrosion resistant YKK zippers
- · External ID pocket
- · Protective rails, kick plate, and wheel housings for added durability
- · Padded top handle and rigid bottom handle for easy lifting
- · DeepSee Lifetime Warranty
- 14" x 31" x 14", Capacity 6,076 in³

Part #	Description
1000917	Traveler 850 Roller Duffle, Blk/Blu



AQUA LUNG T6 - Duffle Bag

- Tough PVC-free 840D nylon & 420D lightweight ripstop nylon
- · Total weight is only 1.2 lbs for lightweight travel
- · NEW heavy-duty non-corrosive plastic slider and nylon zipper coil
- D-rings for optional shoulder strap attachment (#744490)
- · Corrosion resistant drainage grommets
- · 2 Year Limited Warranty
- 28" x 14" x 14", Capacity 5,488 in³

Part #	Description
1001718	T6-Duffle
744490	Shoulder Strap



BAGS



AQUA LUNG T5 - Mesh Duffle Bag

- Tough PVC-free 840D nylon and 420D lightweight ripstop nylon
- Total weight is only 1.0 lbs for lightweight travel
- NEW heavy-duty non-corrosive plastic slider and nylon zipper coil
- PVC-free fast dry mesh sides & bottom for maximum drainage
- D-rings for optional shoulder strap attachment (#744490)
- · 2 year limited warranty
- 25" x 13" x 13", Capacity 3,744 in³

Part #	Description
1001719	T5-Duffle
744490	Shoulder Strap



AQUA LUNG T4 - Mesh Shoulder Bag

- Tough PVC-free 840D nylon & 420D lightweight ripstop nylon
- Total weight is only 1.0 lbs for lightweight travel
- NEW heavy-duty non-corrosive plastic slider and nylon zipper coil
- PVC-free fast dry mesh sides for maximum drainage
- · Zippered external pocket
- · Corrosion resistant drainage grommets
- · 2 Year Limited Warranty
- 28" x 13" x 13.5", Capacity 3,553 in³



Part #	Description
1001720	T4-Mesh Shoulder bag

AQUA LUNG MARINER Mesh Bag

- Available in large and medium sizes
- · Heavy duty PVC mesh
- · 2" nylon support webbing
- Nylon D-rings for optional shoulder strap
- Optional shoulder strap is adjustable with nylon swivel hardware
- · 2 year limited warranty
- Large Bag : 28.5" x 16" x 16", Capacity 5,731 in³, Weight 1.75 lbs
- Medium Bag: 26.5" x 13.5" x 13.5",
 Capacity 3,793 in³, Weight 1.6 lbs



Part #	Description
744950	Mariner mesh Bag, Black, Large
744700	Mariner mesh Bag, Black, Medium
744710	Mariner mesh Bag, Blue, Medium
744730	Mariner mesh Bag, Yellow, Medium
744490	Shoulder Strap





AQUA LUNG Arrival Mesh Bag

- 2" Wrap-around durable webbing handles
- Heavy-duty, #10 YKK corrosion resistant zipper
- Tear and abrasion resistant PVC-free mesh
- · Fits inside interior pocket of the Departure carry-on bag
- D-ring attachment points for optional shoulder strap (#744490)
- · 2 Year Limited Warranty
- 26.5" x 13.5" x 13.5", Capacity 3,791 in³



Availability: In Stock

Part #	Description
D65203	Arrival Mesh Bag, Black / Blue
744490	Shoulder Strap

AQUA LUNG Traveler 250 - Mesh Backpack

- Heavy-duty PVC-free 840D nylon
- Total weight is 1.2 lbs
- · Accommodates a complete set of dive gear
- Adjustable padded ergonomic backpack straps with non-slip grip surface
- · External expandable zippered accessory pocket
- · Internal zippered security pocket
- PVC-free mesh
- · Integrated padded carrying handle
- · Full length side zipper for easy loading and unloading
- ½ nylon, ½ mesh bottom effectively drains water away from clothing
- Drawstring closure with barrel locks
- · Corrosion resistant YKK zippers
- Deep See Lifetime Warranty
- 15" x 28" x 15", Capacity 4,945 in³



Part #	Description
1000921	Traveler 250 Mesh Shoulder Bag, Black / Blue

BAGS



SEED SEE HEAVY-DUTY MESH BACKPACK

- Heavy-duty screen type nylon mesh & 420D nylon
- Total weight is 1.2 lbs
- · Outside pocket with hook & loop closure
- 2 inside zippered pockets
- Top & side carry handles
- Full length side zipper entry
- · Locking drawstring closure with a top flap
- Adjustable, padded backpack straps are ergonomically curved for a comfortable fit
- 27" x 14" x 14", Capacity 4,156 in3

Part #	Description
D5240	Heavy-Duty Mesh Backpack, Black / Royal
D5241	Heavy-Duty Mesh Backpack, Black



STOWAWAY MESH BACKPACK

- Durable nylon mesh & 210D nylon
- Total weight is 0.6 lbs
- · Top & side carry handles
- · Locking drawstring closure & top flap
- · Adjustable, padded backpack straps are curved for a comfortable fit
- Folds up into 10" x 8" x 3" zippered pouch
- 27" x 14" x 14", Capacity 4,350 in³



Part #	Description
D5220	Stowaway Mesh Backpack, Black / Royal
D5221	Stowaway Mesh Backpack, Black

9DIIP SIE

HEAVY-DUTY MESH DIVER'S BAG

- · Durable nylon mesh
- · Total weight is 0.6 lbs
- Exterior mesh pocket with hook & loop closure on side of bag
- 2" nylon web straps go completely around bag for strength & support
- #10 YKK tooth zipper & D-rings at ends for optional shoulder strap
- 30" x 16" x 16", Capacity 6,032 in³

Part #	Description
D5142	Heavy-Duty Mesh Divers Bag
744490	Shoulder Strap



AQUA LUNG MASTER Knife

- 7 inch serrated blade
- · Stainless steel buttcap
- Plastic sheath

Part #	Model	NSN
422600	Master Knife	4220001411909
422441	Sheath	
422603	Strap Assy.	
422613	Ring Retrainer	



AQUA LUNG BIG SQUEEZE

- 4 1/2" blade, overall length 9 ¹/₂
- 304 series stainless steel or high grade Beta Alloy Titanium
- Patented locking mechanism securely locks knife in sheath, but releases easily with a squeeze of the handle (Patent # 5,926,959)
- Variable mounting options: Rubber leg straps are included, Molded belt clip on sheath, Optional "barnacle nuts" & bolts for mounting through fabric (Sold separately- See part #416318 on Spare Parts List. Set of 2 nuts & 2 bolts)

Part #	Model
1002724	Big Squeeze Blunt Tip Blue
1002725	Big Squeeze Blunt Tip Charcoal
1002726	Big Squeeze Blunt Tip Yellow
1002727	Big Squeeze Drop Point Blue
1002728	Big Squeeze Drop Point Charcoal
1002729	Big Squeeze Drop Point Yellow
1002730	Big Squeeze Titanium Tanto Tip Blue
1002731	Big Squeeze Titanium Tanto Tip Charcoal
1002732	Big Squeeze Titanium Tanto Tip Yellow



SDEEP SEE JACK Knife

- 5" blade, overall length 9 1/2"
- 420 series stainless steel
- · One piece blade and tang
- · Knife completely disassembles for cleaning
- · Serrated top edge and built-in line cutter
- Metal bottom cap
- · Comfortable handle with lanyard hole
- Rubber leg straps included

Part #	Model
D8250	Jack Stainless Drop Point Blue
D8251	Jack Stainless Drop Point Black
D8257	Jack Stainless Drop Point Yellow
D8260	Jack Stainless Blunt Tip Blue
D8261	Jack Stainless Blunt Tip Black
D8267	Jack Stainless Blunt Tip Yellow



KNIVES



AQUA LUNG BIG SQUEEZE

- 3" blade, overall length 6.5"
- 304 series stainless steel or high grade Beta Alloy Titanium
- Patented locking mechanism securely locks knife in sheath, but releases easily with a squeeze of the handle (Patent #5,926,959)
- · Variable mounting options:
- Stainless Steel "barnacle nuts" & bolts are included for mounting through fabric or for installation on Buoyancy Compensators with knife grommets
- Hose mounting straps are included for mounting to the BC inflator hose
- · Locking belt clip is integrated into sheath for attaching knife to webbing
- · Sheath has molded strap slots for use with optional rubber leg straps

Part #	Model	NSN
1002712	Squeeze Lock Blunt Tip Blue	4220015007129
1002713	Squeeze Lock Blunt Tip Red	4220015007129
1002715	Squeeze Lock Blunt Tip Purple	4220015007129
1002716	Squeeze Lock Blunt Tip Yellow	4220015007129
1002717	Squeeze Lock Titanium Stiletto Tip Blue	4220015007129
1002718	Squeeze Lock Titanium Stiletto Tip Charcoal	4220015007129
1002719	Squeeze Lock Titanium Stiletto Tip Yellow	4220015007129
1002720	Squeeze Lock Titanium Tanto Tip Blue	4220015007129
1002721	Squeeze Lock Titanium Tanto Tip Charcoal	4220015007129
1002722	Squeeze Lock Titanium Tanto Tip Yellow	4220015007129
1002723	Squeeze Lock Titanium Tanto Tip Purple	



SEEP SEE EZ LOCK & EZ LOCK TITANIUM

- Titanium models: 4" blade, overall length 8.25"
- Stainless Steel models: 3.75" blade, overall length 8.25"
- · Dolphin & Drop Point: 304 series stainless steel
- · Blunt tip: 420 series stainless steel
- · Titanium: High Grade Beta Alloy Titanium
- · Patented positive lock sheath system
- · Alternate hollow ground serration
- · Lanyard hole
- · Double serration on drop point
- Rubber leg strap included
- · Molded belt clip on sheath

Part #	Model
D8150	EZ Lock Blunt Tip Black
D8160	EZ Lock Dolphin Point Black
D8170	EZ Lock Drop Point Black
D48151	EZ Lock Titanium Stiletto Tip
D48180	EZ Lock Titanium Tanto Tip



SPARE PARTS LIST

*Spare parts may be available for discontinued items.

Part #	Model	Color
D8298B	Jack Knife - Butt Cap	-
D82980	Jack Knife - Sheath	Blue
D82981	Jack Knife - Sheath	Black
D82987	Jack Knife - Sheath	Yellow
D8299	Jack Knife - 24" Straps w/buckles (Qty. 2)	-
D48198	EZ Lock Titanium Knife - Sheath	-
D8151S	EZ Lock Knife - Sheath	-
D47540	Squeeze Lock Knife - Sheath	-
D14791	Big Squeeze Knife - Sheath	-
D416318	Barnacle Nut & Screw Kit (4 pieces) - For use with Squeeze Lock & Big Squeeze	-
41942	24" Straps w/Quick Release Buckles (Qty. 2)	-
D441952	Knife Hose Mount Attachment	-



AQUA LUNG G3000SS Diving Helmet

The latest version of the legendary "Gorski Hat"

The G3000SS Diving Helmet from Aqua Lung offers high levels of performance, quality, at functionality.

Apeks GX300 Regulator

- · Modern, state-of-the-art regulator
- Balanced design with double exhaust
- · High strength composite materials
- Exceptional breathing performance
- Suitable for all depths & work rates
- · Breathing loop fully protected inside shell
- · Side-mount shields against frontal impact
- · Retrofits to all existing Gorski helmets

Apeks GX300 Regulator

Field conversion from demand to free flow mode

Key Helmet Features

- · Excellent field of view
- · Robust, durable and reliable
- · Stainless steel 316L throughout
- Superior corrosion & electrolysis resistance
- Reinforced face plate retention system
- · Ideal helmet position and balance when worn
- · Low component count reduces inventory & simplifies service

Communications System

- · High quality OTS comms are water and rustproof
- · Simplified layout for switching between 2 and 4-wire configuration

Bailout Switch Block Available

- Optional harness-mounted switchover valve
- See separate datasheet for product details

GX300 Balanced Regulator designed and built by:









Item Description	Part #
G3000SS HELMET, w/ 2-Wire Comms	400300
G3000SS HELMET, w/ 4-Wire Comms (Hi-Use)	400301
G3000SS HELMET, w/ 4-Wire Comms (Marsh Marine)	400302
Welding Shield Kit	400102
Mounting Bracket, Light/Camera	400107
Annual Service Kit	400108
Double Exhaust Kit	400111
Switch Block G3000SS Helmet version	AP0281/G





DOMESTIC US ONLY			
AQA#	Description		
400300	Helmet Complete G3000SS		
400301	Helmet Complete G3000SS W/ HI Use Comm		
400302	Helmet Complete G3000SS W/ Marsh Marine Comm		
400000	Helmet Complete, Gorski		
400003	Bolt, Neck Retainer (5 Pack)		
400004	Nut, Neck Retainer (5 Pack)		
400005	Spring, Latch (5 pack)		
400006	Nut, Knob (5 Pack)		
400007	Spring, Knob (5 Pack)		
400008	Knob, Free Flow		
400009	Screw (5 Pack)		
400010	Cover, Valve Exhaust		
400011	Cover, Regulator		
400012	O-Ring, Face Port		
400013	Plate, Face		
400014	Retainer, Port		
400015	Screw Retainer Port (5 Pack)		
400016	Post, Communication		
400017	Bulk Head, Communications		
400021	Connector, Swagelock		
400022	O-Ring (10 Pack)		
400023	Train, Defogger		
400024	Barrel, Free Flow		
400025	Mask, Oral Nasal		
400026	Housing, Inhalation Valve		
400027	Valve, Inhalation Flapper		
400028	Liner, Head		
400030	Plug, manifold (Large)		
400031	O-Ring (10 Pack)		
400032	Screen		
400034	O-Ring (10 Pack)		
400035	Screw, Hex, Manifold (5 Pack)		
400036	Screw, Hex, Manifold (5 Pack)		
400037	Gasket, manifold		
400039	Plug, Port		
400040	Valve, Check		
400041	Fitting, SCUBA		
400042	Fitting, Hose		
400043	Cap, Fitting		
400044	Body, Free Flow Exhaust Valve		
400045	O-Ring (10 Pack)		
400046	O-Ring (10 Pack)		
400047	Valve, Flapper Exhaust		
D2 Commercial Diving			



DOMESTIC U	DOMESTIC US ONLY		
AQA#	DESCRIPTION		
400048	Ring, Snap Flapper Valve		
400049	Seat, Free Flow Valve		
400050	Washer, Copper (5 pack)		
400051	Stem, Free Flow Valve		
400052	O-Ring (10 Pack)		
400053	Washer, Teflon (5 pack)		
400054	Valve, Free Flow Bonnett		
400055	Cover, Diaphragm		
400056	Button, Purge (5 Pack)		
400057	Ring, Snap Cover (5 Pack)		
400058	Diaphragm, Second Stage		
400059	Housing, Second Stage Diaphragm		
400060	O-Ring (10 Pack)		
400061	Body, Second Stage Main		
400062	Assembly, valve		
400063	Seat, valve		
400064	O-Ring (10 Pack)		
400065	Plate, Rubber (5 Pack)		
400066	Piston, valve		
400067	Spring (5 Pack)		
400068	Housing, valve		
400069	Pin, Lever (5 Pack)		
400070	Sleeve, Ejector		
400071	Device, Operating		
400072	Ring, Connecting		
400073	Knob, NCD		
400074	O-Ring (10 Pack)		
400077	Pad, Nose Neoprene (5 Pack)		
400078	Ring, Quad		
400080	Seal, Neck		
400082	Screw (5 Pack)		
400083	Screw (5 Pack)		
400084	Bushing (5 Pack)		
400085	Buckle, Strap		
400086	Strap, Nylon		
400087	Body, Welding Shield		
400088	Lens, Welding		
400089	Bracket, Lens Holding (2 Pack)		
400090	Gasket, Welding Lens		
400092	Hinge, Welding Lens (2 Pack)		
400093	Screw (5 pack)		
400094	Screw (5 pack)		
400095	Spring, Welding Shield		



DOMESTIC US ONLY		
AQA#	Description	
400097	Bushing, Dual Exhaust	
400098	Seat, Dual Exhaust	
400099	Ring, Spacer (5 Pack)	
AP0300	Reg,GX300	
AP0281	Switch Block W/Check Valve	
AP0281/G	Switch Block,G3000SS	
AP0270	Handwheel Assembly,Gorski	
AP0271	Oral Nasal Valve Assembly,Gorski	
AP2534	Handwheel, Gorski	
AP2535	Nut,Gorski	
AP2537	Valve Housing,Gorski	
AP4012	Spring,Gorski	
AP6223	Exhaust Valve,XTX	
400079	Ring, Neck Upper	
400081	Ring, Neck Bottom	
400122	Nut & Nylon Ferrules,Bulkhead Assy	
400143	Lit, Tech Manual, Gorski Helmet	
400178	Lit,CD,Tech Manual,Gorski Helmet	
400102	Welding Shield	
400103	Neck Ring Assembly	
400104	Set, Communication	
400106	Second Stage, Cyclone 5000	
400107	Bracket, Light/Camera	
400108	Kit, Annual Service	
400109	Locking System, Left	
400111	Kit, Double Exhaust	
400112	Kit, Plug Inset Free Flow	
400113	Screw, Latch (5 Pack)	
400114	Retainer, Neck Ring, Mod 1	
400120	Washer, Latch Spring (2 Pack)	
400123	Nose Clearing Device Assy	
400124	Head Liner, Thick	
400127	Ferrules Nylon (10 pack)	
400128	Blank Plug, SS	
400129	Speaker, Left	
400130	Speaker, Right	
400131	Microphone	
400132	Locking System, Right	
400133	Tubing, Plastic, Cut (10 Pack)	
400134	Lockwasher (5 pack)	
400139	Inset, Manifold Complete	
400140	Stem and Metal Nose Pad (Clearing Device)	
104 Commercial Diving		



AQUA LUNG STANDARD HELMET BAG

· Provides protection for Gorski G2000SS diving helmet

- · Heavy duty construction
- · Separate pocket for neck ring assembly



Part #	Model
400804	Standard Helmet Bag

AQUA LUNG HELMET FLOTATION BAG

- · Provides protection for Gorski G2000SS diving helmet
- · Floats with helmet inside
- · Heavy duty construction



Part #	Model
400805	Helmet Flotation Bag



Back

AQUA LUNG PERSONAL DIVER HARNESS (H1)

- · Strength-rated individual recovery harness
- · Full-body, easily adjusted, one-size design
- · Worn underneath an equipment vest/bell jacket
- · Secure attachment points for dive umbilical
- Recovery points: rear lifting ring (1), chest rings (2)
- Rated breaking strength: 2200 lb / 1000 kg / 9800 N



Part #	Description
769178	Harness, PDH, Personal Diver (H1)

AQUA LUNG COMMERCIAL DIVING HARNESS (H3)

- Multi-function professional diving harness
- For bailout cylinder(s), weights, tools, and umbilical attachment
- · Integrated strength-rated recovery function
- Recovery points: rear lifting ring (1), shoulder rings (2)
- Rated breaking strength: 2200 lb / 1000 kg / 9800 N
- · Easy to load weight pockets hold up to 60 lb / 13.2 kg



Front

Part #	Description
400800	Commercial Diving Harness (H3), incl. 4 x 12.5lb weight pouches. SIZE 1
400801	Commercial Diving Harness (H3), incl. 4 x 12.5lb weight pouches. SIZE 2
400808	H3 harness only size 1 (L)
400809	H3 harness only size 2 (XL)
400811	H3 harness Hi-Vis size 1 (L)
400812	H3 harness Hi-Vis size 2 (L)



AQUA LUNG DIVER RECOVERY BRIDLE

- · For recovery of unconscious diver from the water
- Connects to harness shoulder rings
- · Robust and easy to rig
- · High grade carabiners
- Rated breaking strength: 2200 lb / 1000 kg / 9800 N



Part #	Description
400803	Diver Recovery Bridle



AQUA LUNG ACCESSORY POUCH

- · For recovery of unconscious diver from the water
- · Connects to harness shoulder rings
- · Robust and easy to rig
- High grade carabiners
- Rated breaking strength: 2200 lb / 1000 kg / 9800 N





Part #	Description
400806	12.5lb Weight Pouch
400807	Accessory Pouch

MISSION SPECIFIC





CACHE Mesh Bag

Military grade mesh bag holds a wide assortment of gear



FRONT



BACK

- Designed to accommodate most 4 hour re-breathers
- · 2 internal pockets
- 1 external mask pocket
- 1 external sand drape pocket to protect equipment when burying ashore
- · Designed for use with Cache Stake
- · Rugged shoulder strap
- Durable hydrophobic materials
- Makes an exceptionally strong dive bag for general use

Part #	Description
100393	Cache Bag



AQUA LUNG CACHE Stake

- · Designed for subsurface anchoring of equipment
- Designed for use with Cache bag
- Aluminum construction, strong but light removable tip, simply unscrew from shaft
- Integrated sliding cylindrical hammer
- · Training tip without movable anchors included
- · Carabiner not included





Part # Model
100392 Cache Stake





ARGONAUT Attack Board

The Aqua Lung Attack Board offers a precision compass mounted in a rugged, lightweight anodized aluminum frame that will accommodate a wide range of wrist worn devises and board mounted compasses.



A product within the Argonaut line, designed by, with, and for maritime professionals

- Accepts at least three of the most popular board-mounted compasses, user's choice:
 - o BEN Marine C1150
 - Richie TAC-200-2
 - Brunton 70P
- · Mounting slots for two wrist worn devices, user's choice.
- S&S Precision V-Lite™ illuminates both wrist devices and center compass mount
 - o Battery provides up to 120 hours run time
 - o Preset functions: Dim, bright, blink
- Light weight, corrosion resistant, anodized 6061 aluminum frame
- · Sighting post for quick peek bearing acquisition
- Large ergonomic handles designed to accommodate gloves and reduce fatigue
- Neutrally buoyant through use of adjustable neoprene protective compass sleeve
- Lanyard eyelet

S&S PRECISION V-LITE™
ILLUMINATES BOTH WRIST DEVICES
AND CENTER COMPASS MOUNT

Part #	Model	
742179	AC-BOARD	



AQUA LUNG COMBAT SWIMMER Assault Vest (CSAV) Berry Compliant (Distribution may be restricted-Check with Aqua Lung)

Multi-use Buoyancy Compensator that adapts to front and back mounts rebreathers, and to open circuit SCUBA.

- · Doubles as a lifejacket
- Black color for clandestine operations
- · Double-bag construction (bladder volume: 15.8L / 35lbs), outer bag made of extra durable 1000 Denier Cordura.
- · Can be inflated by 2 cylinders (3,000psi - 0.21L / 1.5cu.ft), direct feed inflator or orally
- · Authorized for U.S. Navy Use (ANU listed) as a Life Preserver
- Molle straps for accessories attachment
- 2 Drain caps
- 1 overpressure relief/dump valve



Part #	Description	NSN
769100	CSAV Vest Complete Gen 3, w/o cylinders	4220016235127
769116	CSAV Vest Complete Gen 3, with 2 cylinders	4220016235133
769360	CSAV, Special Forces Divers, SF, U.S.Army	
769361	CSAV EN, Engineer Divers	
769364	Kit Bag, MMJ	
769082	Pocket, Bottle, CSAV	4220015912710
769092	Kit, Strap, MK 25	
769089	Kit, Strap, MK 16	
769141	Kit, Strap, Twin and Single SCUBA	
769083	Wt Sheath, each, 10 lbs, CSAV	4220015912722
769084	Wt Pouch, each, 10 lbs, CSAV	4220015912718
769143	Wt Sheath, each, 20lbs, CSAV	4220015912721
769144	Wt Pouch, each, 20 lbs, CSAV	4220015912719
710108	Weight, soft, 4lb, Blue	4220015912714
101271Z	Cylinder1.5 cu. Ft., w/valve for Atlantis, CSAV, CDV, MAG Version	
101294	Cylinder1.5 cu. Ft (Blk Anodized)., w/valve, MAG Version	
102100	Valve Assy, w/3.0 cu foot bottle	
769123	Pocket, Bottle, 3 cf ft	
769106	Kit, Spare Parts, Field	
769105	Bladder, CSAV NSW, packaged	4220015912696
108615	LPIS, Low Pressure Inflation System	4220015912708
769146	Pocket LPIS, Black Nylon	4220015912711
769099	Kit, Buckle Set, 1.0"/1.5"/2.0", CSAV	
769352	Kit, Buckle, F, MK 25 (4 Pack)	
101215	Fill Adapter-All Life Jackets	
101280Z	Valve Assy,Mag,USMC	4220015912720



AQUA LUNG MILITARY DIVING

(Distribution may be restricted-Check with Aqua Lung)

DSIS

Aqua-Lung Dry Suit Inflation System is a compact, easy to use ensemble, especially developed for the Combat Swimmer that dives in cold waters with rebreathers and needs a supplemental air supply to co pensate for depth pressure in their dry suit. It is composed of a 5 cu/ft. cylinder and a modified SEA first stage regulator.

Aqua-Lung's compact SEA first stage is equipped with an on/off valve, a 3000 psi low profile gauge, a safety burst disk, a 20" hose with a quick disconnect, a swivel with an over pressure release safety valve that vents @ 175/190 psi. and a one-way fill port.

It can be carried in a leg pocket and connected to an intake leg valve, leaving the chest of the suit free of obstacles for the rebreather, and giving easy access to the valve.

· Cylinder with first stage length: 14.5" (28 cm.)

• Diameter: 3.2" (8.1 CM.)

· Maximum pressure: 3000 PSI (207 bar)

· Safety burst disk maximum pressure: 5000 PSI (345 bar)

· Medium pressure safety valve opening pressure: 175-190 PSI

PSI (9.5 bar ±1.5 bar)

· Hose length: 20" (50.8 cm.)

Cylinder:

Volume: 6.0 CF @ 3000 PSI (169 Lt. @207 Bar)

Internal volume: 53 cu/in (0.420 Lt.)

· Color: Black

• Total weight: 3.47 Lb. (0.868 Gr.)

Fill adapter PN 108325 sold separately





SEA SPECIAL CONFIGURATION			
Part #	Description		
108600	Dry Suit Inflation System		
108364	SEA Pony Bottle Adapter		
VEHICLE R	VEHICLE RESCUE AIR SYSTEM		
Part #	Description		
108386	SEA MK6.0 LV2 with DIAL Gauge, 20 " hose (a/k/a/ Vehicle Rescue Air)		
108426	Pocket, SEA 6cf bottle with clip for VRA		
108427	Bracket, SEA 6 cf bottle for VRA		
	SPECIAL USE 3000 PSI ALUMINUM CYLINDERS FOR EMERGENCY EGRESS Note: Some of these cylinders require a minimum order quantity		
Part #	Description		
079108	3.0 Cubic Foot, Black, 3.2" diameter, 6.53" length		
079160	6.0 Cubic Feet, Black Powder Coated, 3.2" diameter, 11.17 length		







CDV-RES	TRICTED TO USMC ONLY	
Part #	Description	NSN
769171	Combatant Diver Vest Complete	4220015847592
CDV SP	ARES	
Part #	Description	NSN
769310	Buckle,M, 1.0,NYL,Side Release	5340015909915
769311	Buckle,F, 1.0,NYL,Side Release	5340015909295
769312	Buckle,M,2.0,NYL,Side Release	5331015909290
769313	Buckle,F, 2.0,NYL,Side Release	5340015909913
769314	Retainer, 1.0" Webbing, MMJ	4220015914353
769315	Retainer, 2.0" Webbing, MMJ	4220015914351
769316	Retainer, 1.5" Webbing, MMJ	4220015914354
769318	Straps,Container Retainer,MMJ	4220015909291
769105	Bladder, MMJ,Packaged	4220015912696
15309	Gasket, Connector Seal	5330015909296
769122	Kit,Hose Retainer,MMJ	4220015912703
769320	Strap, Crotch,CDV	4220015912699



AQUA LUNG CD
(The following accessories are available from Aqua Lung)

CDV SPARES		
Part #	Description	NSN
769336	Kit,strap/M/F 2.0 Buckle,MK25,CDV	4220015909292
769154	Kit, Scuba Strap, CDV, Single & Twin	4220015912697
769084	Wt Pouch, (ea), 10 lb, Blk, Pckgd	4220015912718
769144	Wt Pouch, (ea), 20 lb, Blk, Pckgd	4220015912719
769083	Wt Sheath, (ea), 10 lb, Blk, Pckgd	4220015912722
769143	Wt Sheath, (ea), 20 lb, Blk, Pckgd	4220015912721
710108	Weight, Soft 4 lb, Navy Blue	4220015912714
15261	Hose, Chevron, Powerline	4220015912695
15262	Clip, Chevron Hose	5340015909914
42747	Powerline Inflator (Lower Unit)	4220015912713
42743	Dual Valve Assy, ACME	4220015912712
15610	Pin, Retaining, S/S	5315015909293
101280Z	Valve Assy,Mag,USMC	4220015912720
394099	Kit, Maintenance, Cylinder Valve	4220015913322
820316P	O-Ring (10 pk)	5330015910214
769082	Pocket 1.5 HP Cylinder, Blk, MMJ	4220015912710
101314Z	Connector,CYL Valve,Fixed,Mag	4220012912701
820310P	O-Ring (10pk)	5331015910209
15665	Cap, Universal Connector	5340015909294
108311	First Stage Assy, SEA MK Spare	4220015913026
108603	Kit service, LPIS/DSIS	4220015912706
820010P	O-Ring (25 pk)	5331015910211
820304P	O-Ring (10PK)	5331015910213
820312P	O-Ring (10pk)	5331015910216
820311P	O-Ring (10pk)	5331015910217
820319P	O-Ring (10pk)	5331015910215
108431	Swivel Plug Assy, w/Relief, Black	4220015379440
108616	Hose, Assy LPIS 33"	4240015916889
108307	Cap, Fill port	4730015842603
769146	Pocket, 3.0 LP Cylinder, Blk, MMJ	4220015912711
769347	Military Powerline	
CDV TOOLS		
Part #	Description	NSN
109437	Seat Extractor Spare	4220015912709
769348	Gauge, Test, 0-400 PSI, w/QD Adapter	4240015916886
108325	Fill adaptor, SCUBA Tank	4220015435272
9-44363	3/8" Drive,Flex Handle (Sears)	
9-44333	1/2 inch (13 mm) Socket; (3/8" drive)	
103007	Socket,3/4" 12pt Deep (5544A67),PHODS	
9-43001	3/8 inch Socket; (3/8" drive)	
769354	Socket,7/8"(22mm) (3/8"Drive)	
9-43004	9/16 inch Socket; (3/8" drive)	
8367A23	Hex Key Adapter 5mm (3/16")	
9-43626	3/4 inch Crowfoot; (3/8" drive)	
9-43628	7/8 inch Crowfoot; (3/8" drive)	
FC34A	Crowfoot,1 1/16"(27mm) (SNAP-ON)	
FC38A	Crowfoot,1 3/16" (SNAP-ON)	
941586	Screw Driver,Med Blade Short,Modified	
114 Mission		I.





SPECIALIZE	SPECIALIZED LIFE JACKETS		
Part #	Description		
762950	Atlantis Life Jacket with cylinders		
762960	Atlantis Life Jacket without cylinders		
101215	Fill Adapter-All Life Jackets		
762970	Atlantis Life Jacket, with Cylinders, EXPORT Only, Non-Mag		
762980	Atlantis Life Jacket, w/o Cylinders, EXPORT Only. Non-Mag		
841345	MDB, w/o Cylinder		
762952	Crotch Strap Kit, Atlantis		
762953	Strap Kit Complete, Atlantis		
762956	Chest Strap Kit, Atlantis		
762957	Waist Strap Kit, Atlantis		
762961	Containment Collar, Atlantis		
394091	Open Circuit Kit, Atlantis		
762958	Back Strap Kit, Atlantis		
101271	Cylinder1.5 cu. Ft., w/valve for Non-Mag Requirements		
101271Z	Cylinder1.5 cu. Ft., w/valve for Atlantis, CSAV, Mag Version		
101294	Cylinder1.5 cu. Ft (Blk Anodized)., w/valve, Mag Version		
762955	Dive Loops-3 Pack-Black		
394099	Kit, HP Cylinder valve maintenance		
101349	Gauge, HP Cylinder Pressure		
101280Z	Valve Assy, Mag + Patch Kit, USM		
	Mission Specific 119		







Part #	Description
762961	CONTAINMENT COLLAR, ATLANTIS



AQUA LUNG ODYSSEA Vest

Designed for combat swimmers to use with a chest worn apparatus

- Black color for clandestine operations
- · Non magnetic
- Double-bag construction (bladder volume: 20L / 44lbs)
- · Outer bag made of heavy duty 840 Denier Nylon
- · Can be inflated by 1 cylinder (200Bars 0.43L) or orally
- Breathable inflator allows diver to breathe the air in the inner bag in case of emergency
- Several accessory attachment points (D-rings, Strobe holder, Snorkel holder)
- 1 large pocket to store a navigation board
- · 2 Drain caps
- · 2 overpressure relief/dump valves



Part #	Description
394058	Odyssea IN, w/o cylinder (Special Order Only)
394059	Odyssea, w/o cylinder, EXPORT, Non-Mag
394063	Odyssea, w/o cylinder, US, Non-Mag
394040	Odyssea, Bladder only
394041	Odyssea, Outer Bag only
394042	Odyssea, Outer Bag, w/bladder
101275	Cylinder 2.5 cu. Ft., w/valve for Odyssea, Non-Mag

AQUA LUNG FENZY X 4 Lifejacket

- Combined buoyancy compensator and lifejacket designed for use with a back worn apparatus.
- · Black or orange color
- Double-bag construction (bladder volume: 17.2L / 38lbs), outer bag made of extra durable 1000 Denier Cordura
- Can be inflated by 1 cylinder (200Bars 0.43L), direct feed inflator or orally
- Breathable inflator allows diver to breathe the air in the bag in case of emergency
- · Authorized for U.S. Navy Use (ANU listed) as a Life Preserver
- · 1 large pocket
- 1 Drain cap
- 1 overpressure relief/dump valve



SPECIALIZED LIFE JACKETS		
Part #	Description	
854710	Fenzy X4, Orange w/o cylinder	
854420	Fenzy X4, Black w/o cylinder	
854400	Fenzy, X4, Orange Complete w/cylinder	
854430	Fenzy X4, Black Complete w/cylinder	
854101	Fenzy X4 Inflator Airway Complete Assembly	
840950	Fenzy X4 Cylinder System	
85410	Fenzy X4 Internal Bladder	
85412	Fenzy X4 Outer Bag, Orange	
854421	Fenzy X4 Outer Bag, Black	



AQUA LUNG SURFACE SUPPLIED HARNESS







SPECIAL HARNESSES FOR SURFACE SUPPLIED DIVING		
Part #	Description	
769158	Harness, SSH, Surface Supplied, Size 0	
769161	Harness, SSH, Surface Supplied, Size 1	
769169	Harness, SSH, Surface Supplied, Size 2	

A Q U A L U N G Military & Professional

AQUA LUNG COMBAT SWIMMER HARNESS



SPECIALIZED HARNESSES FOR REBREATHERS		
Description		
Harness, Wt. Integrated, Black, Universal Size Metric Buckles	For Export	
Harness, CSH, Wt. Integrated, Black, Universal Size (AMU Listed) use with MK25 not F.R.O.G.S.		
Replacement Weight Pocket		
Load harness		
	Description Harness, Wt. Integrated, Black, Universal Size Metric Buckles Harness, CSH, Wt. Integrated, Black, Universal Size (AMU Listed) use with MK25 not F.R.O.G.S. Replacement Weight Pocket	



AQUA LUNG F.R.O.G.S. Full Range Oxygen Gas System

(The following accessories are available from Aqua Lung)

AQUALUNG'S CLOSED CIRCUIT DIVING APPARATUS FOR **SHALLOW WATER & SPECIAL FORCES OPERATIONS**

The F.R.O.G.S. is a self-contained, chest-mounted, closed circuit apparatus, using 100% Oxygen. It was created for intensive work using a high performance, simple and sturdy mechanism. No tools required for periodic maintenance. Oxygen closed circuit apparatus (0-7m or 0-10m depending on the regulations).

Canister Endurance:

4 hours

(water Temp.: 04°c, CO2 injection: 1,6l/mn, RMV 40l/mn)

(water Temp.: 04°c, CO2 injection: 0,9l/mn, RMV 22,5l/mn)

Safety

Multiple water traps By-pass system injecting oxygen in the inhale hose allows the diver to breath even in the case of second stage failure or flooding.

Maintenance

Modular Concept: easy to maintain and low maintenance cost.

Easy to maintain after each dive : no tools required,

easy to clean.

Quick assembly system for the counterlung.

Performance

Optimal breathing loop: 1.07 J/litre at 7 metres (23 ft), Respiratory Minute Volume of 62.5 lpm. The best Work Of Breathing on the market.

Also available in a magnetic version for professional use.

Can be used on the back with optional MICROPORE Conversion Kit Available

- · 495008 Extendair Kit For FROG/AMPHORA includes following
- · 495021 handle assembly
- 495007 adapter body
- · 495012 anti extrusion ring



PART#	DESCRIPTION
U.S. SALES	
101255	F.R.O.G.S. Complete with QD
102525	F.R.O.G.S. Complete without QD
EXPORT SALE	S Company of the Comp
495005W	F.R.O.G.S. Complete with QD
495005	F.R.O.G.S. Complete without QD
OPTIONAL	
495390	Dorsal Kit
495008	Kit,Frogs & Amphora,Extend Air
102561	Cartridge,Extend Air Frogs (SM-0601C)



AQUA LUNG C.O.D.E. Compact oxygen diving equipment

(The following accessories are available from Aqua Lung)

- The C.O.D.E. is the smallest of our rebreathers; it gives approximately 60 minutes of diving time. Ideal for covert & counter terrorism operations.
- It is well suited for operational or training missions that require minimal logistics.
 Its reduced size renders it easy to transport. The small number of parts and its modular design make it easy to maintain and quick to set up.
- · A high pressure gauge is fitted in this set.
- · Canister endurance:
- 1 hour (water Temp.: 04°c, CO2 injection: 1,6l/mn, RMV 40l/mn).



Part #	Description
101450	C.O.D.E. Rebreather 40mm

AQUA LUNG Mission Specific Military & Aviation Products AMPHORA

(The following accessories are available from Aqua Lung)

UNDERWATER O2 and MIXED GAS BREATHING SET

- · AMPHORA is a rebreather using different oxygen/nitrogen mixtures in a semi-closed circuit.
- AMPHORA is a closed circuit apparatus in the oxygen dive configuration and a constant mass flow apparatus (CMI) in the mixed gas dive configuration.
- During the dive a simple operation of the gas switch allows the user to switch immediately between breathing pure oxygen on closed circuit and mixture on semi-closed circuit.
- Oxygen and mixed gas apparatus (0-7m and 0-30m).
- · The constant mass flow is injected directly into the inhalation hose.
- The CO2 laden gas is exhaled from an overpressure relief valve, located at the top of the apparatus.
- · Canister endurance:
- 4 hours (water Temp.: 04°c, CO2 injection: 1,6l/mn, RMV 40l/mn).
- o 6 hours (water Temp.: 04°c, CO2 injection: 0,9l/mn, RMV 22,5l/mn).

Also available in a magnetic version for professionnal use.



Part #	Description
496000	AMPHORA Rebreather Full Configuration
496001	AMPHORA with Mix Front Pack
496002	AMPHORA with Mix Back/Leg Pack



AQUA LUNG C.R.A.B.E. Complete Range Autonomous Breathing Equipment

The C.R.A.B.E. is a back-mounted breathing apparatus for diving use in depths down to 80 metres.

The C.R.A.B.E. is an entirely mechanical rebreather operating in semi-closed circuit with NITROX or TRIMIX following the proportional leak principle and with pure oxygen for deco stops.

Designed for intensive use, the C.R.A.B.E. offers high performance, reliability and robustness. Daily maintenance and most servicing operations can be carried out without the use of tools. The C.R.A.B.E. is non-magnetic to STANAG 2897 EOD standards and has

a very weak acoustic signature which meets the AMP15 standard.

The C.R.A.B.E. is suitable for anti-mine warfare.

The C.R.A.B.E. is designed for use with predetermined gases such as: pure oxygen, nitrox 60%, nitrox 50%, nitrox 40%,

nitrox 30%, or trimix 23%O2 / 36%N2 / 41%He.

Decompression stages are carried out using either the mixture used during the dive (the bottom mix), or pure oxygen, depending on the dive profile.

The C.R.A.B.E. has a harness with an integral weight system and a buoyancy adjustment jacket.

The C.R.A.B.E. has an open circuit safety system.

Canister endurance:

4 hours (water T°: 04°c, CO2 injection: 1,6l/mn, RMV 40l/mn)



SPECIAL HARNESSES FOR SURFACE SUPPLIED DIVING		
Part #	Description	Size
490002	C.R.A.B.E	Medium
490003	C.R.A.B.E	Large







AQUA LUNG RESET SERVICES TECHNICAL TRAINING

(The following services are available from Aqua Lung)



PHODS RESET-PERIODIC MAINTENANCE

Part #	Description
102935RS	PHODS Reset-Labor
102936RS	Mission Kit Reset-Labor
102968RS	Tool Kit Reset-Labor
103068RS	MOCRS Top Box-Labor
103069RS	MOCRS Bottom Box-Labor
103048RS	MOCRS PHODS Fill Manifold-Labor
102990	PHODS Regulator Overhaul Kit
102950	OPC Annual Overhaul Kit
103071	MOCRS Top Box Parts Kit
103072	MOCRS Bottom Box Spares Kit
103073	MOCRS Manifold Spares Kit
	Clean Room Daily Rate

HABD/SEA FACTORY CONDUCTED TECHNICAL TRAINING (NO PER DIEM EXPENSES INCLUDED)

Part #	Description
999991	One Day factory training on either the SEA or HABD held at factory
333331	headquarters for 1-12 attendees
	One Day factory training on either the SEA or HABD held at field location.
999992	All per diem expenses of instructor to be billed separate. (1-12 students).
999992	ALSE Equipment Fielding Program (Conducted in the field and travel
	and per diem expenses for the instructor will be additional)
999998	8 Hour training and orientation course designed to provide training and orientation of SEA, MRS-III
	HABD / SEA RESET
MRS-III RESET	

MINO-III REGET		
	Part #	Description
	100701RS	MRS-III Reset (call for details)



AQUA LUNG Survival Egress Air (SEA) Systems (Distribution may be restricted-Check with Aerial)

NOW AVAILABLE FROM

AERIAL MACHINE & TOOL CORP.

1-276-952-2006

WWW.AERIALMACHINEANDTOOL.COM

GSA CONTACT #

65-07F-0027M

SEA		
Part #	Description	NSN
108300	SEA MK1.5 with DIAL Gauge(20" Hose)	
108320	SEA MK2.0 with DIAL Gauge (20" Hose)	
108330	SEA MK 2.0 with PIN Gauge, (20" Hose)	4220014827389
108370	SEA MK 2.0 with DIAL Gauge (27" hose	4220015172925
108360	SEA MK 2.0 with PIN Gauge (27" hose)	
108340	SEA MK 2.5 with DIAL Gauge (20" hose)	
108350	SEA MK 2.5 with PIN Gauge (20" hose)	
108375	SEA MK 2.5 with DIAL Gauge (27" hose)	
SEA WITH NO	O ON OFF VALVES-USCG AND CBP ONLY	
Part #	Description	
108382	SEA MK with no on off Dial Gauge, 20" hose-USCG Logo-No cylinder	
108465	SEA MK with no on off Dial Gauge, 27" hose-USCG Logo-No cylinder	
108466	SEA MK 1.5 with no/on off Dial Gauge 20" hose-USCG Logo	
108467	SEA MK 1.5 with no/on off Dial Gauge 27" hose-USCG Logov	
108545	SEA MK 1.5 with no/on off Dial Gauge 20" hose-CBP	
SEA MK WITI	LV2 SECOND STAGE	
Part #	Description	NSN
108445	SEA MK1.5 LV2 with Dial Gauge 20" Hose (SRU 42/P)	4240015428156
108475	SEA MK1.5 LV2 with Dial Gauge 28 " Hose	
108400	SEA MK2.0 LV2 with Dial Gauge 20 " Hose	
108405	SEA MK2.0 LV2 with PIN Gauge 20 " Hose	
108410	SEA MK2.0 LV2 with Dial Gauge 27 " Hose	
108415	SEA MK2.0 LV2 with PIN Gauge 27 " Hose	4220015646676
108420	SEA MK2.0 LV2 with DIAL Gauge 27" Hose-HESP Markings (SRU 43/P)	4240015624738
SEA LV2 CO	MPONENTS	
Part #	Description	
108402	LV2 Second Stage Assy	
108391	LP Hose LV2, Black, 20"	
108394	LP Hose LV2, Black, 24"	
108392	LP Hose LV2, Black, 27"	
108321	LP Hose LV2, Black, 28"	
108425	SEA/LV2 Kit (no cylinder), with Dial Gauge, 20" Hose	
108470	SEA/LV2 Kit (no cylinder), with Dial Gauge, 24" Hose	
108430	LV2 Second Stage Assy w/20" Hose	
108435	LV2 Second Stage Assy w/27" Hose	
SEA SPECIA	CONFIGURATION	
Part #	Description	NSN
108413	SPUDS System w/o holster and belt	
108387	SPUDS Pocket, Black	
712500	Weight Belt w/Buckle	4220014895767





AQUA LUNG Survival Egress Air (SEA) Systems (Distribution may be restricted-Check with Aerial)

SEA REPAIR	KITS & SPARES		
Part #	Description	NSN	
108343	1st Stage Service Kit	4240015428151	
108344	2nd Stage Service Kit	4240015428152	
102810	SEA DIAL Pressure Gauge	4240014768875	
108346	SEA PIN Pressure Gauge		
820466	Christo-Lube 2 oz tube lubrication		
108342	ALSE Technician Tool Kit	4220015519462	
108348	Technical manual-MK Series		
108339	Technical CD Rom		
108349	Users manual, SEA and SEA LV2		
108416	Kit, SEA LV2 Ground Support-USN	4220015435271	
108362	Soft Case		
107394	Adjustable Spanner		
947448	Medium Blade Screwdriver		
944022	O-Ring Tool Kit	5365014527267	
108453	SEA LV2 Mouthpiece cover	4220015433676	
FILL ADAPT	ERS AND MOBILE REFILL STATIONS FOR BOTH HABD AND SEA		
Part #	Description	NSN	
108325	SCUBA Cylinder Fill Adapter	4220015435272	
700406	Bleed Screw		
M100656	Compressor Line Fill Adapter		
M100685	PRS-Portable Refill Station (HABD ONLY)		
M100785	High Pressure 120 CF Steel Cylinder		
M100686	PRS Accessory kit		
100701	MRS-III Mobile Refill Station	4220015340621	
100703	MRS-III Overhaul Kit-1 year	4220015507796	
100704	MRS-III Overhaul Kit-5 year	4220015507795	
100750	MRS-IIIInstruction Manual		
100751	MRS-III Repair CD		
100701RS	MRS-III Reset (call for details)		
SPECIAL US	E 3000 PSI ALUMINUM CYLINDERS FOR EMERGENCY EGRESS		
	of these cylinders require a minimum order quantity		
Part #	Description		
079105	1.5 Cubic Foot, Black Powder Coated, 1.99" diameter, 7.325" length		
079109	1.5 Cubic Foot, Black Annodized, 1.99" diameter, 7.325" length		
079106	1.5 Cubic Foot, Brushed, 2.266" diameter, 6.30" length		
079120	2.0 Cubic Foot, Black Anodized, 1.99" diameter, 9.25" length,		
079107	2.0 Cubic Foot, Black Anodized, 1.99" diameter, 9.25" HESP		
079125	2.5 Cubic Foot, Black Anodized, 2.27" diameter, 9.25" length		
079103	2.5 Cubic Foot, Brushed, 1.99 "diameter, 11.38"length		
SUR <u>VIVAL V</u>	ESTS AND ACCESSORIES		
	g accessories are available from Aqua Lung in limited supply		
Part #	Description	NOW AVAILABLE FROM	
100645	MAS System Pocket, 2.5 bottle, long	AERIAL MACHINE & TOOL CORP.	
100695	MAS System Pocket, 2.5 bottle, short	1-276-952-2006	
100671	UMP-CG 483 NOMEX AIRSAVE		
100659	UMP-SAR	WWW.AERIALMACHINEANDTOOL.COM	
100710	NSW SEA Pocket, Black, 2.0 Bottle	GSA CONTACT #	
100798	QR Cover, ARAMID	65-07F-0027M	



Military & Professional











AQUA LUNG AMERICA, INC.

2340 Cousteau Court Vista, CA 92081, U.S.A.

TOLL FREE ORDER DESK

800.775.3483 / 800.854.7066

TOLL FREE FAX

800.882.3483

INTERNATIONAL TEL

+1.760-597-5000

INTERNATIONAL FAX

+1.760-597 4900

RETURNS / REPAIRS / RA

1.877.253.3483

PUBLIC SAFETY PROGRAM ENQUIRIES

publicsafety@aqualung.com